

Collection

## SUPERBOX

Article

### SB397

Description

**Four holes deck mounted overflow outlet connection.**

Box Dimensions


**370 x 270 x 80 mm**

Weight


**4 kg**

Finishes

- **CC**  
CHROME
- **CF**  
BLACK CHROME
- **OO**  
GOLD
- **BB**  
ANTIQUE BRONZE
- **SS**  
BRUSHED NICKEL
- **CS**  
BRUSHED BLACK CHROME
- **BO**  
MATT WHITE
- **NP**  
MATT BLACK
- **IS**  
BRUSHED PALE GOLD
- **OS**  
BRUSHED GOLD
- **II**  
PALE GOLD
- **RR**  
ANTIQUE COPPER
- **ORS**  
ROSE GOLD
- **ON**  
NATURAL BRASS
- **SR**  
BRUSHED ROSE GOLD
- **PL**  
PLATINUM



Dimensions



Cartridge

**G1/2" ceramic cartridge**

Threaded fitting

**G1/2" male**

Aerator

-

Flow Rate (+/-10%)

**1 BAR**  
21 l/min

**2 BAR**  
29 l/min

**3 BAR**  
36 l/min

Production

**Main body is a single casted pieces**


Material

**BRASS**  
According to CuZn35Pb2Al-B (CB752S)  
Max Lead content: 1.36%



WE ARE IB

Parts list			
ELEM.	CODE	DESCRIPTION	QTÀ
1	CC0002190	Rectangular handle 40x14x20	3
2	AQ0012090	Grubscrew M3x3 cone point	3
3	AQ0012089	Teflon ring Ø11.95x10.1 H4.25	3
4	AC0011243	Handle's base 45x45 H12 R6	2
5	AQ0010274	Rubber packing Ø38x33.5x2	4
6	AQ0010849	Ceramic headwork 90°left	1
7	AQ0010848	Ceramic headwork 90°right	1
8	AQ0010271	Fixing set	1
9	AS0002250	Washbasin upright W26x19	2
10	AQ0009553	Inox hose G1/2" F G3/4" F L600	2
11	AC0011257	Diverter's base 45x45x12	1
12	AQ0012031	Extension for diverter 26X19"	1
13	AQ0009716	Rubber packing 38x30x2	2
14	AS0011259	Thickness for diverter's extension	1
15	AQ0001650	Inox washer 39 x 26,5 x 1	1
16	AS0002010	Clamping nut 26 x 19 H5 CH30	1
17	AQ0012030	Diverter 2 inlet / 2 outlet with stop (2950)	1
18	AQ0004710	Locknut PLS 3/4"	1
19	AC0011258	Shower holder 45x45x30x30 H47	1
20	AQ0009555	Hose G3/2" G3/8" cone	2
21	AQ0012085	Shower Ø23 H196	1





WE ARE IB

### **WARRANTY**

All IB Rubinetterie SpA products are warranted for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our warehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

#### **The warranty is void in the following cases:**

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances.

Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

#### **Cleaning**

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth.

Do not use detergents that cointain hydrochloric acid or abrasive substances.