



# NILSON

### Descriptions

Product code	CC1019J03
Product description	NILSON Barstool black metal dark grey fabric Barstool with backrest upholstered in dark grey velvet fabric. Matt black powder coated steel legs. Height 101cm.
Origin country	CN

### Dimensions

Height x Width x Depth (cm)	_HEIGHT_	x	_WIDTH_	x	_DEPTH_
Product weight (kg)	0				
Seat height (cm)	75				
Seat width (cm)	41				
Seat depth (cm)	35				
Armrest height (cm)					
Armrest width (cm)					
Backrest height (cm)					

### Technical drawings



### Features

Use (domestic/contract/office)	Domestic
Indoor (yes/no)	Yes
Alfresco (yes/no)	No
Outdoor (yes/no)	No
Stackable (yes/no)	No
Stacks up to	
Max. load (kg)	130
Adjustable height (yes/no)	No
Adjustable height mechanism description	

Foldable (yes/no)	No
Swivel (yes/no)	No
Reclining (yes/no)	No
Armrest included (yes/no)	No
Padded (yes/no)	Yes
Footrest included (yes/no)	Yes
Fabric durability resistance (Martindale cycles)	>20.000 cycles
Water repellent (yes/no)	
Stain resistant (yes/no)	
Fire resistant (yes/no)	
UV resistance level (1-5)	
Removable chair cover (yes/no)	
Removable cover parts description	
Adjustable feet (yes/no)	No
Castors information	
Cushion included (yes/no)	
Cushion removable cover (yes/no)	

### **Materials**

Main material	Upholstered
Frame construction	Steel
Main finishing	Synthetic fibers
Seat material details	Plywood and foam
Backrest material details	Plywood and foam
Armrest material details	
Fabric type & specifications	Plain fabric
Fabric composition	100% Polyester
Fabric grammage (g/m <sup>2</sup> )	289
Upholstery fill material	Foam
Foam density (kg/m <sup>3</sup> )	23
Legs material	Steel
Legs finishing	
Feet pad type	Plastic pad
Cushion fabric type	
Cushion fabric composition	
Cushion grammage (g/m <sup>2</sup> )	
Cushion fill material	
Cushion thickness (cm)	

### **Assembly**

Unpacking time (min)	5
Assembly required (yes/no)	Yes
Difficulty of assembly	Easy
People required	1
Assembly time (min)	10
Assembly suggestions	Join the legs to the frame and then screw them to the seat. Check and classify all fittings before starting the assembly. Assemble on a soft surface.

Assembly instructions

**Care & Warranties**

General warnings	Do not place near direct sources of heat. Keep away from direct solar light. Do not use abrasive products like acetones, bleaches, solvents, etc. Sharp elements can scratch the product surface.
Specific use and care instructions	Clean brushing it with a soft brush or with a dry cloth. If some liquid is spilt over the product, clean it as fast as possible to avoid making stains. Dust it with a duster.
Specific use and care instructions for outdoor	
Years of guarantee	2
Made according to	EN 12520:2015 for household use seats
FSC certified (yes/no)	
PEFC certified (yes/no)	
FLEGT license (yes/no)	
Variation type	No natural variation
Purposeful distressing type	No distressing
Additional information	Metal tube thickness: 1,2 mm. Martindale test: >20000 rugs.

**Packaging**

Units per lot	2
Cbm (m3) / Gross weight (Kg)	0,05 / 3,1
Nº of boxes	2
Box 1	1
Description	SEAT
Description box	NILSON Barstool black metal dark grey fabric
Height x Width x Depth (cm)	45 x 57 x 36
Cbm (m3) / Gross weight (Kg) / Net weight (Kg)	0,046 / 2,1 / 1,85
Box 2	2
Description	FRAME
Description box	NILSON Barstool black metal dark grey fabric
Height x Width x Depth (cm)	8 x 72 x 14
Cbm (m3) / Gross weight (Kg) / Net weight (Kg)	0,004 / 1 / 0,85
Box 3	
Description	
Description box	
Height x Width x Depth (cm)	x x
Cbm (m3) / Gross weight (Kg) / Net weight (Kg)	/ /

