

Collection

WOW

Article

W0398

Description

Five holes wall mounted bath filler with shower kit

Box Dimensions

470x290x160 mm

Weight


4.8 kg

Finishes

- **CC**
CHROME
- **CF**
BLACK CHROME
- **BG**
GLOSSY WHITE
- **NG**
GLOSSY BLACK
- **SS**
BRUSHED NICKEL
- **CS**
BRUSHED BLACK CHROME
- **BO**
MATT WHITE
- **NP**
MATT BLACK
- **OO**
GOLD
- **MB**
MODERN BRONZE
- **II**
PALE GOLD
- **RR**
ANTIQUE COPPER
- **ORS**
ROSE GOLD
- **ON**
NATURAL BRASS
- **IS**
BRUSHED PALE GOLD
- **OS**
BRUSHED GOLD
- **SR**
BRUSHED ROSE GOLD
- **PL**
PLATINUM



Dimensions



Cartridge

G1/2" ceramic cartridge

Flex

Flex G1/2" female 150 cms long

Aerator

-

Flow Rate (+/-10%)

**1 BAR
12 l/min**

**2 BAR
17 l/min**

**3 BAR
22 l/min**

Production

Main body is a single casted pieces


Material

BRASS
According to CuZn35Pb2Al-B (CB752S)
Max Lead content: 1.36%



WE ARE IB

Elenco parti			
ELEM.	CODICE	NUMERO DI MAGAZZINO	QTÀ
1	CP10004CC-1	Preassembled cross handle	3
1.1	AQ0010004	Round cross handle	1
1.2	AQ0001082	Grubscrew M4x4 cone point	3
1.3	AS0018166	Thermo handle body with broach	1
2	AC0009209	Sliding rosette Ø60x45x6	3
3	AQ0009367	OR 44.45x3.53 NBR 70 SH	3
4	AQ0009209	Screw M4x16 ISO 7045	3
5	AC0007042	Capacity handle body	3
6	AC0011537	Flange for regulation tap Ø45 H56.7	3
7	AN0012288	Reduction 26x19 M42x1.5 H41	3
8	AQ0010529	Ceramic headwork 90° SX H38.5 8x20	1
9	CT0002005	Built-in stopcocks G1/2"	2
10	AQ0010528	Ceramic headwork 90° DX H38.5 8x20	1
11	AQ0010279	Diverter 2 in - 2 out complete short	1
12	AS0009995	Bush for headwork W26 x 19 W22 x 19	1
13	AS0010014	Extension for diverter's rod	1
14	AC0012558	Spout-out Ø26 L145	1
15	AQ0014708	Rosette Ø60 H12	1
16	AQ0015036	Aerator Ø26 H17 M24x1 flow sraightener (40.9100.33301)	1
17	AQ0013638	Anair round support	1
18	AQ0018056	Flex snapon G1/2" F L150cm Silver	2
19	AQ0013557	OnAir hand shower	1





WE ARE IB

WARRANTY

All IB Rubinetterie SpA products are warranted for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation unless the merchandise must be returned FOB our warehouse. The warranty only covers surface defects (scratches, dings, etc.) on fittings that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finished surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due to incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommend cleaning the finish surfaces with water and soap, using a soft cloth.

Do not use detergents that contain hydrochloric acid or abrasive substances.