


APLIQUE – PLAFÓN – PIE DE SALÓN – SOBREMESA - COLGANTE

La tela elástica adquiere una forma facetada recubriendo las líneas limpias que forman su estructura metálica, permite realizar composiciones que envuelven la estancia en un ambiente estelar. Es adaptable a todo tipo de paredes y techos. Se pueden combinar de diferentes tamaños y crear una sensación de intensa y sugerente claridad.

WALL BRACKET - SURFACE LIGHT - FLOOR LAMP - TABLE LAMP – SUSPENSION

Play and design with stars, with different surface compositions suitable for any kind of ceiling, wall or sloping ceilings. Range including also suspension, floor & table lamps. You may combine different POLARIS, different sizes and shapes. Removable stretching fabric covering a metal frame.




REF.
20007/00

APLIQUE / WALL BRACKET
IP20

MATERIAL
Metal y tela elástica /
Metal & stretching fabric

ACABADO / FINISH
Blanco óptico / Optical white

INSTALACIÓN / INSTALLATION
- E27 LED 2x10W Ø6cm



REF.
20007/42

PLAFÓN / SURFACE LIGHT
IP20

MATERIAL
Metal y tela elástica /
Metal & stretching fabric

ACABADO / FINISH
Blanco óptico / Optical white

INSTALACIÓN / INSTALLATION
- E27 LED 2x10W Ø6cm

- PCB-LED 20W 700mA
Cálida / Warm 3000K 1180lm
Neutra / Neutral 4000K 1235lm



*(bombillas no incluidas / lamps not included)


Ⓥ dim 1-10V

Ⓢ dim DALI

Ⓟ dim PUSH

Ⓡ REMOTE

* Archivos 3D y ficheros fotométricos disponibles en web / 3D and photometric files available on the web



REF.
20007/58

PLAFÓN / SURFACE LIGHT
IP20

MATERIAL

Metal y tela elástica /
Metal & stretching fabric

ACABADO / FINISH


Blanco óptico / Optical white

INSTALACIÓN / INSTALLATION

- E27 LED 4x10W Ø6cm

- PCB-LED 40W 700mA
Cálida / Warm 3000K 2400lm
Neutra / Neutral 4000K 2510lm

-PCB-LED 55W 500mA
Cálida / Warm 3000K 3115lm
Neutra / Neutral 4000K 3258lm



REF.
20007/80

PLAFÓN / SURFACE LIGHT
IP20

MATERIAL

Metal y tela elástica /
Metal & stretching fabric

ACABADO / FINISH

Blanco óptico / Optical white

INSTALACIÓN / INSTALLATION

- E27 LED 4x10W Ø6cm

- PCB-LED 40W 700mA
Cálida / Warm 3000K 2400lm
Neutra / Neutral 4000K 2510lm

-PCB-LED 70W 500mA
Cálida / Warm 3000K 4492lm
Neutra / Neutral 4000K 4698lm

-PCB-LED 72W 300mA
Regulable en temp./ brillo
Dimmable temp./ brightness
3000K - 6000K max.3632lm



*(bombillas no incluidas / lamps not included)


dim 1-10V

dim DALI

dim PUSH

REMOTE

* Archivos 3D y ficheros fotométricos disponibles en web / 3D and photometric files available on the web



REF.
20007/100

PLAFÓN / *SURFACE LIGHT*
IP20

MATERIAL
Metal y tela elástica /
Metal & stretching fabric


ACABADO / *FINISH*
Blanco óptico / *Optical white*

INSTALACIÓN / *INSTALLATION*
- E27 LED 5x10W Ø6cm

- PCB-LED 40W 700mA
Cálida / *Warm 3000K 2400lm*
Neutra / *Neutral 4000K 2510lm*

-PCB-LED 70W 500mA
Cálida / *Warm 3000K 4492lm*
Neutra / *Neutral 4000K 4698lm*

-PCB-LED 72W 300mA
Regulable en temp./ brillo
Dimmable temp./ brightness
3000K - 6000K max.3632lm



REF.
20016/R90

PLAFÓN-APLIQUE / *SURFACE LIGHT*
IP20

MATERIAL
Metal y tela elástica /
Metal & stretching fabric

ACABADO / *FINISH*
Blanco óptico / *Optical white*

INSTALACIÓN / *INSTALLATION*
- E27 LED 2x10W Ø6cm

- PCB-LED 20W 700mA
Cálida / *Warm 3000K 1180lm*
Neutra / *Neutral 4000K 1235lm*



*(bombillas no incluidas / *lamps not included*)


dim 1-10V

dim DALI

dim PUSH

REMOTE

* Archivos 3D y ficheros fotométricos disponibles en web / *3D and photometric files available on the web*



REF.
23000

PIE DE SALÓN / FLOOR LAMP
IP20


MATERIAL
Metal y tela elástica /
Metal & stretching fabric

ACABADO / FINISH
Blanco óptico / *Optical white*

INSTALACIÓN / INSTALLATION
- G5 1x35W  T5



Bombilla incluida



REF.
23001

SOBREMESA / TABLE LAMP
IP20

MATERIAL
Metal y tela elástica /
Metal & stretching fabric

ACABADO / FINISH
Blanco óptico / *Optical white*

INSTALACIÓN / INSTALLATION
- E27 LED 1x10W Ø6cm 






REF.
80015/80

COLGANTE / *SUSPENSION*
IP20

MATERIAL
Metal, tela elástica y metacrilato /
Metal, stretching fabric & PMMA

ACABADO / *FINISH*
Florón níquel satinado /
Satin nickel canopy
Tela blanco óptico /
Optical white fabric
Metacrilato opal (tapa superior) /
Opal PMMA (top cover)

INSTALACIÓN / *INSTALLATION*
- E27 LED 4x10W Ø6cm 





DOBLE ENCENDIDO

MODELOS DISPONIBLES CON DOBLE ENCENDIDO (en la instalación PCB-LED 40W) :

MODELS AVAILABLE FOR 2 SWITCHES (For installation PCB-LED 40W):

20007/58, 20007/80, 20007/100


40W



20W



20W



El aparato se suministra
así desde fábrica

*This is the standard switch
configuration supplied
from factory if there is not
2-switch request in your
order*



Teniendo en la instalación dos llaves, se
puede pedir desde fábrica con dos
encendidos

*If installation has possibility of 2
switches, we may supply as per above 2-
switch configuration, on request*