




live the innovation

EN.V.01.19









Wall Panels





Code | Soho | Flow

106

82



Countertops and Shelves

120



Spot

122



Fs

154





Free standing bathtubs

170

- Space
- Beta Essential
- Alfa Essential
- Alfa Essential Deco
- Totems and other wall-based elements

Built-in bathtubs

202

- Beta Fusion
- Alfa Fusion

218


Materials

QUICK GUIDE

UNIQUE S m

















SELECT S m











STUDIO PLUS (S)





ZONE S





LINE & MOON S 0















^{*} Up to 400 cm in length through the assembly of two coordinated units

O FORMATS

SHOWER TRAYS

SHOWER TRAYS

CUBE & QUADRO S 00





$$71-75 \begin{vmatrix} 100 & & & & | 100 & & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & | 100 & & |$$

NATURE & NEO S m



































ONE 9





* Centrally positioned waste





ARQ 9





VISUAL @









Scene











acrylic







garden area (2)


folaniu

UNIQUE

Devised to aid the creators of singular solutions within the shower area, offering new possibilities to the world of design







The Unique series has been developed to offer solutions, on an individualized basis, to each shower area.

We find the freedom to define the form of a given area alongside the ability to call upon different drainage types and positions. The concept allows for the best possible aesthetic and functional results to be brought together, with the aim of being able to offer the customer the most satisfactory shower experience available.

Unique is a solution for the shower area designer, backed up by product specialists, which allows for a maximum level of individualization to be achieved.





UNIQUE






UNIQUE





Example: A 90x165 cm Shower tray, complete with drainage in its border, according to the specifications as provided by the client.













Example: A 100x325 cm Shower tray, composed of two matching units, complete with drainage located in the border and a grooved area, according to the specifications as provided by the client.




Example: A 90x120 cm Shower tray, complete with a wall-mounted drainage, according to the specifications as provided by the client.














Example: A 130x180 cm Shower tray, complete with twin border-mounted drainage, according to the specifications as provided by the client.



WALL DRAINS

A shower tray devised for a wall inlet channel drainage. Once the exterior form of the shower tray has been designed, the length and the positioning of the drainage, around the perimeter, are established. The diagram below indicates the distances that must be observed in relation to the position of the inlet channel and the corners of the shower tray.






Area for wall drain to be positioned

BORDER-MOUNTED DRAINAGE

A shower tray devised for a border-mounted drainage. Once the exterior form of the shower tray has been designed the position of the drainage(s), around the perimeter, is established. The diagram below indicates the distances that must be observed in relation to the position of the drainage and the corners of the shower tray.






Area for border-mounted drainage

* 25 for lengths between 70 and 140 cm 35 for lengths between 141 and 230 cm

INTERIOR DRAINAGE


A shower tray devised for drainage positioned in its interior. Once the exterior form of the shower tray has been designed the drainage type and its position within the interior of the shower tray are established. The diagrams as follow indicate the areas where the drainage(s) may be positioned, according to the dimensions of the shower tray.




Rectangular drain cover, same material and finish as shower tray





Round stainless-steel drain cover




Square stainless-steel drain cover










Area where drainage may be positioned in interior of shower tray


A SOLUTION FOR EXTRA-LARGE FORMATS

In order to achieve a solution regarding shower trays measuring more than 230 cm and up 400 cm in length, an area based on the assembly of two units may be designed. The two units, up to 200 cm in length, are supplied independently of one another, however, their design is closely coordinated to guarantee a correct assembly at their final location.

Example: Requirements for an extra-large 100x325 cm solution








Inferior assembly joints in unit 1 and upper assembly joints in unit 2 determine the sequence in which the units are to be installed

The join between the two units may be visible, joined using generic materials or dissimulated through the use of the same material as the shower tray.



COVERS AND VALVES



Wall inlet channel drain. Not supplied



Includes
Cover in same material
as shower tray for
drainage in border



Includes
Cover in same material
as shower tray for interior
placed drainage





placed drainage



Includes
Square cover, stainlesssteel or same colour as
shower tray for interior
placed drainage

Includes valve (compliant to UNE EN-274) for border and interior placed drainage

SURFACE FINISH



Smooth texture finish

Class 3 (ENV 12633) | C (DIN 51097) | PN24 (XP P05-011) Anti-slip Treatment. Included in Marmek®, optional in Scene®

COLOURS AND MATERIALS											
\$ cene	m armek										
	WHITE COLOUR	STANDARD COLOURS SPE									
WHITE	BIANCO	PIETRA	CAPPUCCINO	GREY	IRON	RAL* / NCS*					
		CREME	TERRA	CEMENT	OMBRA						
		BEIGE	CACAO	STEEL	GRAPHITE						

^{*} The colours supplied are from the matt range. Orders for gloss or metallic finishes are not accepted as they could alter the products characteristics. In the event of any doubt, please contact our customer service department.










The Select series offers a wide range of interior forms to design a shower tray.

The series is destined to enable shower area designers to be able to configure a solution that is both singular and adequate to their needs. The designer, once the exterior form of the shower tray has been determined, then moves on to selecting the interior, its position and its orientation from the predetermined form or forms available.


Select is an aid to the designer, allowing for the freedom to find solutions when faced with complex forms.



A CHOICE OF SHOWER TRAY INTERIORS



The distance from the center of the drainage to the nearest border is 17 cm, with the exception of S5, where it is centered



In order to achieve a solution regarding shower trays measuring more than 230 cm and up 400 cm in length, an area based on the assembly of two units may be designed. The two units, up to 200 cm in length, are supplied independently of one another, however, their design is closely coordinated to guarantee a correct assembly at their final location (see the Unique series on page 24 for a similar solution).











HEIGHT INSTALLATION







Onto paving

Built-in

COVERS AND VALVES





Includes round stainless-steel cover or of same colour as shower tray





Includes square stainless-steel cover or of same colour as shower tray

Includes Ø90 valve (compliant to UNE EN-274) Can be installed using other Ø90 valves

SURFACE FINISH



Smooth texture finish

Class 3 (ENV 12633) | C (DIN 51097) | PN24 (XP P05-011) Anti-slip Treatment. Included in Marmek®, optional in Scene®

COLOURS AND MATERIALS											
\$ cene	m armek										
	WHITE COLOUR		SPECIAL COLOUR								
WHITE	BIANCO	PIETRA	CAPPUCCINO	GREY	IRON	RAL* / NCS*					
		CREME	TERRA	CEMENT	OMBRA						
		BEIGE	CACAO	STEEL	GRAPHITE						

^{*} The colours supplied are from the matt range. Orders for gloss or metallic finishes are not accepted as they could alter the products characteristics. In the event of any doubt, please contact our customer service department.

the shower SHOWER TRAYS

STUDIO PLUS



STUDIO PLUS 70x150 white with a smooth texture finish







Onto paving

STUDIO PLUS

Built-in





COVERS AND VALVES



Scene® drain cover included

Includes Ø90 valve (compliant to UNE EN-274) Can be installed using other Ø90 valves

SURFACE FINISH



Smooth texture finish
Class 3 (ENV 12633) | C (DIN 51097) | PN24 (XP P05-011) Anti-slip Treatment, optional

COLOUR AND MATERIAL


Scene

















Scene® drain cover included

Includes Ø90 valve (compliant to UNE EN-274) Can be installed using other Ø90 valves

SURFACE FINISH



Smooth texture finish
Class 3 (ENV 12633) | C (DIN 51097) | PN24 (XP P05-011) Anti-slip Treatment, optional

COLOUR AND MATERIAL

Scene




WHITE












LINE & MOON the shower SHOWER TRAYS





LINE & MOON





LINE & MOON











HEIGHT INSTALLATION

______ 30 mm

Onto paving



COVERS AND VALVES





Includes Ø50 valve (compliant to UNE EN-274) Can be installed using other Ø50 valves

SURFACE FINISH







Slate texture finish

Class 3 (ENV 12633) | C (DIN 51097) | PN24 (XP P05-011) Anti-slip Treatment. Included in Marmek®, optional in Scene®

		COLOU	JRS AND MATERIAL	S				
LINE		MOON						
S cene	m armek							
	WHITE COLOUR		STANDARD COLOUR			SPECIAL COLOUR		
WHITE	BIANCO	PIETRA	CAPPUCCINO	GREY	IRON	RAL* / NCS*		
		CREME	TERRA	CEMENT	OMBRA			
		BEIGE	CACAO	STEEL	GRAPHITE			

^{*} The colours supplied are from the matt range. Orders for gloss or metallic finishes are not accepted as they could alter the products characteristics. In the event of any doubt, please contact our customer service department.


the shower SHOWER TRAYS CUBE & QUADRO





















Includes round stainless-steel cover Option of same colour as shower tray





Optional square stainless-steel cover or same colour as shower tray

Includes Ø90 valve (compliant to UNE EN-274) Can be installed using other Ø90 valves

SURFACE FINISH



Slate texture finish

Class 3 (ENV 12633) | C (DIN 51097) | PN24 (XP P05-011) Anti-slip Treatment. Included in Marmek®, optional in Scene®

		COLOU	JRS AND MATERIALS	3				
CUBE	QUADRO							
S cene	m armek							
	WHITE COLOUR		STANDARD COLOUR					
WHITE	BIANCO	PIETRA	CAPPUCCINO	GREY	IRON	RAL* / NCS*		
		CREME	TERRA	CEMENT	OMBRA			
		BEIGE	CACAO	STEEL	GRAPHITE			


^{*} The colours supplied are from the matt range. Orders for gloss or metallic finishes are not accepted as they could alter the products characteristics. In the event of any doubt, please contact our customer service department

























Round stainless-steel cover

Round cover, in white

Square stainless-steel cover

Square cover, in white

















Includes square stainless-steel cover Option of same colour as shower tray Includes Ø90 valve (compliant to UNE EN-274) Can be installed using other Ø90 valves

SURFACE FINISH







Slate texture finish

Class 3 (ENV 12633) | C (DIN 51097) | PN24 (XP P05-011) Anti-slip Treatment. Included in Marmek®, optional in Scene®

		COLOU	JRS AND MATERIAL	S				
NATURE			NEO					
S cene	m armek							
	WHITE COLOUR	STANDARD COLOUR				SPECIAL COLOUR		
WHITE	BIANCO	PIETRA	CAPPUCCINO	GREY	IRON	RAL* / NCS*		
		CREME	TERRA	CEMENT	OMBRA			
		BEIGE	CACAO	STEEL	GRAPHITE			

^{*} The colours supplied are from the matt range. Orders for gloss or metallic finishes are not accepted as they could alter the products characteristics. In the event of any doubt, please contact our customer service department.

the shower SHOWER TRAYS

ONE

















Includes square stainless-steel cover



Optional square cover in same colour as shower tray

Includes Ø90 valve (compliant to UNE EN-274) Can be installed using other Ø90 valves

SURFACE FINISH



Slip resistant slate texture finish B (DIN 51097) | PN18 (XP P05-011)

COLOURS AND MATERIALS

gelcoat

STANDARD COLOUR























Includes cover in same material colour and finish as shower tray

Includes Ø50 valve (compliant to UNE EN-274) Can be installed using other Ø50 valves

SURFACE FINISH



Slip resistant cement texture finish Class 3 (ENV 12633) | B (DIN 51097) | PN18 (XP P05-011)

COLOURS AND MATERIALS

gelcoat

STANDARD COLOUR













HEIGHT INSTALLATION





COVERS AND VALVES



Includes Ø90 valve (compliant to UNE EN-274) Can be installed using other Ø90 valves

SURFACE FINISH



Smooth texture finish

Class 3 (ENV 12633) | C (DIN 51097) | PN24 (XP P05-011) Anti-slip Treatment, optional

COLOUR AND MATERIAL

acrylic





the shower PANELS


PANELS



PANELS 85x230, white, slate texture














































RECTANGULAR S1









RECTANGULAR S








RECTANGULAR S3





RECTANGULAR-T S4









RECTANGULAR-T S5









RECTANGULAR-T S6















LINE S11








LINE S12



LINE \$13









OVAL S14










COLISO S15








COLISO S16








CIRCULAR S17














BETA S19







FSFFRA S20











ARCO S21








ARCO S22





WASHBASIN CONFIGURATION

PROGRAM offers freedom in the design of the washbasin by being able to choose the basin between 22 available shapes, and also the position, as well as a great variety in the configuration possibilities



complements COUNTERTOP WASHBASINS

CODE






Code 1S h=10






Code 1XL h=10




Code 1M h=10





Code 2S h=10







complements COUNTERTOP WASHBASINS SOHO




SOHO

Soho 1S h=10







Soho 1XL h=10



Soho 1S h=1,2



Soho 1M h=1,2














Flow 15 h=1,2



Flow 1M h=1,2



Flow 2S h=1,2







complements
COUNTERTOPS AND SHELVES

COUNTERTOPS











COUNTERTOPS





Countertops



OPTIONS

Prepared for faucetry installation H1, H2 of H3

Hole for Ø46 mm standad drainage

Cm by cm custom cutting

35/45 cm Integrated slot towel rail


30/40/50 cm Stainless-steel under countertop towel rail

30/40/50 cm stainless-steel front installation towel rail

Scene® Ledge under countertop (for 60 to 140 cm length countertops)


Shelves






complements COUNTER-MOUNTED WASHBASINS SPOT 122








15




























































































































































































































































































































































































































SPOT

	SPOT 1		SPOT 2 *1		SPOT 3 2	SPOT 4
p. 125			SPOT 9		SPOT 10 *2	SPOT 11
	SPOT 16 *1		SPOT 17 *1		SPOT 18 *2	SPOT 19
p. 127			SPOT 24 *1		SPOT 25 📆	SPOT 26
	SPOT 31 *1		SPOT 32 *1		SPOT 33 📆	SPOT 34 13
p. 129			SPOT 39 *1		SPOT 40 *2	SPOT 41 13
p. 132			SPOT 46 *1		SPOT 47 🛂	
p. 133			SPOT 53 *1		SPOT 54 *2	
	SPOT 60 *1	SPOT 61 *1	SPOT 62 *1	SPOT 63 *1	SPOT 64 2	SPOT 65
	SPOT 73 *1	SPOT 74 *1	SPOT 75 *1	SPOT 76 *1	SP0T 77 *2	SPOT 78 🔞
	SPOT 86 *1	SPOT 87 *1	SPOT 88 *1	SPOT 89 *1	SP0T 90 *2	SPOT 91
	SPOT 96 *1	SPOT 97 *1	SPOT 98 *1	SPOT 99 *1	SPOT 100 *2	SPOT 101 🔞
	SPOT 106 *1	SPOT 107 *1	SPOT 108 *1		SPOT 109 *2	SPOT 110 🔞
	SPOT 115 *1	SPOT 116 *1	SPOT 117 *1		SPOT 118 *2	SPOT 119 🔞
	SPOT 124 *1		SPOT 125 *1		SPOT 126 📆	SPOT 127 🔞
	SPOT 132 *1		SPOT 133 *1		SPOT 134 *2	SPOT 135 🔞
	SPOT 140 *1		SPOT 141 *1		SPOT 142 *2	SPOT 143 🔞
	SPOT 148 *1	SPOT 149 *1	SPOT 150 *1		SPOT 151 *2	SPOT 152 🔞
	SPOT 157 *1	SPOT 158 *1	SPOT 159 *1	SPOT 160 *1	SPOT 161 🛂	SPOT 162 🔞
o p. 151	SPOT 167 *1	SPOT 168 *1	SPOT 169 *1			
o p. 151			SPOT 170 *1			
o p. 151			SPOT 171 *1			
			SPOT 172 *1			
			SPOT 173 *1			
			SPOT 174 *1			






	SPOT 5 2	SPOT 6		SPOT 7 *2	SPOT 8	
	SPOT 12 🛂	SPOT 13		SPOT 14 💆	SPOT 15	
	SPOT 20 *2	SPOT 21		SPOT 22 *2	SPOT 23	
	SPOT 27 *2	SPOT 28		SPOT 29 2	SPOT 30 🔞	
	SPOT 35 *2	SPOT 36		SPOT 37 💆	SPOT 38 🔞	
	SPOT 42 *2	SPOT 43 *3		SPOT 44 💆	SPOT 45 📸	
SPOT 48	SPOT 49 *2		SPOT 50 4	SPOT 51 2		SPOT 52 4
SPOT 55 🛂	SPOT 56 *2		SPOT 57 4	SPOT 58 💆		SPOT 59 4
SPOT 66	SPOT 67 *2	SPOT 68	SPOT 69 *4	SPOT 70 💆	SPOT 71 🔞	SPOT 72 4
SPOT 79 🛂	SPOT 80 *2	SPOT 81 *3	SPOT 82 *4	SPOT 83 🛂	SPOT 84 *3	SPOT 85 4
	SPOT 92 *2	SPOT 93		SPOT 94 💆	SPOT 95	
	SPOT 102 *2	SPOT 103 *3		SPOT 104 2	SPOT 105 🔞	
	SPOT 111 *2	SPOT 112 *3		SPOT 113 💆	SPOT 114 *3	
	SPOT 120 *2	SPOT 121 *3		SPOT 122 *2	SPOT 123 🔞	
	SPOT 128 *2	SPOT 129 🔞		SPOT 130 💆	SPOT 131 🔞	
	SPOT 136 *2	SPOT 137 🔞		SPOT 138 💆	SPOT 139 🔞	
	SPOT 144 2	SPOT 145 🛂		SPOT 146 2	SPOT 147 🔞	
	SPOT 153 2	SPOT 154 🔞		SPOT 155 2	SPOT 156 🔞	
	SPOT 163 2	SPOT 164 🔞		SPOT 165 🛂	SPOT 166 🔞	


Preparation for faucetry H1, H2, H3
Preparación para grifería otras configuraciones
Preparation for faucetry: Available for models 3 & 4


Elongated overflow + connection to outflow
Round, chrome overflow + connection to outflow
Overflows available for models 3 & 4 (check compatibility)
Check compatibility of assembly between faucetry and overflow















Siphon for floor or wall-based drainage with 1"1/4 connection. Specify in order if siphon outlet is floor or wall-based. Valve not included


OPTIONS


Exterior RAL / NCS Matt finishes, to be chosen from standard colour charts. Metallic, gloss finishes, etc are exempt

Preparation for faucetry Available for models FS3, FS4, FS7 & FS8 Elongated overflow + connection to outflow Round, chrome overflow + connection to outflow Overflows available for models FS3 & FS7. Check compatibility of assembly between faucetry and overflow



FS 4







FS 2

S Washbasin manufactured using smooth white Scene®


OTHER COMPLEMENTS


Click-clack valve with white Scene $^{\!\otimes}$ embellishing cover (not recommended for FS 2, 4, 6 & 8)


Click-clack valve with chrome embellishing cover (chromed brass) (not recommended for FS 2, 4, 6 & 8)


Valve with free-running chrome basin drainage grill













OPTIONS

FS 12


Exterior RAL / NCS
Matt finishes, to be chosen from standard colour charts. Metallic, gloss finishes, etc are exempt
Preparation for faucetry
Available for models FS10 & FS12

OTHER COMPLEMENTS

Valve with free-running chrome basin drainage grill









Siphon for floor or wall-based drainage with 1"14 connection. Specify in order if siphon outlet is floor or wall-based. Valve not included

OPTIONS


Exterior RAL / NCS
Matt finishes, to be chosen from standard colour charts. Metallic, gloss finishes, etc are exempt


Preparation for faucetry Available for models FS14 & FS16

OTHER COMPLEMENTS









21



FS 19

FS 18

Washbasin manufactured using smooth white Scene®

For FS 17 & FS 18: Siphon for floor or wall-based drainage with 1"¼ connection. Specify in order if siphon outlet is floor or wall-based
For FS 19: Siphon for floor drainage with 1"¼ connection.

Valve not included

OPTIONS


Exterior RAL / NCS
Matt finishes, to be chosen from standard colour charts. Metallic, gloss finishes, etc are exempt

Preparation for faucetry Available for model FS18

OTHER COMPLEMENTS







FS 20



Washbasin manufactured using smooth white Scene®

Siphon for floor drainage with 1"1/4 connection. Valve not included


OPTIONS

Exterior RAL / NCS Matt finishes, to be chosen from standard colour charts. Metallic, gloss finishes, etc are exempt

OTHER COMPLEMENTS







FS 21

Washbasin manufactured using smooth white Scene®

Siphon for floor drainage with 1"1/4 connection. Valve not included

OPTIONS


Exterior RAL / NCS
Matt finishes, to be chosen from standard colour charts. Metallic, gloss finishes, etc are exempt

OTHER COMPLEMENTS









FS 22



Washbasin manufactured using smooth white Scene®

Siphon for wall-based drainage with 1"1/4 connection. Válvula no incluida

OPTIONS

Exterior RAL / NCS
Matt finishes, to be chosen from standard colour charts. Metallic, gloss finishes, etc are exempt

Preparation for faucetry. Orders will be confirmed by technical drawing. Preparation for faucetry: Available for model FS22

Elongated overflow + connection to outflow

Round, chrome overflow + connection to outflow Overflows available for models FS22 Check compatibility of assembly between faucetry and overflow

OTHER COMPLEMENTS









SPACE







SPACE









































































































| bathtub | FREE STANDING BATHTUBS ALFA ESSENT ALFA ESSENTIAL DECO 175x75 white, with Deco Feet structure (white)


198



TOTEMS

bathtub BATHTUBS COMPLEMENTS technical information










BETA FUSION 200x100 white



beta fusion 185x100



beta fusion free design



free design examples















BETA FUSION



BETA FUSION 150x150 white

beta fusion 140x140



beta fusion 150x150



beta fusion Ø150



beta fusion free design



free design examples













| bathtub | BUILT-IN BATHTUBS

ALFA FUSION





ALFA FUSION 200x90 white






alfa fusion free design











ALFA FUSION 178x178 white



alfa fusion 170x170



alfa fusion free design



free design examples







Scene

An advanced composition of mineral compounds, organic polymers and specific additives which are designed to be moulded. It is also known as synthetic stone and is included in a group of «solid surface» materials - skinless synthetic materials whose outermost surfaces have the same properties as their interiors. The synthetic resin component in its structure gives it a certain amount of elasticity, while the mineral compounds act as a kind of shield that provide resistance to wear and tear, and also give it anti-slip qualities.

High rigidity

WHITE

Pleasant to the touch

Anti-slip

Antibacterial

Highly resistant to moisture

Highly resistant to chemical agents

Colours and textures

WHITE SLATE TEXTURE

Scene






A compact composition made from resins and minerals derived from marble, which bestow it a high level of hardness combined with excellent characteristics for its use within the bathroom. The surface finish offers infinite possibilities in terms of personalization and presents an excellent resistance to both cleaning and regular hygiene products. The material itself has high antibacterial qualities and is extremely suitable for the manufacturing of shower trays, due to its non slip nature.

Colours and textures

STANDARD COLOURS



SPECIAL COLOURS



RAL / NCS

Colors are delivered in matte finish. Shiny or metallic finishes can not be accepted because they affect the characteristics of the product. If in doubt, please contact our customer service.

SMOOTH TEXTURE SLATE TEXTURE

MATERIALS

marmek



gelcoat

Gelcoat is a compact composite of resin and varied mineral content, which features an external layer of the highest quality ISO NPG Gelcoat, providing the material with both a high level of hardness and excellent characteristics for its use within the bathroom. The surface finish is available in different colours and textures and also offers an excellent resistance to cleaning and everyday cleaning and hygiene products, guaranteeing an excellent level of durability.

Colours and textures

STANDARD COLOURS



MATERIALS

gelcoat





ABSARA INDUSTRIAL S.L.

Partida Saloni, s/n 12130 San Juan de Moró Castellón SPAIN Tel. +34 964 657 272 Fax +34 964 691 922 export@absaraindustrial.com www.hidrobox.com

Hidrobox by Absara reserves all rights to modify and/or exchange any items, and will not be held responsable for any possible printing errors.

EN.V.01.19



EN	
(+34 964 657 272	export@absaraindustrial.com
ES	
+34 964 105 176	comercial@absaraindustrial.com
FR	
N°Azur 0 811 66 57 41 PRIX APPEL LOCAL	rance@absaraindustrial.com
DE	
Rufen Sie uns an unter unsere Kunden Hotline: +49 01 807 808 777 Erste 30 sekunden kostenios; Vom Festnetz 0.14 cent/Minute; Vom Mobilnetz 0.42 cent/Minute	deutschland@absaraindustrial.com

ABSARA INDUSTRIAL S.L.