

# B-Line

B-Line S.r.l.  
Via Galileo Galilei, 13/B  
35030 - Sarmeola di Rubano (PD)  
ITALY

T. +39 049 8978245  
F. +39 049 633499  
E. [info@b-line.it](mailto:info@b-line.it)  
W. [b-line.it](http://b-line.it)

SS SOLIDS & STRIPES  
SUNBRELLA

100% Acrilico /  
Acrylic




TSS5453

VG GORGEOUS FLUKSO

100% PES FR – Trevira CS




TVG2153




TVG2158




TVG2148



TVG2118



TVG2126



TVG2111

RX REMIX 2 KVADRAT

90% Lana vergine /  
New wool  
10% Nylon



TRX123



TRX682



TRX173



TRX662



TRX743



TRX982

HE HERO KVADRAT


96% Lana vergine /  
New wool  
4% Nylon




THE211



THE141



THE791



THE541




THE991




THE381

ST STEELCUT TRIO 3  
KVADRAT


90% Lana vergine /  
New wool  
10% Nylon



TST133



TST916



TST195



TST515



TST716




TST376

LN PANAMA LEATHER DANI

100% Pelli bovine europeae  
/ European cow hides




LN5506



LN5290



LN5300



LN5210



LN5320




LN5400

FP PLATINUM FLUKSO

82% PVC  
18% PES




TFP5




TFP12




TFP22



TFP30



TFP36



TFP15

G GEMMA S PUGI RG

100% Poliestere – Trevira CS /  
Polyester – Trevira CS



TG651



TG203

**SPECIFICHE TESSUTI  
/ FABRIC FEATURES**

**Gorgeous  
Flukso**

450 g/mq / g/sqm  
100.000 Martindale



**Remix 2  
Kvadrat**

415 g/mtl / g/lin.m  
100.000 Martindale



0575/12

**Hero  
Kvadrat**

580 g/mtl / g/lin.m  
45.000 Martindale



0575/15

**Steelcut Trio 3  
Kvadrat**

580 g/mtl / g/lin.m  
45.000 Martindale



0575/17

**Panama  
Dani**

sp / thk 1,0-1,2 mm

**resistenza allo strappo  
/ tear resistance**  
20 N | EN ISO 3377 -1

**resistenza alla flessione  
/ flex resistance**

**nessuna rottura  
in 50.000 cicli  
/ no damage  
in 50.000 cycles  
EN ISO 5402**

**Solids & Stripes  
Sunbrella**

260 g/mq / g/sqm

**resistenza del colore  
ai raggi UV**  
- outdoor 1000h  
**/ colour fastness UV**  
- outdoor 1000h  
4-5 / ISO 105 B04



**Platinum  
Flukso**

650 g/mq / g/sqm  
100.000 Martindale



**Gemma S  
Pugi rg**

400 g/mtl / g/lin.m  
40.000 Martindale

