



office.



Contents

foxx	04
veron	10
pure	18
process e_station	22
float_fx storage space	24
Surfaces	38

Modern, functional, and versatile – these are the main features of *foxx*, the office table series with a C-leg base. *foxx* meets a wide variety of office requirements and can be configured to single, group, or team workstations as needed. *foxx* offers several table variants: *foxx_M* (multifunctional) provides the option of customising the equipment by adding modules. Cable management, sliding plate, accessory panel, modesty panel, CPU holder can be easily mounted on the multifunctional crossbar – no tools required. The electrically height-adjustable variants *foxx_eR* and *foxx_eQ* offer an easy-to-use, ergonomically perfect sit-stand workstation.

foxx





foxx adds colour to the office. The lower part of the cantilever foot can be selected in contrasting colours from the Wiesner Hager surfaces collection and is also available in yellow-green (RAL 6018), yellow (RAL 1016) and azure-blue (RAL 5009).



Variable C-leg table series.



Invisible cable management.
Cable grommets in the desktop and the generously sized cable channel ensure a tidy, largely invisible cabling of the table. This also applies to the *pure* table system.



Sliding plate.
The sliding plate provides free access to the electrics in next to no time.






Continuous height adjustment.
The working height of the table can be adjusted continuously from 650 to 850 mm.



Electric height adjustment.
The electrically height-adjustable table variants *foxx_eR* and *foxx_eQ* facilitate an easy shift from a sitting to a standing height workstation. Range of adjustment: 650 to 1250 mm.

foxx_M workstations




----- = possible position of accessory panel and modesty panel
Note: In the case of the compact, universal and call centre table the modesty panel can only be mounted on one side.



Rectangular table

Free-form-shape table right/left

Double free-form-shape table






Compact table right/left

Universal table right/left

Call centre table

foxx_eR and foxx_eQ workstations

----- = possible position of accessory panel and modesty panel



Rectangular table

Free-form-shape table right/left

Double free-form-shape table



Design:

foxx_M (multifunctional)

choice of laminate (MFC, 19 mm thick) or HPL top (21 mm thick) with seamless, moisture resistant laser edge (ABS edge), veneer with laminated wood edge (19 mm thick), or compact top (12 mm thick). Wood surfaces stained.

Frame: tubular steel frame structure with C-leg base, column 70 mm Ø, plastic glides. Working height 650 to 850 mm, continuously adjustable. With multifunction crossbar. Metal surfaces powder-coated.

Accessories: cable grommet rectangular, semi-oval or round / cable channel sheet steel, hinged on both sides / sliding plate / CPU holder / cable snake verticle / modesty panel perforated sheet steel.

Accessory panel: fabric-covered panel, usable as pinboard, sound-insulating, also available

including accessory rail and/or modesty panel.

Accessory panel basic: carrier plate decorative laminate (DKS) with fabric-covered panel, aluminium profile, powder-coated, to accommodate organisation aids, also available including modesty panel.

foxx_eR and foxx_eQ

Continuous electric adjustment of working height from 650 to 1250 mm. With multifunction crossbar. Metal surfaces. Frame and upper part of cantilever foot eloxal silver. Column: *foxx_eR* 70 mm Ø, *foxx_eQ* 70 x 70 mm.

Spacers (optional): steel plate, eloxal silver, powder-coated.

Other finishes and accessories as *foxx_M*.

Dimensions in mm



veron has a modern, simple design, but its lines are smoother and rounder than usual. Metal surfaces are used sparingly, with the focus on attractive colours and materials which transform the office environment into an invigorating place to work and communicate. Its extraordinary flexibility of configuration makes the *veron* table series a real all-rounder, suitable for one-person, two-person or team offices, for fixed or non-territorial workplaces, as well as for meeting rooms and other collaborative spaces.

Design: greutmann bolzern



Better living in the office.

veron is the answer to the growing wish to offset the technology-dominant look so often seen in modern office architecture. The privacy screen, which gives the workplace a comfortable and homely atmosphere, also serves to accommodate organisational elements in the accessory panel. The accessory panel is available in the variants basic and trend. The slim four-leg frame positioned at the outer corners of the tables offers the user maximum leg room, even on the narrow sides. Thanks to its clever design and judicious choice of materials, *veron* offers complete integration of today's technology and creates an attractive workplace that puts people at their ease.



Flexible and elegant.


The *veron* range also comprises large format tables and high tables in a variety of attractive finishes. Thanks to this and a comprehensive range of easy to configure options, including technology integration, *veron* is also perfect for use in conference rooms.

Rich in detail.


Optional.



Accessory panel trend.
Panel with a detachable fabric strip in contrasting design. The fabric strip conceals fixing elements for storage trays and fixtures for flat screens.



CPU holder.
The CPU holder houses the PC underneath the table top.



Accessory panel basic.
Fabric-covered panel with accessory rail to hold storage trays.




Table height.
Desks are available with a fixed height of 760 mm or optionally with an incrementally adjustable working height from 620 to 850 mm in compliance with EN norms.




Cable box.
Cable box with cover flap to accommodate multiple socket outlets for easy plugging in at table-top level.




Cable channel.
The cable channel below the table-top can be folded down, thus facilitating access to the electric cabling.



Work table Height 740	Dual workspace Height 740	Slot-in leaf	Work table Height 740
--------------------------	------------------------------	--------------	--------------------------



Meeting table Height 740	Meeting table Height 740	Meeting table Height 740	Meeting table Height 700-1110 gas-lift height adjustment	Meeting table Height 700-1110 gas-lift height adjustment
-----------------------------	-----------------------------	-----------------------------	--	--



High table Height 1120	High table Height 1120
---------------------------	---------------------------

Design:

choice of laminate (MFC, 19 mm thick) or HPL top (21 mm thick) with seamless, moisture resistant laser edge (ABS edge), standard veneers or premium veneer (walnut) with laminated wood edge (19 mm thick), or compact top (12 mm thick). Wood surfaces stained. Frame: tubular steel legs and plinth, die-cast aluminium corner links. Metal surfaces powder-coated (meeting tables 1900T60 and 1900T61 only 55 eloxal silver, 1900T62 to 1900T64 55 eloxal silver, 37M anthracite and 9016 white).

Accessories:

Accessory panel *trend*: fabric-covered panel (usable as pinboard) with detachable fabric strip. Accessory panel *basic*: decorative laminate with fabric-covered panel and accessory rail. Modesty panel: steel frame covered with semi-transparent fabric. Linking devices for lateral and cross linking; 2 linking devices required per table side. Electric cabling: cable grommets round and square, cable duct square, hinged cable channel.

Dimensions in mm

The design of the office table range *pure* creates clarity of form, structures the space and provides for a harmonious blend of architecture and furniture. Thanks to its minimalist design and wide choice of specifications, *pure* is ideal for different work settings: from the functional back office to team zones and even even prestigious executive offices.









pure vienna.

pure vienna's 60 x 30 mm rectangular tubular design creates two different impressions: from the front the desk looks elegant and strong; from the side, in contrast, it appears delicate and graceful.



----- = possible position of accessory panel and modesty panel



pure work table

Height 650-850

veron meeting table

Height 740

veron meeting table

Height 700-1110 gas-lift height adjustment

Design:

pure vienna

choice of laminate (MFC, 19 mm thick) or HPL top (21 mm thick) with seamless, moisture resistant laser edge (ABS edge), standard veneers or premium veneer (walnut) with laminated wood edge (19 mm thick), or compact top (12 mm thick). Wood surfaces stained.

Frame: tubular steel frame with four-legged base or skid frame, 60/30 mm rectangular tubular design, plastic glides. Continuously adjustable working height 650 to 850 mm. With multifunction crossbar. Metal surfaces powder-coated.

Accessories: cable grommet square, semi-oval or round / cable channel sheet steel, hinged on both sides / sliding plate / CPU holder / cable snake vertical / modesty panel perforated sheet steel.

Accessory panel: fabric-covered panel, usable as pinboard, sound-insulating, also optionally including aluminium accessory rail, eloxal silver.

veron meeting tables round

choice of laminate (MFC, 19 mm thick) or HPL top (21 mm thick) with seamless, moisture resistant laser edge (ABS edge), standard veneers or premium veneer (walnut) with laminated wood edge (19 mm thick), or compact top (12 mm thick). Wood surfaces stained.

Frame: tubular steel, metal surfaces powder-coated (meeting tables 1900T60 and 1900T61 only 55 eloxal silver, 1900T62 to 1900T64 55 eloxal silver, 37M anthracite and 9016 white).

process e_station.



The *process e_station* combines a technology station, accessory panel, partitioning and flexible workplace all on one. It serves either as a focal IT point between two workplaces or as a stand-alone unit for one workplace. It has a built-in

horizontal cable channel to store electric cabling and to allow easy plugging in at table top level. The detachable lower infills allow easy access to cable feeds from the floor. Between the infills there is enough space to tuck away large lengths

of cable. For 1100 mm wide models, optional worktops are available to hold storage and ICT equipment. This keeps the desk free of devices and means that it can be used flexibly, e.g. for impromptu meetings.



e_station height 1060 mm:

Width 1100, 1600 and 1800 mm
Free-standing, two-sided

e_station height 1400 mm:

Width 1100, 1600 and 1800 mm
Free-standing, two-sided

e_station height 1800 mm:

Width 1100 mm
Free-standing, two-sided



Storage shelf.
Can be hung on the accessory rail in any position.



CPU holder.
Swivel-mounted, left or right mounting on the snap-in rail of the e-station frame.



Cable management.
The horizontal cable channel facilitates easy plugging in at table top level. The hollow space between the lower infills serves to feed in cables from below and to tuck away excess cable lengths.

Design:

Frame structure sheet steel, 2 aluminium accessory rails on each side. Hinged horizontal cable channel. Double-walled lower infill of sheet steel, detachable, to accommodate cable management. Foot stabilisers of sheet steel with plastic glides. Metal surfaces powder-coated.
Upper infill:
For *e_station* height 1400 mm: choice of laminate (MFC) or pinboard fabric covering.

For *e_station* height 1800 mm: choice of laminate (MFC), pinboard fabric covering or open without filling.
Worktop and shelf (only for *e_station* width 1100 mm): choice of laminate (MFC) or HPL top with seamless, moisture resistant laser edge (ABS edge), standard veneers or premium veneer (walnut) with laminated wood edge. Wood surfaces stained.



Functional, economical, and extremely adaptable – *float_fx* provides the ideal storage space solution for all office areas. Its cabinet depth of 425 mm means that available office space is optimally utilised. Thanks to attractive rear panels the cabinets can be deployed anywhere in the room – providing storage space and zoning in one. Fabric rear panels (optional) improve room acoustics, can be used as pinboards, and add colour accents to the office. *float_fx* stands for quality down to the minutest detail. The top-quality fittings and drawer runners by Hettich® ensure the smooth, safe and maintenance-free function of all the moving parts.



float_fx



float_fx pedestals with and without castors.

float_fx pedestals for a personal storage capacity at the workstation are easy, functional, safe and flexible in their features. The reduced design enables a combination with any furnishing style; a choice of various surfaces offers room for individual design variants. Every single detail of the float_fx pedestal reflects the product's high quality standard. For example, it features a new

locking double castor that can carry a load of 70 kilos. The drawer runners by the renowned manufacturer Hettich® work on the ball bearing principle and guarantee a high load capacity and exact, smooth sliding action; softened drawer stops stand for high comfort every time the drawers are opened. The differentiated comfort package of float_fx pedestals offers a choice

between various product features: from the variant *trend* up to the variant *comfort* with an integrated Silent® automatic return system with soft stop. *comfort* and *trend* – both variants, each in its very own way, embody the leading standards of quality, design and user comfort.



Mobile pedestal

Depth 600
W 430 / H 600
10 high, 1/3/3/3 high

Mobile pedestal

Depth 600
W 430 / H 600
10 high, 1/3/6 high

Mobile pedestal

Depth 800
W 430 / H 600
10 high, 1/3/3/3 high



Mobile pedestal

Depth 800
W 430 / H 600
10 high, 1/3/6 high

Side pedestal without castors

Depth 800 or 600
W 430 / H 740
12,5 high, 1/2,5/3/3/3 high

Side pedestal without castors

Depth 800 or 600
W 430 / H 740
12,5 high, 1/2,5/3/6 high

W = width / H = height, 1 high = 50 mm / dimensions in mm
All dimensions specified are available in the variants *trend* and *comfort*.



All front designs also with handles. Alternative handle shapes: profile handle, strap handle, bow handle and shell handle.

Design:

Front: choice of laminate (MFC) with ABS laser edge, standard veneers or premium veneer (walnut) with applied wood edge. Body: top, sides and back, choice of laminate (MFC) with ABS laser edge, standard veneers or premium veneer (walnut) with applied wood edge. Bottom shelf laminate (MFC) with ABS laser edge: if sides are in decorative laminate, bottom shelf is in the same colour as the sides, if sides are veneered, bottom shelf is in pastel grey D22. Seat upholstery: optional for pedestals 600 mm in height. Tilt resistance: anti-tilt locking mechanism for all

pedestals, additional counterweight for pedestals with suspension filing system.

Variant *trend*:

Drawers with automatic return, drawer box plastic for depth 600 mm, sheet steel for depth 800 mm. Pen tray 25 mm high.

Variant *comfort*:

Drawers with Silent® automatic return system with soft stop, drawer boxes sheet steel, pen tray 40 mm high.



Tilt resistant.
Suspension filing system with removable metal suspension filing frame.



Sheet steel castor runners.
Stable fixation of castors capable of carrying a load of 70 kg each.



Pen tray, 25 mm deep,
black PS plastic, for float_fx *trend*.



Drawer, black sheet steel
for float_fx *trend*, depth 800 mm,
as well as for float_fx *comfort*.



Drawer, black PS plastic
for float_fx *trend* depth 600 mm.



Pen tray, 40 mm deep
incl. automatic return with soft stop
for float_fx *comfort*.

float_fx trolleys.

Wherever mobile storage space is required, *float_fx* trolleys offer valuable services. Castors and grab handles ensure mobility, they are easily moved to wherever they are needed. The worktop version can also be used as a temporary

standing height workstation or as an informal meeting point. *float_fx* trolleys offer plenty of storage space while taking up little room. Depending on the model, they can be equipped with up to five drawers and a pen tray in vari-

able modular design. The Hettich® drawer runners on ball bearings provide for maximum ease of use. In short: *float_fx* trolleys stand for economic efficiency in the office – great benefit for comparatively low capital expenditure.



Trolley for 19-inch media equipment

W 590 / D 600 / H 1100
Vertical tambour front, without interior equipment, round cable grommet in upper and lower shelf

Trolley with cross-tambour

W 530 / D 480 / H 1100
2 shelves



Suspension filing system A4 with 105 % roll-out stop and plug-in suspension filing frame.



Combination of internals as illustrated by a trolley with cross-tambour.



Fold-out coat hanger, optional for all trolleys with cross-tambour.



Worktop with hinged sides for trolley 530 mm in width.



Drawer with automatic return and individual anti-tilt locking mechanism.



Grip handle for effortless moving of trolleys.



Trolley with cross-tambour

W 530 / D 480 / H 1120
2 shelves
With hinged worktop

Trolley with cross-tambour

W 750 / D 480 / H 1100
2 shelves

W= width / D = depth / H = total height / dimensions in mm

Design:

Front: cross tambour polypropylene, coated in matt silver, slat thickness 12 mm, slat width 26,5 mm. Handle strip of plastic, silver, with lock. Body: choice of laminate (MFC) with ABS laser edge, standard veneers or premium veneer (walnut) with applied wood edge. Trolley 530 and 750 mm with cross-tambour front: shelves and centre partition laminate (MFC) with ABS laser edge: If sides are in decorative laminate, shelves and central partition are in the same colour as the sides; if the sides are veneered, shelves and central partition are in pastel grey D22. Shelf supports height adjustable, screwed, max. load capacity 20 kg.

Worktop: choice of laminate (MFC) with ABS laser edge, standard veneers or premium veneer (walnut) with applied wood edge. Castors: 4 lockable dual-wheel castors, plastic with soft running surface. Castor runners: sheet steel, each with 2 castor holding fixtures, plastic corner protection on all sides. Trolley for 19-inch media technology 587 mm with vertical tambour front: without internal fittings, to accommodate 19-inch media technology. Other designs as above.



The pull-out cabinet offers storage space with direct access right at the workplace. The interior can be configured flexibly. This clever storage unit can also be used as a room divider, and, at a height of 1100 mm, it creates a stand up meeting point for easy communication and collaborative working.



The *float_fx* cabinet series offers a wide range of cabinet types geared to different requirements: open-fronted cabinets, cabinets with hinged doors, sliding doors, cross-tambour doors and vertical tambour doors. Based on a standard cabinet depth of 425 mm, the system measurements are adapted to standard frame widths in file heights of two to six. Cabinets with sliding doors with frame widths of 1200 and 1600 mm are also available with a depth of 600 mm. Side cabinets with a table height of 740 mm as well as stacking elements complete the series.



Fabric rear panel.
Optional for cabinets up to a height of four high (1480 mm); fabric back that can be used as a pinboard.

All *float_fx* cabinets are provided with attractive rear panels, allowing for them to be placed free-standing in the room so that they act at the same time as partitions. On request, rear panels are available covered with fabric so they can be used as pinboards. The wide choice of fabrics provides many options for adding colour accents to the office architecture. In terms of interior fittings, *float_fx* is extremely flexible. Shelves, drawers and suspension filing systems can be positioned according to individual requirements. Top quality drawers by Hettich® ensure smooth and easy function. The tilt resistance of the cabinets is safeguarded by a general anti-tilt locking mechanism, by special assembly kits for wall mounting and/or by counterweights.



Extension shelf.
On request an extension shelf can be mounted on the shelf at fourth file level.




Locker.
Interior fittings of the locker with hat rack, pull-out coat hanger and mirror (optional).



Suspension filing system.
The Quadro Duplex 50 roll-out stop 105 % by Hettich® provides easy access to the suspension filing system. Easy operation and tilt resistance are ensured by the automatic return and individual anti-tilt locking mechanisms.



Drawers.
The drawers are made of sheet steel and are also equipped with 105 % roll-out stop, automatic return and individual anti-tilt locking mechanisms.



Handles.
Alternative handle shapes for cabinets with hinged doors: profile handle, strap handle, bow handle, shell handle, and rotary olive handle. The shell handle is also available for cabinets with sliding doors as an alternative to the handle strip.



Interior fittings.
Interior fittings are available as an option. The pull-out cabinet is available e.g. with organisation panel with pinboard, private drawer, suspension filing system or pen tray.


Optional.

Cabinets with open front




Depth 425


- 6 high (2190)
- 5 high (1840)
- 4 high (1450)
- 3 high (1100)
- 2 high (750)



- 6 high (2190)
- 5 high (1840)
- 4 high (1450)
- 3 high (1100)
- 2 high (750)



Side cabinets



Note: With plinth height + 30 mm.


Note: Height is equal to table height.

Cabinets with sliding doors




Depth 425

- 6 high (2190)
- 5 high (1840)
- 4 high (1450)
- 3 high (1100)
- 2 high (750)




Depth 600

- 3 high (1100)
- 2 high (750)



Side cabinets, depth 425



Note: Height is equal to table height.


Note: With plinth height + 30 mm.

Cabinets with hinged doors and lockers




Cabinets with hinged doors

- 6 high (2190)
- 5 high (1840)
- 4 high (1450)
- 3 high (1100)
- 2 high (750)



Lockers

- 6 high (2190)
- 5 high (1840)




Note: With plinth height + 30 mm.

Cabinets with cross-tambour doors




Depth 425

- 6 high (2190)
- 5 high (1840)
- 4 high (1450)
- 3 high (1100)
- 2 high (750)



Side cabinets




Note: Height is equal to table height.

Note: With plinth height + 30 mm.

Surfaces.

Wood stains




DKS (laminates/MFC) / HPL (high pressure laminates)



Colour stains (for beech surfaces)



Compact top



Metal colours



Fabric covers

For accessory panels, infills *process e_station*, upholstery *float_fx* pedestals, fabric backs *float_fx* cabinets as well as modesty panels *veron* acc. to price list.

Possible deviations from the original colour shade are a result of printing techniques and do not constitute cause for complaint.

Perfect Partners.



ayo swivel chair



poi swivel chair



paro_2 swivel chair

A-4950 Altheim
Linzer Strasse 22
T +43 (7723) 460-0
altheim@wiesner-hager.com

D-97080 Würzburg
Schürerstrasse 3
T +49 (931) 3 55 85-0
F +49 (931) 3 55 85 85
wuerzburg@wiesner-hager.com


NL-6102 BJ Echt
Houtstraat 32 H
T +31 (475) 41 02 22
F +31 (475) 41 00 90
benelux@wiesner-hager.com

F-67201 Eckbolsheim
13, rue Ettore Bugatti
T +33 (3) 88 59 90 90
F +33 (3) 88 59 90 89
france@wiesner-hager.com

UK: Wiesner-Hager Ltd.
Fourth Floor
104-110 Goswell Road
London
EC1V 7DH
T +44 (20) 7490 3627
london@wiesner-hager.com

CZ-150 00 Praha 5
Drtinova 557/10
T +420 271 730 444
praha@wiesner-hager.com

Certified acc. to:
ISO 9001, ISO 14001
and ISO 14025



LASERKANTE
LASER EDGE

„Mission Backbone“:
Here we'll show you
how to significantly
slash sick-leave..

