

NEONNY
www.neonny.com

Who is NEONNY?

A remarkable architectural LED lighting products developer, owning a professional team with over 15 years experience in interior, lighting and exporting, committed to provide contemporary lighting products with latest LED technology and smart control solution to enhance environmental aesthetics and improve people's lighting experience.

What is NEONNY good at?


- Deep comprehension of lighting, interior decoration and human life
- Exquisite craft
- High efficient on custom made products and solutions

What can NEONNY do for you?

- Unique designed architectural LED lighting products
- Professional support for projects including products selection, installation solution and after-sale service
- Custom made service

NEONNY is on the way:

- World's first successfully working out the commercial-available Moving Sky LED flat panel fixture with 100% clear surface
- World's first successfully working out the commercial-available Moving Sky – Curve LED Panel fixture
- National patent received and more expected
- 4 items selected by world's top LED lighting magazine
- 3D LED Wall Panel selected by Mondo
- Successfully attended two international design shows in 2013
- Products successfully applied in North America, South America, Europe and Asia




NEONNY was mentioned in two new books wrote by world`s top scientists.

Book Title:III-Nitride Based Light Emitting Diodes and Applications

Chapter Title:Emerging System Level Applications for LED Technology

http://link.springer.com/chapter/10.1007/978-94-007-5863-6_14 (Reference No.8)



References (38)

1. S. Nakamura, M. Senoh, T. Mukai, High-power InGaIn/GaN double-heterostructure violet light-emitting diodes. *Appl. Phys. Lett.* 62(19), 2390 (1993) » CrossRef
2. L. Peters, M. Wright, LED lighting market to grow while LED component market goes flat. *LEDs Mag.* 50, 21 (2012)
3. G.E. Moore, Cramming more components onto integrated circuits. *Electronics* 38(8), 4 (1965)
4. » <http://www.bbc.com/future/story/20120314-the-end-of-the-lightbulb2> . Accessed September 15, 2012
5. N. Holonyak, S.F. Bevacqua, Coherent (Visible) light emission from GaAs_{1-x}P_x junctions. *Appl. Phys. Lett.* 1, 82 (1962) » CrossRef
6. US Department of Energy, Building Technologies Program (2012), US Lighting Market Characterization, pp. 58–62 (2010)
7. » <http://www.forbes.com/sites/co-nomics/2011/05/12/google-bright-new-idea-android-controlled-light-bulbs/> . Accessed October 10, 2012
8. Neonny Press Release, Neonny Unveils Amazing Moving Sky LED Panels (2012). » http://www.ledinside.com/products/2012/9/neonny_led_panel_20120904 . Accessed October 20, 2012

Book Title:Solid-State Lighting

Chapter Title:Potential Future System Applications

<http://www.neonny.com/news/html/?3320.html>

Solid-State Lighting:

Toward Smart and Ultra-Efficient Materials, Devices, Lamps and Systems

Authors:

M.H. Crawford, J.J. Wierer, A.J. Fischer, G.T. Wang, D.D. Koleske, G.S. Subramania, M.E. Coltrin, J.Y. Tsao (Sandia National Laboratories)
R.F. Karleick, Jr. (Rensselaer Polytechnic Institute)

Acknowledgements:

Work at Sandia National Laboratories was supported by Sandia's Solid-State Lighting Science Energy Frontier Research Center, funded by the U.S. Department of Energy, Office of Basic Energy Sciences. Sandia National Laboratories is a multi-program laboratory managed and operated by Sandia Corporation, a wholly owned subsidiary of Lockheed Martin Corporation, for the U.S. Department of Energy's National Nuclear Security Administration under contract DE-AC04-94AL85000.

SAND 2013-3558 P, to be published in:

D.L. Andrews, Ed., "Photonics Volume 3: Photonics Technology and Instrumentation" (Wiley, 2013).





Figure 6. Potential future system applications for smart, ultra-efficient solid-state lighting. Clockwise from top left, figures are courtesy of: Professor E.F. Schubert (Rensselaer Polytechnic Institute); Jason Yao (NEONNY Technologies); Dan Picasso and the Wall Street Journal; S. Yamazaki (National Institute of Advanced Industrial Science and Technology, Japan); Gordon Povey (surreVLC Ltd.); Raffaella Schirred (SOA Architectes, France).

 1	 9	 11	 13
--	---	--	--

 17	 22	 23	 27
 29	 30	 32	 34
 37	 38	 39	


Architectural Lights

 41	 44	 47	 49
 55	 59	 61	 62
 65	 66	 69	 72


NEONNY




Moving Sky LED Panel - flat 600x1200 4pcs



“Sharp Angle” workmanship




Front view



Side view




Moving Sky panel comes with installation solution according to client's floor plan. An entire turn-key package including Moving Sky LED Panel, power supply and ceiling system is available upon request.



Product Code	NMA6060	NMA6012
Modular Dimension	600x600mm(23.62"x23.62")	600x1200mm(23.62"x47.24")
Luminaire Height	55mm(2.17")	55mm(2.17")
Lifespan	50,000 Hours	50,000 Hours
Watt@full duty	55W	110W
Input	AC110/220/277V	AC110/220/277V
Light Color	RGB	RGB
Intelligent Control	Auto(Video stored in SD card can be replaced)	
Warranty	3 Years	3 Years


Custom dimension, coating and installation available upon request



The Moving Sky series are designed to present the hazy picture or video of blue sky and white clouds to indoor in very soft light. Different from TV or LED display, it doesn't display specific information, people do not need to look at it all the time like watching TV, just need to feel it. It is a magic light which is able to cheer up a depressed heart or calm down a fevered mind.

The Moving Sky LED Panel is an ideal lighting and decorative source to be as lighting ceiling, lighting wall or partition, no quantity limit for single installation. The system can be suspended, recessed, surface-mounted. Installation solution and accessory are provided to the site requirement. The standard dimensions are 2x2 feet and 2x4 feet. Also open for custom request.

Application is quite wide like office, hospital, healthcare, hotel, lounge, restaurant, etc. So far, the installation of Moving Sky in various size from 4x4ft to 8x18ft has been done in Sweden, America, Singapore, Columbia and Israel.




Product Code	NMB6012
Modular Dimension	600x1200mm(23.62"x47.24")
Luminaire Height	55mm(2.17")
Lifespan	50,000 Hours
Watt@full duty	110W
Input	AC110/220/277V
Light Color	RGB
Intelligent Control	Auto(Video stored in SD card can be replaced)
Warranty	3 Years





Custom dimension, coating and installation available upon request

Inspiration of Use



Inspiration of Combination







Product Code	NVA6060
Modular Dimension	600x600mm(23.62"x23.62")
Luminaire Height	55mm(2.17")
Lifespan	50,000 Hours
Watt@full duty	180W
Input	AC110/220/277V
Light Color	RGB
Intelligent Control	Auto(Video stored in SD card can be replaced)
Warranty	3 Years

Custom dimension, coating and installation available upon request

NEONNY

Moving View LED Panel TYPE B - flat 600x600 12pcs









Product Code	NVB6060
Modular Dimension	600x600mm(23.62"x23.62")
Luminaire Height	55mm(2.17")
Lifespan	50,000 Hours
Watt@full duty	320W
Input	AC110/220/277V
Light Color	RGB
Intelligent Control	Auto(Video stored in SD card can be replaced)
Optional	WIFI synchronization of content
Warranty	3 Years

- Specially suitable for indoor decorative display
- Soft light output,no glare,comfortable
- Perfect continuous-look surface
- WIFI synchronization of content (Optional)

Custom dimension, coating and installation available upon request

3D LED Wall Panel-Love Series 36pcs



Love our life!

Features:

- Able to present dynamic and colorful light-shadow effect
- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention


Product Code	N3W3030
Modular Dimension	300x300mm
Luminaire Height	76mm
Lifespan	50,000 Hours
Power	3W
Input	AC110/220/277V
Light Colour	RGB
Dimmable	Optional
Intelligent Control	Optional
Warranty	3 Years

Custom dimension, coating and installation available upon request


NEONNY



Dynamic Lights 600x600



Dynamic Lights matching human circadian rhythm enhance human health and productivity. The CCT and light output are available to be custom made according to your needs. The curve below shows the dynamic lighting performance in patient room assisting recovery.



Product Code	NDA6060	NDA3012
Modular Dimension	600x600mm(23.62"x23.62")	300x1200mm(11.81"x47.24")
Luminaire Height	75mm(2.95")	75mm(2.95")
Lifespan	50,000 Hours	50,000 Hours
Average Power	55W	55W
Input	AC110/220/277V	AC110/220/277V
CCT	Dynamic CCT 3000 - 5500K	
Dimmable	Optional	Optional
Intelligent Control	Auto & Manual & Custom (Optional)	
Warranty	3 Years	3 Years

Custom dimension,height and coating color available on request



The lights come with installation solution according your floor/ceiling plan

Product Code	NDB6060	NDB6090	NDB3012	NDB6012
Modular Dimension	600x600mm (23.62"x23.62")	600x900mm (23.62"x35.43")	300x1200mm (11.81"x47.24")	600x1200mm (23.62"x47.24")
Luminaire Height	75mm(2.95")	75mm(2.95")	75mm(2.95")	75mm(2.95")
Lifespan	50,000 Hours	50,000 Hours	50,000 Hours	50,000 Hours
Power	55W	85W	55W	110W
Input	AC110/220/277V	AC110/220/277V	AC110/220/277V	AC110/220/277V
CCT	Dynamic CCT 3000 - 5500K			
Dimmable	Optional	Optional	Optional	Optional
Intelligent Control	Auto & Manual & Custom			
Warranty	3 Years	3 Years	3 Years	3 Years

Custom dimension,height and coating color available on request

NEONNY



Disc600



Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention

Product Code	NAD420	NAD600	NAD900	NAD1200
Modular Dimension	dia.420mm(dia.16.54")	dia.600mm(dia.23.62")	dia.900mm(dia.35.43")	dia.1200mm(dia.47.24")
Luminaire Height	88mm(3.46")	88mm(3.46")	88mm(3.46")	88mm(3.46")
Lifespan	50,000 Hours	50,000 Hours	50,000 Hours	50,000 Hours
Power	30W	60W	88W	116W
Input	AC110/220/277V	AC110/220/277V	AC110/220/277V	AC110/220/277V
3 CCT Options	Warm White 2800-3200K Bright White 3700-4200K Daylight 5600-6500K			
Dimmable	Optional	Optional	Optional	Optional
Intelligent Control	Optional	Optional	Optional	Optional
Warranty	3 Years	3 Years	3 Years	3 Years

Custom dimension, coating and installation available upon request



The lights come with installation solution according your floor/ceiling plan.




The lights come with installation solution according your floor/wall plan.

Product Code	NAD420W
Modular Dimension	dia.420mm(dia.16.54")
Luminaire Height	88mm(3.46")
Lifespan	50,000 Hours
Power	30W
Input	AC110/220/277V
3 CCT Options	Warm White 2800-3200K Bright White 3700-4200K Daylight 5600-6500K
Dimmable	Optional
Intelligent Control	Optional
Warranty	3 Years

Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention

Custom dimension, coating and installation available upon request



The lights come with installation solution according your floor/wall plan.

Product Code	NAD420WS
Modular Dimension	dia.420mm(dia.16.54")
Luminaire Height	88mm(3.46")
Lifespan	50,000 Hours
Power	30W
Input	AC110/220/277V
3 CCT Options	Warm White 2800-3200K Bright White 3700-4200K Daylight 5600-6500K
Dimmable	Optional
Intelligent Control	Optional
Warranty	3 Years

Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention

Custom dimension, coating and installation available upon request




The lights come with installation solution according your floor/ceiling plan.

Product Code	NAO6012
Modular Dimension	600x1200mm(23.62"x47.24")
Luminaire Height	88mm(3.46")
Lifespan	50,000 Hours
Power	88W
Input	AC110/220/277V
3 CCT Options	Warm White 2800-3200K Bright White 3700-4200K Daylight 5600-6500K
Dimmable	Optional
Intelligent Control	Optional
Warranty	3 Years

Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention

Custom dimension, coating and installation available upon request





Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention



The lights come with installation solution according your floor/ceiling plan.

Product Code	NAK1200	NAK1800
Modular Dimension	dia.1200mm(dia.47.24")	dia.1800mm(dia.70.87")
Luminaire Height	88mm(3.46")	88mm(3.46")
Lifespan	50,000 Hours	50,000 Hours
Power	18x3W	21x4W
Input	AC110/220/277V	AC110/220/277V
3 CCT Options	Warm White 2800-3200K Bright White 3700-4200K Daylight 5600-6500K	
Dimmable	Optional	Optional
Intelligent Control	Optional	Optional
Warranty	3 Years	3 Years

Custom dimension, coating and installation available upon request

1/3 Circle 1200
1/4 Circle 1800



Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention



The lights come with installation solution according your floor/ceiling plan.

Product Code	1/3 NAK1200	1/4 NAK1800
Modular Dimension	C1256xW100mm (C49.45"xW3.94")	C1413xW100mm (C55.63"xW3.94")
Luminaire Height	88mm(3.46")	88mm(3.46")
Lifespan	50,000 Hours	50,000 Hours
Power	18W	21W
Input	AC110/220/277V	AC110/220/277V
3 CCT Options	Warm White 2800-3200K Bright White 3700-4200K Daylight 5600-6500K	
Dimmable	Optional	Optional
Intelligent Control	Optional	Optional
Warranty	3 Years	3 Years

Custom dimension, coating and installation available upon request

NEONNY






Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention

The lights come with installation solution according your floor/ceiling plan.



Product Code	NAT 600	NAT 900	NAT 1200
Modular Dimension	L512xW460mm (L20.16"xW18.11")	L812xW720mm (L31.97"xW28.35")	L1112xW980mm (L43.78"xW38.58")
Luminaire Height	88mm(3.46")	88mm(3.46")	88mm(3.46")
Lifespan	50,000 Hours	50,000 Hours	50,000 Hours
Power	25W	60W	105W
Input	AC110/220/277V	AC110/220/277V	AC110/220/277V
3 CCT Options	Warm White 2800-3200K	Bright White 3700-4200K	Daylight 5600-6500K
Dimmable	Optional	Optional	Optional
Intelligent Control	Optional	Optional	Optional
Warranty	3 Years	3 Years	3 Years


Custom dimension, coating and installation available upon request



Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention

The lights come with installation solution according your floor/ceiling plan.



Product Code	NAT 600C	NAT 900C	NAT 1200C
Modular Dimension	L449xW423mm (L17.67"xW16.65")	L673xW635mm (L26.50"xW25.00")	L897xW847mm (L35.31"xW33.35")
Luminaire Height	88mm(3.46")	88mm(3.46")	88mm(3.46")
Lifespan	50,000 Hours	50,000 Hours	50,000 Hours
Power	25W	60W	105W
Input	AC110/220/277V	AC110/220/277V	AC110/220/277V
3 CCT Options	Warm White 2800-3200K	Bright White 3700-4200K	Daylight 5600-6500K
Dimmable	Optional	Optional	Optional
Intelligent Control	Optional	Optional	Optional
Warranty	3 Years	3 Years	3 Years


Custom dimension, coating and installation available upon request



Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention

Product Code	NAW300	NAW300F
Luminaire Height	88mm(3.46")	88mm(3.46")
Lifespan	50,000 Hours	50,000 Hours
Power	18W	18W
Input	AC110/220/277V	AC110/220/277V
3 CCT Options	Warm White 2800-3200K Bright White 3700-4200K Daylight 5600-6500K	
Dimmable	Optional	Optional
Intelligent Control	Optional	Optional
Warranty	3 Years	3 Years



Custom dimension, coating and installation available upon request

Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention




The lights come with installation solution according your floor/ceiling plan.

Product Code	NAS6060	NAS9090
Modular Dimension	600x600mm(23.62"x23.62")	900x900mm(35.43"x35.43")
Luminaire Height	88mm(3.46")	88mm(3.46")
Lifespan	50,000 Hours	50,000 Hours
Power	45W	115.5W
Input	AC110/220/277V	AC110/220/277V
3 CCT Options	Warm White 2800-3200K Bright White 3700-4200K Daylight 5600-6500K	
Dimmable	Optional	Optional
Intelligent Control	Optional	Optional
Warranty	3 Years	3 Years

Custom dimension, coating and installation available upon request

Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention




The lights come with installation solution according your floor/ceiling plan.

Product Code	NAS6060B	NAS9090B
Modular Dimension	600x600mm(23.62"x23.62")	900x900mm(35.43"x35.43")
Luminaire Height	88mm(3.46")	88mm(3.46")
Lifespan	50,000 Hours	50,000 Hours
Power	45W	115.5W
Input	AC110/220/277V	AC110/220/277V
3 CCT Options	Warm White 2800-3200K Bright White 3700-4200K Daylight 5600-6500K	
Dimmable	Optional	Optional
Intelligent Control	Optional	Optional
Warranty	3 Years	3 Years

Custom dimension, coating and installation available upon request

Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention



The lights come with installation solution according your floor/ceiling plan.

Product Code	NAR3012	NAR6012	NAR9012
Modular Dimension	300x1200mm (11.81"x47.24")	600x1200mm (23.62"x47.24")	900x1200mm (35.43"x47.24")
Luminaire Height	88mm(3.46")	88mm(3.46")	88mm(3.46")
Lifespan	50,000 Hours	50,000 Hours	50,000 Hours
Power	48.5W	84W	119W
Input	AC110/220/277V	AC110/220/277V	AC110/220/277V
3 CCT Options	Warm White 2800-3200K Bright White 3700-4200K Daylight 5600-6500K		
Dimmable	Optional	Optional	Optional
Intelligent Control	Optional	Optional	Optional
Warranty	3 Years	3 Years	3 Years

Custom dimension, coating and installation available upon request

Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention




The lights come with installation solution according your floor/ceiling plan.

Product Code	NAR6090B	NAR3012B	NAR6012B	NAR9012B
Modular Dimension	600x900mm (23.62"x35.43")	300x1200mm (11.81"x47.24")	600x1200mm (23.62"x47.24")	900x1200mm (35.43"x47.24")
Luminaire Height	88mm(3.46")	88mm(3.46")	88mm(3.46")	88mm(3.46")
Lifespan	50,000 Hours	50,000 Hours	50,000 Hours	50,000 Hours
Power	76W	48.5W	84W	119W
Input	AC110/220/277V	AC110/220/277V	AC110/220/277V	AC110/220/277V
3 CCT Options	Warm White 2800-3200K Bright White 3700-4200K Daylight 5600-6500K			
Dimmable	Optional	Optional	Optional	Optional
Intelligent Control	Optional	Optional	Optional	Optional
Warranty	3 Years	3 Years	3 Years	3 Years

Custom dimension, coating and installation available upon request

NEONNY



Curve 100x1200




The lights come with installation solution according your floor/ceiling plan.

Product Code	NAL1012
Modular Dimension	1200x88mm(47.24"x3.46")
Luminaire Height	88mm(3.46")
Lifespan	50,000 Hours
Power	18W
Input	AC110/220/277V
3 CCT Options	Warm White 2800-3200K Bright White 3700-4200K Daylight 5600-6500K
Dimmable	Optional
Intelligent Control	Optional
Warranty	3 Years


Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention

Custom dimension, coating and installation available upon request



The lights come with installation solution according your floor/ceiling plan.




Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention

Product Code	NAC1012	NAC3012
Modular Dimension	100x1200mm(3.94"x47.24")	300x1200mm(11.81"x47.24")
Luminaire Height	88mm(3.46")	88mm(3.46")
Lifespan	50,000 Hours	50,000 Hours
Power	18W	52.5W
Input	AC110/220/277V	AC110/220/277V
3 CCT Options	Warm White 2800-3200K Bright White 3700-4200K Daylight 5600-6500K	
Dimmable	Optional	Optional
Intelligent Control	Optional	Optional
Warranty	3 Years	3 Years

Custom dimension, coating and installation available upon request



Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention




Never get the same look in another angle.

Product Code	NAV D600	NAV D900	NAV D1200
Modular Dimension	dia.600mm(dia.23.62")	dia.900mm(dia.35.43")	dia.1200mm(dia.47.24")
Luminaire Height	109mm(4.29")	128mm(5.04")	128mm(5.04")
Lifespan	50,000 Hours	50,000 Hours	50,000 Hours
Power	50W	123W	226W
Input	AC110/220/277V	AC110/220/277V	AC110/220/277V
3 CCT Options	Warm White 2800-3200K	Bright White 3700-4200K	Daylight 5600-6500K
Dimmable	Optional	Optional	Optional
Intelligent Control	Optional	Optional	Optional
Warranty	3 Years	3 Years	3 Years

Custom dimension, coating and installation available upon request

Rectangle LED Lights-Double Curvature Surface Series



Freedom dynamic syncretic

Product Code	NAU R6012
Modular Dimension	600x1200mm(23.62"x47.24")
Luminaire Height	88mm(3.46")
Lifespan	50,000 Hours
Power	125W
Input	AC110/220/277V
3 CCT Options	Warm White 2800-3200K Bright White 3700-4200K Daylight 5600-6500K
Dimmable	Optional
Intelligent Control	Optional
Warranty	3 Years


Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention

Custom dimension, coating and installation available upon request

NEONNY

Triangle LED Lights - Double Curvature Series




Perfect fusion of straight line, curve, triangle, round corner and double curvature surface.

Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention

The lights come with installation solution according your floor/ceiling plan.



Product Code	NAU T600	NAU T900	NAU T200
Modular Dimension	L512xW460mm (L20.16"xW18.11")	L812xW720mm (L31.97"xW28.35")	L1112xW980mm (L43.78"xW38.58")
Luminaire Height	60mm(2.36")	76mm(2.99")	112mm(4.41")
Lifespan	50,000 Hours	50,000 Hours	50,000 Hours
Power	25W	60W	105W
Input	AC110/220/277V	AC110/220/277V	AC110/220/277V
3 CCT Options	Warm White 2800-3200K	Bright White 3700-4200K	Daylight 5600-6500K
Dimmable	Optional	Optional	Optional
Intelligent Control	Optional	Optional	Optional
Warranty	3 Years	3 Years	3 Years

Custom dimension, coating and installation available upon request



Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention

The lights come with installation solution according your floor/ceiling plan.

Product Code	NPA3030	NPA6060	NPA3060	NPA3012	NPA6012
Modular Dimension	300x300mm(11.81"x11.81")	600x600mm(23.62"x23.62")	300x600mm(11.81"x23.62")	300x1200mm(11.81"x47.24")	600x1200mm(23.62"x47.24")
Luminaire Height	19mm(0.75")	19mm(0.75")	19mm(0.75")	19mm(0.75")	19mm(0.75")
Lifespan	50,000 Hours	50,000 Hours	50,000 Hours	50,000 Hours	50,000 Hours
Power	7W	32W	15W	32W	48W
Input	AC110/220/277V	AC110/220/277V	AC110/220/277V	AC110/220/277V	AC110/220/277V
3 CCT Options	Warm White 2800-3200K Bright White 3700-4200K Daylight 5600-6500K				
Dimmable	Optional	Optional	Optional	Optional	Optional
Intelligent Control	Optional	Optional	Optional	Optional	Optional
Warranty	3 Years	3 Years	3 Years	3 Years	3 Years

Custom dimension, coating and installation available upon request



Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention
- Diffuser in different color and geometric pattern is optional

The lights come with installation solution according your floor/ceiling plan.

Product Code	NPG3030	NPG6060	NPG3060	NPG3012	NPG6012
Modular Dimension	300x300mm(11.81"x11.81")	600x600mm(23.62"x23.62")	300x600mm(11.81"x23.62")	300x1200mm(11.81"x47.24")	600x1200mm(23.62"x47.24")
Luminaire Height	19mm(0.75")	19mm(0.75")	19mm(0.75")	19mm(0.75")	19mm(0.75")
Lifespan	50,000 Hours	50,000 Hours	50,000 Hours	50,000 Hours	50,000 Hours
Power	7W	32W	15W	32W	48W
Input	AC110/220/277V	AC110/220/277V	AC110/220/277V	AC110/220/277V	AC110/220/277V
3 CCT Options	Warm White 2800-3200K Bright White 3700-4200K Daylight 5600-6500K				
Dimmable	Optional	Optional	Optional	Optional	Optional
Intelligent Control	Optional	Optional	Optional	Optional	Optional
Warranty	3 Years	3 Years	3 Years	3 Years	3 Years

Custom dimension, coating and installation available upon request

Customize your own sky



Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention

The lights come with installation solution according your floor/ceiling plan.

Product Code	NPS3030	NPS6060	NPS3060	NPS3012	NPS6012
Modular Dimension	300x300mm(11.81"x11.81")	600x600mm(23.62"x23.62")	300x600mm(11.81"x23.62")	300x1200mm(11.81"x47.24")	600x1200mm(23.62"x47.24")
Luminaire Height	19mm(0.75")	19mm(0.75")	19mm(0.75")	19mm(0.75")	19mm(0.75")
Lifespan	50,000 Hours	50,000 Hours	50,000 Hours	50,000 Hours	50,000 Hours
Power	7W	32W	15W	32W	48W
Input	AC110/220/277V	AC110/220/277V	AC110/220/277V	AC110/220/277V	AC110/220/277V
3 CCT Options	Warm White 2800-3200K Bright White 3700-4200K Daylight 5600-6500K				
Dimmable	Optional	Optional	Optional	Optional	Optional
Intelligent Control	Optional	Optional	Optional	Optional	Optional
Warranty	3 Years	3 Years	3 Years	3 Years	3 Years

Custom dimension, coating and installation available upon request

LED Floor Lamp-Head Rectangle4060 Swing



Product Code	NFR4060S
Modular Dimension	400x600mm
Luminaire Height	1900mm
Lifespan	50,000 Hours
Power	40W
Input	AC110/220/277V
3 CCT Options	Warm White 2800-3200K Bright White 3700-4200K Daylight 5600-6500K
Dimmable	Optional
Intelligent Control	Optional
Warranty	3 Years

Features:

- Simple and elegant appearance
- Easy to be customized
- Eco-friendly
- Insect and dust prevention

Custom dimension, coating and installation available upon request



Features:

- Simple and elegant appearance
- Easy to be customized
- Eco-friendly
- Insect and dust prevention


Product Code	NFD420S
Modular Dimension	dia.420mm(dia.16.54")
Luminaire Height	1900mm(74.80")
Lifespan	50,000 Hours
Power	30W
Input	AC110/220/277V
3 CCT Options	Warm White 2800-3200K Bright White 3700-4200K Daylight 5600-6500K
Dimmable	Optional
Intelligent Control	Optional
Warranty	3 Years

Custom dimension, coating and installation available upon request








Round Series




Wings Series




U Series





Corner Series







Round Series




Wings Series



U Series



Corner Series




Specification

Product Name	Single Color Series	Any Mode Series
Length	1200mm	1200mm
Lifespan	50,000 Hours	50,000 Hours
Power	11W	13W
Input	AC110/220/277V	AC110/220/277V
Available Colours	Single Color	RGB
Dimmable	Optional	Optional
Intelligent Control	Optional	Optional
Warranty	3 Years	3 Years

Custom dimension, coating and installation available upon request

Accessory






Generally, the normal ceiling lights are positioned at the center of the ceiling. Some times, you may imagine an extraordinary huge light that covers the whole ceiling of the hall or room and provides 100% consistent light distribution throughout the whole light. However, limited by existing material and lighting resources, it is merely available in your imagination.

Now Neony gets your roll on. We are able to provide you huge LED panel by combining both latest LED system application technology and stretch film. The huge LED panel is made up with several firmly connected LED panels covered by ONE complete stretch film. After the installation, what you see is absolutely ONE huge light without any seam or dark area.

The Stretch Film LED Panel is available in round shape, triangle, square, or any other shape in need. The photo shows a group consisting of 5 irregular triangle Stretch Film LED Panels, total 123 pcs triangle Stretch Film LED panel used in this project. The biggest triangle has a side exceeding 3 meter (10 feet).

Here is main parameters for your reference:
Maximum dimension of single Stretch Film LED Panel Light: 30 square meter
Illumination level: 750±50lux (3m height)
We listen to your needs and develop solutions.

Luminous Stretch Ceiling/Light - Stretch Film Square 2000x2000



The lights come with installation solution according your floor/wall plan.


Product Code	NZF S2020
Modular Dimension	2000x2000mm(78.74"x78.74")
Luminaire Height	100mm(3.94")
Lifespan	50,000 Hours
Power	420W
Input	AC110/220/277V
3 CCT Options	Warm White 2800-3200K Bright White 3700-4200K Daylight 5600-6500K
Dimmable	Optional
Intelligent Control	Optional
Warranty	3 Years

Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention

Custom dimension, coating and installation available upon request

Luminous Stretch Ceiling/Light - Stretch Film Rectangle 1200x2400



The lights come with installation solution according your floor/wall plan.


Product Code	NZF R1224
Modular Dimension	1200x2400mm(47.24"x94.48")
Luminaire Height	100mm(3.94")
Lifespan	50,000 Hours
Power	300W
Input	AC110/220/277V
3 CCT Options	Warm White 2800-3200K Bright White 3700-4200K Daylight 5600-6500K
Dimmable	Optional
Intelligent Control	Optional
Warranty	3 Years

Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention

Custom dimension, coating and installation available upon request

Luminous Stretch Ceiling/Light - Stretch Film Triangle2000



The lights come with installation solution according your floor/wall plan.

Product Code	NZF S2020
Modular Dimension	2000x2000x2000mm (78.74"x78.74"x78.74")
Luminaire Height	100mm(3.94")
Lifespan	50,000 Hours
Power	185W
Input	AC110/220/277V
3 CCT Options	Warm White 2800-3200K Bright White 3700-4200K Daylight 5600-6500K
Dimmable	Optional
Intelligent Control	Optional
Warranty	3 Years

Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention

Custom dimension, coating and installation available upon request

Luminous Stretch Ceiling/Light - Stretch Film Dics 2000



The lights come with installation solution according your floor/wall plan.

Product Code	NZF D2000
Modular Dimension	dia.2000mm(dia.78.74")
Luminaire Height	100mm(3.94")
Lifespan	50,000 Hours
Power	330W
Input	AC110/220/277V
3 CCT Options	Warm White 2800-3200K Bright White 3700-4200K Daylight 5600-6500K
Dimmable	Optional
Intelligent Control	Optional
Warranty	3 Years

Features:

- Simple and elegant appearance
- Easy to be customized
- Easy to be grouped
- Eco-friendly
- Insect and dust prevention

Custom dimension, coating and installation available upon request

NEONNY

Outdoor Lights/Exterior Light - Recessed in-ground Series




Features:

- Simple and elegant appearance
- Easy to be controlled
- Easy to be grouped
- Eco-friendly
- IP67

The lights come with installation solution according your floor/wall plan.



Product Code	NOR SH55A
Modular Dimension	dia.55xH55mm(dia.2.17xH2.17")
Aperture	as the picture shows at the right side
Lifespan	50,000 Hours
Power	2W
Input	AC110/220/277V
Dimmable	Optional
Intelligent Control	Optional
Protection Rating	IP67
Warranty	3 Years



NEONNY

Outdoor Lights/Exterior Light - Recessed in-ground Series



The lights come with installation solution according your floor/wall plan.



Product Code	NOR D52A
Modular Dimension	dia.52xH42mm(dia.2.05xH1.65")
Aperture	dia.45mm(dia.1.77")
Lifespan	50,000 Hours
Power	1W
Input	AC110/220/277V
Dimmable	Optional
Intelligent Control	Optional
Protection Rating	IP67
Warranty	3 Years

Features:

- Simple and elegant appearance
- Easy to be controlled
- Easy to be grouped
- Eco-friendly
- IP67

NEONNY

Outdoor Lights/Exterior Light - Recessed in-ground Series



The lights come with installation solution according your floor plan.

Product Code	NOR D150A
Modular Dimension	dia.150xH95mm(dia.5.91"xH3.74")
Aperture	dia.140mm(dia.5.51")
Lifespan	50,000 Hours
Power	7W
Input	AC110/220/277V
Dimmable	Optional
Intelligent Control	Optional
Protection Rating	IP67
Warranty	3 Years

Features:

- Simple and elegant appearance
- Easy to be controlled
- Easy to be grouped
- Eco-friendly
- IP67

NEONNY

Outdoor Lights/Exterior Light - Recessed in-ground Series



The lights come with installation solution according your floor plan.

Product Code	NOR S150A
Modular Dimension	L150xW150xH65mm (L5.91"xW5.91"xH2.56")
Aperture	L140xW140mm(L5.51"xW5.51")
Lifespan	50,000 Hours
Power	9W
Input	AC110/220/277V
Dimmable	Optional
Intelligent Control	Optional
Protection Rating	IP67
Warranty	3 Years

Features:

- Simple and elegant appearance
- Easy to be controlled
- Easy to be grouped
- Eco-friendly
- IP67



Product Code	NGDA3	NGDA4	NGDA5
Modular Dimension	dia.90xH55mm (dia.3.54"xH2.17")	dia.110xH80mm (dia.4.33"xH3.15")	dia.135xH85mm (dia.5.31"xH3.35")
Aperture	dia.80mm(3.15")	dia.90mm(3.54")	dia.125mm(4.92")
Lifespan	50,000 Hours	50,000 Hours	50,000 Hours
Power	3W	7W	12W
Input	AC110/220/277V	AC110/220/277V	AC110/220/277V
Dimmable	Optional	Optional	Optional
Intelligent Control	Optional	Optional	Optional
Warranty	3 Years	3 Years	3 Years



Product Code	NGDB1010	NGDB1515	NGDB1818	NGDB2121
Modular Dimension	L100xW100xH45mm (L3.94"xW3.94"xH1.77")	L150xW150xH45mm (L5.91"xW5.91"xH1.77")	L180xW180xH45mm (L7.09"xW7.09"xH1.77")	L213xW213xH45mm (L8.39"xW8.39"xH1.77")
Aperture	L90xW90mm (L3.54"xW3.54")	L130xW130mm (L5.12"xW5.12")	L160xW160mm (L6.30"xW6.30")	L190xW190mm (L7.48"xW7.48")
Lifespan	50,000 Hours	50,000 Hours	50,000 Hours	50,000 Hours
Power	4W	9W	16W	25W
Input	AC110/220/277V	AC110/220/277V	AC110/220/277V	AC110/220/277V
Dimmable	Optional	Optional	Optional	Optional
Intelligent Control	Optional	Optional	Optional	Optional
Warranty	3 Years	3 Years	3 Years	3 Years




Product Code	NGDC4	NGDC5	NGDC6	NGDC9
Modular Dimension	dia.103xH60mm (dia.4.06"xH2.36")	dia.130xH60mm (dia.5.12"xH2.36")	dia.164xH70mm (dia.6.46"xH2.76")	dia.225xH88mm (dia.8.86"xH3.46")
Aperture	dia.90mm(dia.3.54")	dia.115mm(dia.4.43")	dia.140mm(dia.5.51")	dia.190mm(dia.7.48")
Lifespan	50,000 Hours	50,000 Hours	50,000 Hours	50,000 Hours
Power	3W	7W	13W	19W
Input	AC110/220/277V	AC110/220/277V	AC110/220/277V	AC110/220/277V
Dimmable	Optional	Optional	Optional	Optional
Intelligent Control	Optional	Optional	Optional	Optional
Warranty	3 Years	3 Years	3 Years	3 Years



Product Code	NGDD4	NGDD6	NGDD7
Modular Dimension	dia.100xH30mm (dia.3.94"xH1.18")	dia.155xH35mm (dia.6.10"xH1.38")	dia.200xH35mm (dia.7.78"xH1.38")
Aperture	dia.85mm(dia.3.45")	dia.135mm(dia.5.31")	dia.180mm(dia.7.09")
Lifespan	50,000 Hours	50,000 Hours	50,000 Hours
Power	6W	10W	15W
Input	AC110/220/277V	AC110/220/277V	AC110/220/277V
Dimmable	Optional	Optional	Optional
Intelligent Control	Optional	Optional	Optional
Warranty	3 Years	3 Years	3 Years

NEONNY

Emergency Light - Recessed Emergency light with exit sign



Product Code	NEE CR1
Modular Dimension	L400xW90xH200mm (L15.75"xW3.54"xH7.87")
Aperture	L360xW165mm(L14.17"xW6.50")
Lifespan	50,000 Hours
Power	3W
Autonomy	≥90Minutes
Input	AC110/220/277V
Dimmable	NO
Intelligent Control	NO
Warranty	3 Years

Features:

- Recessed installation
- Needs of other installation, like suspension, mount, are acceptable
- Sign is Customizable



Central Controller A

(Custom request acceptable)



Central Controller B

(Custom request acceptable)



Remote Controller A (RF)

(Custom request acceptable)



Remote Controller B (Zigbee)

(Custom request acceptable)





The lights come with installation solution according your wall plan.
Applicable as decorative ceiling panel.

Product Code	NWP6012 Flicker	NWP9012 Flicker
Modular Dimension	600x1200mm (23.62"x47.24")	900x1200mm (35.43"x47.24")
Luminaire Height	60mm(2.36")	60mm(2.36")
Lifespan	50,000 Hours	50,000 Hours
Power	110W	172W
Input	AC110/220/277V	AC110/220/277V
Light Colour	RGB	
Dimmable	Optional	Optional
Intelligent Control	Optional	Optional
Warranty	3 Years	3 Years

Custom dimension, coating and installation available upon request

NEONNY

Furniture & Decoration - Flicker Design Table Series



Flicker Design Table


Product Code	NFT D800 Flicker
Product Name	Flicker Design Table
Modular Dimension	dia.800xH730mm(dia.31.50"xH28.74")
Lifespan	50,000 Hours
Watt@full duty	Max 150W
Input	AC110/220/277V
Light Color	RGB
Intelligent Control	Auto(Video stored in SD card can be replaced)
Warranty	3 Years

Custom dimension, coating and installation available upon request


NFS3050 Aluminum Alloy Stool,L500xW300xH420mm

Features:




- High quality aluminum alloy,light and strong
- Customizable coating color(RAL standard color)
- Inner side and out side can be in same or different color



NEONNY



Reception Desk/Front Desk



Product Code	NSR MB1
Product Name	Reception Desk/Front Desk
Material	Desk(Wood,HPL) , Moving Sky LED Panel(Aluminum,PC)
Lifespan	50,000 Hours
Watt@full duty	140W
Input	AC110/220/277V
Light Color	RGB
Intelligent Control	Auto(Video stored in SD card can be replaced)
Warranty	3 Years

Custom dimension, coating and installation available upon request

Standard coating color options

Group A gloss 15-25%

RAL	RAL-RGB	RAL-HEX	English
RAL 9006	165-165-165	#A5A5A5	White aluminium
RAL 9010	255-255-255	#FFFFFF	Pure white

Group B gloss 15-30%

RAL	RAL-RGB	RAL-HEX	English
RAL 1018	248-243-053	#F8F32B	Zinc yellow
RAL 3012	193-135-107	#C1876B	Beige red
RAL 3015	234-137-154	#EA899A	Light pink
RAL 3020	204-006-005	#CC0605	Traffic red
RAL 5005	030-045-110	#1E2460	Signal blue
RAL 6029	032-096-061	#20603D	Mint green
RAL 7030	139-140-122	#8B8C7A	Stone grey
RAL 9004	040-040-040	#282828	Signal black

Group C gloss 30-40%

RAL	RAL-RGB	RAL-HEX	English
RAL 2004	244-070-017	#F44611	Pure orange

Group D gloss 60-70%

RAL	RAL-RGB	RAL-HEX	English
RAL 1035	106-093-077	#6A5D4D	Pearl beige

Other options



Custom request with RAL/Pantone number or color sample acceptable

Note:

The RAL colors in this list have been matched as closely as possible. This list therefore can not serve as a standard RAL color products. The color depends on your monitor and printer. Also the coating color may vary slightly from one production order to another.

We listen to your needs and develop solutions

SHENZHEN NEONNY TECHNOLOGIES CO., LTD


ADD:Unit 15M, Fortune Plaza Building B, 7002 Shennan
Boulevard, Shenzhen, Guangdong, China (Mainland)

TEL:+86 755 88318498

FAX:+86 755 88315948

ZIP:518040

WEB:www.neonny.com



1. The pictures are only for reference, please make the object as the standard.
2. Sample for unique design is available based on your drawing.
3. Neonny is willing to propose for your lighting project upon request.

Disclaimer:Specifications are subject to change without notice.While due caution has been exercised in the production of this document,possible errors and omissions are unintentional.