

T
e
r
z
o
t
t
h
g
i
g
h
t
L
i
g
h
t

A BRAND OF BEL LIGHTING Group

TerZo Light

A BRAND OF BEL LIGHTING GROUP

Catalogue edition 04/2020

The data in this catalogue are provided in good faith and only for your information. This data may not be used against BEL Lighting.

Prices valid from 01.04.2020 and cancel all previous price lists.

Prices EX Works and without taxes (VAT, Recycling Contribution,...).

BEL LIGHTING reserves all rights to alter all product price and data any time, without any notice.

The general BEL LIGHTING conditions of sale are always applicable.

Nothing in this catalogue may be reproduced without written permission from the BEL LIGHTING company.

DOWNLIGHTERS



Royal 3 16



Mini 3W 16



Dimaled 7W 18



Axo-R 7-10W 19



Axo-S 7-10W 19



Togo 10W 20



Tito 7-10W 20



Top-Led 15W 22



Top Spot R 23



Top Spot RA 23



Top Spot RAD 23



Top Spot SAD 23



Top Spot RO 22



Top Spot RPH 22



Frameless K-8W24



Frameless R-8W24



Frameless 15W24



Dino 12W - 30W
25



Dino 12W - 30W
25



Dino 12W - 30W
25



Tropic 10W 26



Viki 27



Yan 27



Stilo 28



Sara 28



Sara-S 29



Zitec 30



Visio R 31



Visio K 32



Visio R-Fix 33



Visio K-Fix 33



Zoro 34



Rob 34



Tim 35



Fino 1 36



Fino 2 36



Artsi 1 37



Artsi 2 37



Rado 1 37



Rado 2 37



Ceramic-1 38



Ceramic-2 38



Ceramic-3 38



Ceramic-4 38



Ceramic-5 38

CEILING

| | | | | | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |
| Aida 83 | Bright 83 | Yara 18W - 25W 83 | Jaxon 7W 84 | Jaxon 15W 84 | Jaxon 23W 84 | Madison 30-40W 85 |
|  |  |  |  |  |  |  |
| Alessio 86 | Terry 87 | Stage 3 74 | Nestor 2 75 | Dice-K 79 | Dice-R 79 | Fani 79 |
|  |  |  |  |  |  |  |
| Reeds 3 70 | Stage 4 74 | Reeds 1 72 | Reeds 2 72 | Stage 1 74 | Nestor 3 75 | Ruby 74 |
|  |  |  |  |  |  |  |
| Nobby 1 76 | Nobby 2 76 | Square-1 76 | Square-2 76 | Dizi 78 | Lotus 78 | Magma 80 |
|  |  |  |  |  |  |  |
| Magma 2 80 | Magma 3 80 | Magma 4 80 | Norman 82 | Norman 2 82 | Norman 3 82 | Sfera 1 81 |
|  |  | | | | | |
| Sfera 2 81 | Sfera 2 81 | | | | | |
|  |  |  |  |  |  |  |
| Cozi 96 | Apollo 105 | Apollo 2 105 | Linus 98 | Merilin 99 | Loop 100 | Leon 101 |
|  |  |  |  |  |  |  |
| Verdi 102 | Verdi 2 102 | Nestor 88 | Elliot 89 | Max 90 | Marley 91 | Paloma 93 |
|  |  |  |  |  | | |
| Anisha 94 | Pixie 95 | Rena 95 | Lesante 93 | Ball 92 | | |


PROFILES & TRACK LIGHT




Trimless 50




Station 54



Topline 48



FOS-ARC 52



FOS-S 52



Lynne 1 56



Avenue 57



FOS wall 53



Panel 60-61



Pannel 60-61



Ring 65



Square-Ring 62



Kyclos-C 67



Kyclos-P 66



Trimless-In 58



Nestor 10W 42



Nestor 15W 42



Nestor 30W 42



Reeds 4 47



Stage 2 44

WALL



Ceramic-6 118



Ceramic-8 118



Ceramic-9 118



Toro 118



Argon 1 126,154



Argon 2 126,154



Twist 126,155



Davos 124



Concrete-1 124



Cube 1 120



Cube 2 120



Mack 120



Kony 120



Dana 121



Koko led 108



Matrix 110



Ivor 109




Tiny 108



Emma 113



Zen 112




Elsa 111



Kim 113



Moby 116




Elliot 116



Paloma Wall 117



Kyklos 127



Shadow 128



Rail 129



Koko 122



Kubo 2 123



Lina 122



Viva 123



Sam 114



Molly 114



Jake 114



Rocco 130



Jasper 131



Issac 133



Fibi 132



Robin 133



Terry 125



Valse 115



Ballito 126,155

OUTDOOR

| | | | | | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |
| Bright 136 | Chios 139 | Cosmo 140 | Donousa R 137 | Donousa S 136 | Leros K 136 | Leros R 138 |
|  |  |  |  |  |  |  |
| Tibuok 1 140 | Tibuok 2 140 | Maroco 141 | Royal 1 144 | Royal 2 144 | Hydra 158 | Tech 6 145 |
|  |  |  |  |  |  |  |
| Theta 1 143 | Theta 2 143 | Riva 1 142 | Riva 2 142 | Riva 3 142 | Leros plus 1 144 | Leros plus 2 144 |
|  |  |  |  |  |  |  |
| Minos 1 147 | Minos 2 146 | Minos 3 146 | Greg-round 150 | Greg-square 150 | Quadro 154 | Tech 8 156 |
|  |  |  |  |  |  |  |
| Tech 1 148 | Toolix-R 148 | Toolix-S 148 | Arris A 149 | Arris B 149 | Samos 1 150 | Samos 2 151 |
|  |  |  |  |  |  |  |
| Argon 1 126,154 | Argon 2 126,154 | Tech 3 153 | Tech 7 154 | Twist 126,155 | Dokos 156 | Ballito 126,155 |

OUTDOOR



Tilos A 161



Tilos B 161




Cerbere 149



Ada 162



Alma 162



Serko D 164



Tower D 166




Paros 160



Dilos 158



Tibuok 3 156



i-Tech 157



Rhodes 159



Rhodes 2 158



Rio 152



Campana 169



Country 2 169



Matty 169



Campana-4 170



Campana-3 170



Marc-wall 175



Bios-wall 173



Ermis 3W 176



Ermis 9W 176



Ermis 18W 176



Aris 3W 180



Aris 10W 180



Atlas 3W 178



Maris 12W 181



Atlas 5W 178



Tech 6W 181



Spike 6W 178



Leros 180



Window 183



Marvel 184



Samora 182



Bios-floor 173



Jason 174



Marc-floor 175



Serko FL 164



Tower FL 166



Avox FL 167



Faro 171







Downlighters 15

Profiles & Track light 41

Ceiling 69

Wall & Floor 107

Outdoor 135

Information 189

Downlighters



Royal 3

LED 12VDC 1W 120° - 3000K - 80lm - CRI>80




code: V4223200 White

DESCRIPTION

Body made in aluminum
Degree of protection IP20
led 12VDC included
Provided with 30cm cable
Class 3
Energy class EC: A+

ACCESSORIES

Led power supply 220-240V/12VDC





Mini 3W

LED 3W 40° - 3000K - 240lm - CRI>83

code : C173R.033K. _ _
 |
 01 White
 19 Brushed Mat Chrome

DESCRIPTION

Body made in aluminum
Degree of protection IP44
Driver 220-240V included
Class 2
Safety clear glass
Energy class EC: A+



Royal 3

| Reference | Price € |
|-----------|---------|
| V4223200 | 12.00 |

Mini 3W

| Reference | Price € |
|---------------|---------|
| C173R.033K.01 | 28.00 |
| C173R.033K.19 | 28.00 |







 230V IP20 



Dimaled 7W

CRI>83


code: C170R. XXXX . XX *dimable driver 220-240V included*

| | |
|----|------------------|
| 00 | Brushed aluminum |
| 01 | White |


073K LED 7W 36° - 3000K - 600lm
074K LED 7W 36° - 4000K - 620lm

DESCRIPTION

Adjustable 0° - 30° / 360°
 Body made in aluminum, soft texture
 Degree of protection IP20
 Driver 220-240V included
 Class 2
 Safety clear glass
 Energy class EC: A+



| Distance(m) | (m) | lux |
|-------------|-----|-----|
| 1 | 0,8 | 580 |
| 2 | 1,6 | 160 |
| 3 | 2,4 | 70 |



Dimaled 7W

| Reference | Price € |
|-----------------|---------|
| C170R.07_ _ _ _ | 35.00 |



Axo-R 7-10W

LED CRI>83

code: C172R. XXXX . XX *dimable driver 220-240V included*



00 Brushed aluminum
01 White

073K LED 7W 36° - 3000K - 600lm
074K LED 7W 36° - 4000K - 620lm
103K LED 10W 36° - 3000K - 750lm
104K LED 10W 36° - 4000K - 790lm

DESCRIPTION

Adjustable 0° - 30° / 360°
Body made in aluminum, soft texture
Degree of protection IP20
Driver 220-240V included
Class 2
Safety clear glass
Energy class EC: A+

ⓘ ∅ 80



Axo-S 7-10W

LED CRI>83

code: C172S. XXXX . XX *dimable driver 220-240V included*



01 White

073K LED 7W 36° - 3000K - 600lm
074K LED 7W 36° - 4000K - 620lm
103K LED 10W 36° - 3000K - 750lm
104K LED 10W 36° - 4000K - 790lm

DESCRIPTION

Adjustable 0° - 30° / 360°
Body made in aluminum, soft texture
Degree of protection IP20
Driver 220-240V included
Class 2
Safety clear glass
Energy class EC: A+

ⓘ ∅ 80



Axo-R 7-10W

| Reference | Price € |
|-----------|---------|
| C172R.07 | 41.50 |
| C172R.10 | 53.00 |

Axo-S 7-10W

| Reference | Price € |
|-----------|---------|
| C172S.07 | 41.50 |
| C172S.10 | 53.00 |



Tito 7-10W

LED CRI>83


code: C171R. XXXX . XX *dimnable driver 220-240V included*

01 White
02 Black


073K LED 7W 36° - 3000K - 600lm
074K LED 7W 36° - 4000K - 620lm
103K LED 10W 36° - 3000K - 750lm
104K LED 10W 36° - 4000K - 790lm

DESCRIPTION

Body made in aluminum, soft texture
 Degree of protection IP20
 Driver 220-240V included
 Class 2
 Safety clear glass
 Energy class EC: A+



| Distance(m) | (m) | 7W lux | 10W lux |
|-------------|-----|-----------|------------|
| 1 | 0,8 | 580 | 730 |
| 2 | 1,6 | 160 | 200 |
| 3 | 2,4 | 70 | 90 |



Togo 10W

LED CRI>83


code: C179R. XXXX . XX *dimnable driver 220-240V included*

01 White


103K LED 10W 36° - 3000K - 750lm
104K LED 10W 36° - 4000K - 790lm

DESCRIPTION

Body made in aluminum, soft texture
 Degree of protection IP20
 Driver 220-240V included
 Class 2
 Safety clear glass
 Energy class EC: A+



| Distance(m) | (m) | lux |
|-------------|-----|-----|
| 1 | 0,8 | 730 |
| 2 | 1,6 | 200 |
| 3 | 2,4 | 90 |



Tito 7-10W

| Reference | Price € |
|-----------------|---------|
| C171R.07_ _ _ _ | 36.00 |
| C171R.10_ _ _ _ | 48.50 |

Togo 10W

| Reference | Price € |
|---------------|---------|
| C179R.103K.01 | 48.50 |
| C179R.104K.01 | 48.50 |



LED Module + Recessed Frame



Create your recessed Top-Spot by choosing the spot frame and one of the LED Modules (white or black)



Top-Led 15W

LED 15W 36° - 3000K - 1500lm - CRI>80

| Distance(m) | (m) | lux |
|-------------|-----|------|
| 1 | 0,8 | 1260 |
| 2 | 1,6 | 320 |
| 3 | 2,4 | 140 |




code: V4220100 White driver 220-240V included
code: V4220101 Black



code: V4220100.DIM White TRIAC dimmable driver 220-240V included
code: V4220101.DIM Black


DESCRIPTION

led & power supply 220-240V included
to use with «Top Spot»
Class 2
Energy class EC: A+




Top Spot RO

code : V4219800 White



DESCRIPTION

Adjustable 0° - 30°
Body made in aluminum
to use with «Top-Led 15W»



Top Spot RPH

code : V4219700 White



DESCRIPTION

Adjustable 0° - 30°
Body made in aluminum
to use with «Top-Led 15W»



Top-Led 15W

| Reference | Price € |
|--------------|---------|
| V4220100 | 45.60 |
| V4220101 | 45.60 |
| V4220100.DIM | 67.30 |
| V4220101.DIM | 67.30 |

Top Spot RO

| Reference | Price € |
|-----------|---------|
| V4219800 | 17.40 |

Top Spot RPH


| Reference | Price € |
|-----------|---------|
| V4219700 | 17.40 |



Top Spot R


code : V4219500 White
code : V4219501 Black

ⓘ ∅ 80



DESCRIPTION


Body made in aluminum
to use with «Top-Led 15W»



Top Spot RA

code : V4219600 White
code : V4219601 Black

ⓘ ∅ 83



DESCRIPTION


Adjustable 0° - 30°
Body made in aluminum
to use with «Top-Led 15W»



Top Spot RAD


code : V4219900 White
code : V4219901 Black

ⓘ ∅ 83



DESCRIPTION


Adjustable 0° - 30° & antiglare
Body made in aluminum
to use with «Top-Led 15W»



Top Spot SAD


code : V4220000 White
code : V4220001 Black

ⓘ 80 x 80



DESCRIPTION

Adjustable 0° - 30° & antiglare
Body made in aluminum
to use with «Top-Led 15W»



Top Spot R

| Reference | Price € |
|-----------|---------|
| V4219500 | 10.20 |
| V4219501 | 10.20 |

Top Spot RA

| Reference | Price € |
|-----------|---------|
| V4219600 | 11.50 |
| V4219601 | 11.50 |

Top Spot RAD

| Reference | Price € |
|-----------|---------|
| V4219900 | 16.10 |
| V4219901 | 16.10 |

Top Spot SAD

| Reference | Price € |
|-----------|---------|
| V4220000 | 16.10 |
| V4220001 | 16.10 |

Frameless R-8W


LED 8W - 3000K - 580lm - CRI>83

code : C157R1.WW.01 White



DESCRIPTION


Body made in aluminum
Degree of protection IP66 - IK08
Driver 220-240V included
Class 2
Energy class EC: A+



Frameless K-8W


LED 8W - 3000K - 580lm - CRI>83

code : C157K1.WW.01 White



DESCRIPTION


Body made in aluminum
Degree of protection IP66 - IK08
Driver 220-240V included
Class 2
Energy class EC: A+



Frameless 15W


code: C157R2. **XX** .01 White

NW LED 15W - 4000K - 1177lm - CRI>83
WW LED 15W - 3000K - 1109lm - CRI>83



DESCRIPTION

Body made in aluminum
Degree of protection IP66 - IK08
Driver 220-240V included
Class 2
Energy class EC: A+



Frameless R-8W

| Reference | Price € |
|--------------|---------|
| C157R1.WW.01 | 40.00 |

Frameless K-8W

| Reference | Price € |
|--------------|---------|
| C157K1.WW.01 | 43.00 |

Frameless 15W

| Reference | Price € |
|--------------|---------|
| C157R2.NW.01 | 49.50 |
| C157R2.WW.01 | 49.50 |

Dino 12W - 30W








DESCRIPTION

Body made in aluminum
 Degree of protection IP54
 Driver PHILIPS 220-240V included
 Class 2
 Safety mat PMMA
 Energy class EC: A+

ON REQUEST

Dimmable driver
 Low UGR adaptable ring
 Honeycom & black color



code: C109.X X XX . XX
 diameter | power | led | color

| DIAMETER | POWER | LED | COLOR |
|----------|------------------------|----------|----------|
| L 285mm | 0 12W - 1200lm - UGR19 | NW 4000K | 01 White |
| M 230mm | 1 18W - 1800lm - UGR19 | WW 3000K | |
| S 190mm | 2 30W - 3000lm - UGR21 | | |

Dino 12W - 30W

| Reference | Price € |
|-----------|---------|
| C109.L0 | 90.00 |
| C109.L1 | 96.00 |
| C109.L2 | 115.00 |
| C109.M0 | 80.00 |
| C109.M1 | 90.00 |
| C109.M2 | 105.00 |
| C109.S0 | 80.00 |
| C109.S1 | 90.00 |
| C109.S2 | 100.00 |



Tropic 10W

LED 10W 36° - 3000K - 830lm - CRI>80

code : C71.1WW. _ _



01 White
19 Brushed Mat Chrome

DESCRIPTION

Body made in aluminum
Degree of protection IP65
Driver 220-240V included
Class 2
Safety clear glass
Energy class EC: A+



∅ 70



Tropic 10W

| Reference | Price € |
|------------|---------|
| C71.1WW.01 | 48.00 |
| C71.1WW.19 | 48.00 |

Viki

GU10 LED 230V - max. 13W


code : V4151400
code : V4151401

White
Black



DESCRIPTION

Body made in aluminum
Safety sandblasted glass
Degree of protection IP44
Class 2
Energy class EC: A++/A



Yan

GU10 LED 230V - max. 13W



code : V4151200
code : V4151201

White
Black



DESCRIPTION

Body made in aluminum
Safety sandblasted glass
Degree of protection IP44
Class 2
Energy class EC: A++/A



Viki

Yan

| Reference | Price € | Reference | Price € |
|-----------|---------|-----------|---------|
| V4151400 | 18.00 | V4151200 | 21.00 |
| V4151401 | 18.00 | V4151201 | 21.00 |



Stilo

GU10 LED 230V - max. 13W

code : C101.GU. _ _



- 01 White
- 02 Black
- 19 Brushed Mat Chrome

Sara

GU10 LED 230V - max. 13W

code : C102.GU. _ _





- 01 White
- 02 Black
- 19 Brushed Mat Chrome

DESCRIPTION

Adjustable 0° - 30°
 Body made in cast aluminum
 Degree of protection IP20
 Class 2
 Energy class EC: A++/A

DESCRIPTION

Adjustable 0° - 30° / 360°
 Body made in cast aluminum
 Degree of protection IP20
 Class 2
 Energy class EC: A++/A



Stilo

| Reference | Price € |
|------------|---------|
| C101.GU.01 | 4.60 |
| C101.GU.02 | 4.60 |
| C101.GU.19 | 5.90 |

Sara

| Reference | Price € |
|------------|---------|
| C102.GU.01 | 11.20 |
| C102.GU.02 | 11.20 |
| C102.GU.19 | 13.50 |



Sara-S

GU10 LED 230V - max. 13W


code : C102S.GU.---



- 01 White
- 02 Black
- 19 Brushed Mat Chrome


DESCRIPTION

Adjustable 0° - 30° / 360°
 Body made in cast aluminum
 Degree of protection IP20
 Class 2
 Energy class EC: A++/A



Sara-S

| Reference | Price € |
|-------------|---------|
| C102S.GU.01 | 11.20 |
| C102S.GU.02 | 11.20 |
| C102S.GU.19 | 13.50 |



Zitec

GU10 LED 230V - max. 13W


code : C107R.GU. __



- 01 White
- 02 Black
- 05 Silver grey


DESCRIPTION

Adjustable 0° - 30°
 Body made in solid aluminum, soft texture
 Degree of protection IP20
 Class 2
 Energy class EC: A++/A



Zitec


| Reference | Price € |
|-------------|---------|
| C107R.GU.01 | 9.00 |
| C107R.GU.02 | 9.00 |
| C107R.GU.05 | 9.00 |



Visio R

GU10 LED 230V - max. 13W

code : C103S.GU. __



- 00 Brushed aluminum
- 01 White
- 02 Black

DESCRIPTION


Adjustable 0° - 30° / 360°
 Body made in solid aluminum, soft texture
 Degree of protection IP20
 Class 2
 Energy class EC: A++/A



Visio R2

GU10 LED 230V - max. 13W


code : C103R.GU. __



- 00 Brushed aluminum
- 01 White
- 02 Black

DESCRIPTION

Adjustable 0° - 30° / 360°
 Body made in solid aluminum, soft texture
 Degree of protection IP20
 Class 2
 Energy class EC: A++/A






Visio R

| Reference | Price € |
|-------------|---------|
| C103S.GU.00 | 19.00 |
| C103S.GU.01 | 19.00 |
| C103S.GU.02 | 19.00 |



Visio R2

| Reference | Price € |
|-------------|---------|
| C103R.GU.00 | 19.00 |
| C103R.GU.01 | 19.00 |
| C103R.GU.02 | 19.00 |



Visio K

GU10 LED 230V - max. 13W

code : C104S.GU. _ _



00 Brushed aluminum
01 White

Visio K2

GU10 LED 230V - max. 13W

code : C104R.GU. _ _





00 Brushed aluminum
01 White

DESCRIPTION

Adjustable 0° - 30° / 360°
Body made in solid aluminum
Degree of protection IP20
Class 2
Energy class EC: A++/A

DESCRIPTION

Adjustable 0° - 30° / 360°
Body made in solid aluminum
Degree of protection IP20
Class 2
Energy class EC: A++/A




Visio K

| Reference | Price € |
|-------------|---------|
| C104S.GU.00 | 19.00 |
| C104S.GU.01 | 19.00 |

Visio K2

| Reference | Price € |
|-------------|---------|
| C104R.GU.00 | 19.00 |
| C104R.GU.01 | 19.00 |



Visio R-Fix

GU10 LED 230V - max. 13W

code : C105S.GU. _ _



00

Brushed aluminum



Visio K-Fix

GU10 LED 230V - max. 13W

code : C106S.GU. _ _



00



Brushed aluminum

DESCRIPTION

Body made in solid aluminum
Degree of protection IP20
Class 2
Energy class EC: A++/A

DESCRIPTION

Body made in solid aluminum
Degree of protection IP20
Class 2
Energy class EC: A++/A




Visio R-Fix

| Reference | Price € |
|-------------|---------|
| C105S.GU.00 | 18.00 |

Visio K-Fix

| Reference | Price € |
|-------------|---------|
| C106S.GU.00 | 18.00 |



Zoro

GU10 LED 230V - max. 13W

code : C108R.GU. _ _



01 White
02 Black

DESCRIPTION

Body made in aluminum, soft texture
Degree of protection IP20
Class 2
Energy class EC: A++/A



Rob

GU10 LED 230V - max. 13W

code : V4182900 White
code : V4182901 Black

DESCRIPTION

Body made in aluminum
Degree of protection IP20
Class 1
Energy class EC: A++/A



Zoro

| Reference | Price € |
|-------------|---------|
| C108R.GU.01 | 15.70 |
| C108R.GU.02 | 15.70 |

Rob

| Reference | Price € |
|-----------|---------|
| V4182900 | 9.00 |
| V4182901 | 9.00 |

Tim

GU10 LED 230V - max. 13W



code : V4182700

White



DESCRIPTION

Body made in aluminum
Degree of protection IP20
Class 1
Energy class EC: A++/A



Tim

| Reference | Price € |
|-----------|---------|
| V4182700 | 16.00 |

Fino 1



GU10 LED 230V - max. 13W

code : V4225000 White
code : V4225001 Black



DESCRIPTION

Body made in aluminum
Degree of protection IP20
Class 2
Energy class EC: A++/A



Fino 2


2x GU10 LED 230V - max. 13W

code : V4225100 White
code : V4225101 Black



DESCRIPTION

Body made in aluminum
Degree of protection IP20
Class 2
Energy class EC: A++/A



Fino 1

| Reference | Price € |
|-----------|---------|
| V4225000 | 11.00 |
| V4225001 | 11.00 |

Fino 2

| Reference | Price € |
|-----------|---------|
| V4225100 | 23.00 |
| V4225101 | 23.00 |

Artsi 1


GU10 LED 230V - max. 13W

code : V4208000 White
code : V4208001 Black



DESCRIPTION

Adjustable 0° - 30° / 360°
Body made in aluminum
Degree of protection IP20
Class 1
Energy class EC: A++/A



Artsi 2



2x GU10 LED 230V - max. 13W

code : V4208100 White
code : V4208101 Black



DESCRIPTION

Adjustable 0° - 30° / 360°
Body made in aluminum
Degree of protection IP20
Class 1
Energy class EC: A++/A



Rado 1

1 x GU10 LED 230V - max. 13W

code : C111.GU.05 Silver grey



DESCRIPTION

Adjustable 0° - 30°
Body made in aluminum
Degree of protection IP20
Class 1
Energy class EC: A++/A



Rado 2


2 x GU10 LED 230V - max. 13W

code : C112.GU.05 Silver grey



DESCRIPTION

Adjustable 0° - 30°
Body made in aluminum
Degree of protection IP20
Class 1
Energy class EC: A++/A



Artsi 1

| Reference | Price € |
|-----------|---------|
| V4208000 | 18.00 |
| V4208001 | 18.00 |

Artsi 2

| Reference | Price € |
|-----------|---------|
| V4208100 | 35.00 |
| V4208101 | 35.00 |

Rado 1

| Reference | Price € |
|------------|---------|
| C111.GU.05 | 25.60 |

Rado 2

| Reference | Price € |
|------------|---------|
| C112.GU.05 | 46.50 |

Ceramic-1



GU10 LED 230V - max. 13W

code : V4071500 White (plaster)



DESCRIPTION

Body made in plaster white
Can be painted over with same color as ceiling
Degree of protection IP20
Class 2
Energy class EC: A++/A



Ceramic-2


GU10 LED 230V - max. 13W

code : V4071400 White (plaster)



DESCRIPTION

Body made in plaster white
Can be painted over with same color as ceiling
Degree of protection IP20
Class 2
Energy class EC: A++/A



Ceramic-3



GU10 LED 230V - max. 13W

code : V4081000 White (plaster)



DESCRIPTION

Adjustable 0° - 30°
Body made in plaster white
Can be painted over with same color as ceiling
Degree of protection IP20
Class 2
Energy class EC: A++/A



Ceramic-4


GU10 LED 230V - max. 13W

code : V4081100 White (plaster)



DESCRIPTION

Adjustable 0° - 30°
Body made in plaster white
Can be painted over with same color as ceiling
Degree of protection IP20
Class 2
Energy class EC: A++/A



Ceramic-5


GU10 LED 230V - max. 13W

code : V4081400 White (plaster)



DESCRIPTION

Body made in plaster white
Can be painted over with same color as ceiling
Degree of protection IP20
Class 2
Energy class EC: A++/A



Ceramic-1

| Reference | Price € |
|-----------|---------|
| V4071500 | 12.00 |

Ceramic-2

| Reference | Price € |
|-----------|---------|
| V4071400 | 12.00 |

Ceramic-3

| Reference | Price € |
|-----------|---------|
| V4081000 | 49.00 |

Ceramic-4

| Reference | Price € |
|-----------|---------|
| V4081100 | 49.00 |

Ceramic-5

| Reference | Price € |
|-----------|---------|
| V4081400 | 32.00 |



Completely invisible

The plaster recessed spotlights are the latest trend in architectural lighting. Ideal for all living spaces and styles, the ceramic spots can be painted, creating a completely invisible lighting effect becoming one with the surroundings and creating a pleasant environment.



Take measurements and cut the plasterboard



Insert the spot



Screw the spot together with the plasterboard



Plaster spot and wall and paint with desired color

For the correct placement of recessed lights, we suggest to use a sample of the product before you proceed with the cutting of the plasterboard.




Profiles &
Track light



DESCRIPTION

Luminaire for 3-phase rail 220-240V (Track III)
 Adjustable 0° - 90° / 355°
 Body made in aluminum
 Driver 220-240V included
 Degree of protection IP20
 Class 1
 Energy class EC: A+

also available in the series NESTOR



Nestor 10W

LED 10W 24° - 3000K - 750lm - CRI>80

code : V4214600 White
 code : V4214601 Black

Nestor 15W

LED 15W 24° - 3000K - 1200lm - CRI>80

code : V4214700 White
 code : V4214701 Black
 code : V4214702 Gold

Nestor 30W

LED 30W 38° - 3000K - 2500lm - CRI>80

code : V4214800 White
 code : V4214801 Black
 code : V4214802 Gold



Nestor 10W

| Reference | Price € |
|-----------|---------|
| V4214600 | 74.00 |
| V4214601 | 74.00 |

Nestor 15W

| Reference | Price € |
|-----------|---------|
| V4214700 | 81.00 |
| V4214701 | 81.00 |
| V4214702 | 87.00 |


Nestor 30W

| Reference | Price € |
|-----------|---------|
| V4214800 | 114.00 |
| V4214801 | 114.00 |
| V4214802 | 114.00 |





also available in the series STAGE




Stage 2

GU10 LED 230V - max. 10W

code : V4224800 White
code : V4224801 Black

DESCRIPTION

Luminaire for 3-phase rail 220-240V (Track III)
Adjustable 0° - 90° / 355°
Body made in aluminum
Degree of protection IP20
Class 1
Energy class EC: A++/A



additional reflectors



V4234400
Reflector in gold

V4234401
Reflector in copper




Stage 2


| Reference | Price € |
|-----------|---------|
| V4224800 | 41.00 |
| V4224801 | 41.00 |

Stage reflector

| Reference | Price € |
|-----------|---------|
| V4234400 | 6.00 |
| V4234401 | 6.00 |







Reeds 4

GU10 LED 230V - max. 10W

code : V4184200 White
code : V4184201 Black

DESCRIPTION

Luminaire for 3-phase rail 220-240V (Track III)
Adjustable 0° - 90° / 355°
Body made in aluminum
Degree of protection IP20
Class 1
Energy class EC: A++/A




Reeds 4

| Reference | Price € |
|-----------|---------|
| V4184200 | 61.00 |
| V4184201 | 61.00 |



Ceiling



Pendant



Topline

DESCRIPTION

Body made in extruded profile aluminum
 Degree of protection IP20
 Led lifetime 50.000hr (L80F10)
 Led & driver 220-240V included
 Class 1
 Energy class EC: A+

ON REQUEST

Dimmable driver TRIAC, 0-10V or DALI
 Other RAL color or dimensions (customized)

Pendant

code : V3911.00_ _ _ _

Ceiling


code : V3911.01_ _ _ _

B Black
W White

3 3000K
4 4000K

1130 x 55 mm - Height: 75mm 2,90
 32W 24° - 3200lm - CRI> 80

1400 x 55 mm - Height: 75mm 3,55
 43W 24° - 4300lm - CRI> 80



incl. 2x cable susp. auto
 incl. 1x cable base 80x80x30mm


Topline Pendant

| Reference | Price € |
|-------------------|---------|
| V3911.0016_ _ _ _ | 261.00 |
| V3911.0017_ _ _ _ | 317.00 |

Topline Ceiling

| Reference | Price € |
|-------------------|---------|
| V3911.0116_ _ _ _ | 261.00 |
| V3911.0117_ _ _ _ | 317.00 |





on request: to use as track light




Trimless

DESCRIPTION

Body made in extruded profile aluminum
 Degree of protection IP20
 Led lifetime 50.000hr (L80F10)
 Led & driver TRIDONIC 220-240V included
 Satin plastic PMMA
 Class 1
 Energy class EC: A+

ON REQUEST

Dimmable driver 1-10V, DALI or Emergency lighting
 Track adaptor to use on track light
 Other color: 2700K, 5000K or 6500K
 Other CRI: CRI>90
 Other RAL color or dimensions (customized)



Ceiling code : C90L

| Code | Power | Light Output | CRI | Height | Beam Spread |
|------------------------------------|-------|--------------|------|--------|-------------|
| 570 x 40 mm - Height: 73mm | | | | | |
| 01 | 30 | 3100lm | > 80 | 73mm | 1,0 |
| 02 | 40 | 4650lm | > 80 | 73mm | 1,3 |
| 06 | 16 | 2400lm | > 80 | 73mm | 1,6 |
| 850 x 40 mm - Height: 73mm | | | | | |
| 01 | 23 | 3100lm | > 80 | 73mm | 1,0 |
| 02 | 40 | 4650lm | > 80 | 73mm | 1,3 |
| 06 | 16 | 2400lm | > 80 | 73mm | 1,6 |
| 1130 x 40 mm - Height: 73mm | | | | | |
| 01 | 46 | 6200lm | > 80 | 73mm | 1,6 |
| 02 | 21 | 3200lm | > 80 | 73mm | 1,9 |
| 1410 x 40 mm - Height: 73mm | | | | | |
| 01 | 57 | 7750lm | > 80 | 73mm | 1,9 |
| 02 | 26 | 4000lm | > 80 | 73mm | 2,2 |

Trimless

| Reference | Price € |
|-----------|---------|
| C90L.1H | 165.00 |
| C90L.1L | 195.00 |
| C90L.2H | 195.00 |
| C90L.2L | 210.00 |
| C90L.3H | 225.00 |
| C90L.3L | 215.00 |
| C90L.4H | 265.00 |
| C90L.4L | 225.00 |

Trimless 180°

| Reference | Price € |
|-------------|---------|
| C90L.180.00 | 9.60 |


Suspension KIT 1




incl. 2x cable susp. Auto 2m
 incl. 1x cable transparent 3x 0,75mm² 2m
 incl. 1x cable base 54x54x35mm
 code : CX02.00

Suspension KIT 1

| Reference | Price € |
|-----------|---------|
| CX02.00 | 25.00 |



FOS-S



incl. 2x cable susp. 1m
incl. 1x cable base 54x54x35mm

FOS-ARC



incl. 2x cable susp. 1m
incl. 1x cable base 54x54x35mm



DESCRIPTION

Body made in extruded profile aluminum
Degree of protection IP20
Led lifetime 50.000hr (L80F10)
Led & driver TRIDONIC 220-240V included
Satin plastic PMMA
Class 1
Energy class EC: A+

ON REQUEST

Dimmable driver 1-10V, DALI or Emergency lighting
Other color: 2700K, 5000K or 6500K
Other CRI: CRI>90
Other RAL color or dimensions (customized)

FOS - S code : C181.

FOS - ARC code : C182.

01 White
02 Black
06 Grey

30 3000K
40 4000K

840 x 61 mm - Height: 56mm 1,4

1H 35W - 4650lm - CRI> 80

1L 16W - 2400lm - CRI> 80

1120 x 61 mm - Height: 56mm 1,7


2H 46W - 6200lm - CRI> 80

2L 21W - 3200lm - CRI> 80

1400 x 61 mm - Height: 56mm 2,0

3H 57W - 7750lm - CRI> 80

3L 26W - 4000lm - CRI> 80



FOS-S




| Reference | Price € |
|-----------|---------|
| C181.1H | 270.00 |
| C181.1L | 250.00 |
| C181.2H | 275.00 |
| C181.2L | 260.00 |
| C181.3H | 320.00 |
| C181.3L | 280.00 |

FOS-ARC

| Reference | Price € |
|-----------|---------|
| C182.1H | 210.00 |
| C182.1L | 230.00 |
| C182.2H | 250.00 |
| C182.2L | 235.00 |
| C182.3H | 295.00 |
| C182.3L | 255.00 |



FOS wall



DESCRIPTION

Body made in extruded profile aluminum
 Degree of protection IP20
 Led lifetime 50.000hr (L80F10)
 Led & driver TRIDONIC 220-240V included
 Satin plastic PMMA
 Class 1
 Energy class EC: A+


ON REQUEST

Dimmable driver 1-10V, DALI or Emergency lighting
 Other color: 2700K, 5000K or 6500K
 Other CRI: CRI>90
 Other RAL color or dimensions (customized)

code : C180.


- 01 White
- 02 Black
- 06 Grey
- 30 3000K
- 40 4000K

| | | | |
|--|----|----------------------------|-----|
| | | 640 x 61 mm - Height: 56mm | 1,1 |
| | 1H | 23W - 3100lm - CRI> 80 | |
| | 1L | 11W - 1600lm - CRI> 80 | |
| | | 920 x 61 mm - Height: 56mm | 1,4 |
| | 2H | 35W - 4650lm - CRI> 80 | |
| | 2L | 16W - 2400lm - CRI> 80 | |
| | | 1200 x 61 mm - Height:56mm | 1,7 |
| | 3H | 46W - 6200lm - CRI> 80 | |
| | 3L | 21W - 3200lm - CRI> 80 | |
| | | 1480 x 61 mm - Height:56mm | 2,0 |
| | 4H | 57W - 7750lm - CRI> 80 | |
| | 4L | 26W - 4000lm - CRI> 80 | |




FOS wall

| Reference | Price € |
|-----------|---------|
| C180.1H | 190.00 |
| C180.1L | 210.00 |
| C180.2H | 225.00 |
| C180.2L | 245.00 |
| C180.3H | 265.00 |
| C180.3L | 250.00 |
| C180.4H | 310.00 |
| C180.4L | 270.00 |





Ceiling



Pendant



Station

DESCRIPTION

Body made in extruded profile aluminum
 Degree of protection IP20
 Led lifetime 50.000hr (L80F10)
 Led & driver 220-240V included
 Satin plastic PMMA
 Class 1
 Energy class EC: A+

ON REQUEST

Dimmable driver TRIAC, 0-10V or DALI
 Other RAL color or dimensions (customized)



Pendant

code : V3911.00_ _ _ _ _

Ceiling

code : V3911.01_ _ _ _ _

B Black
U Anodised aluminum
W White

3 3000K
4 4000K

890 x 55 mm - Height: 75mm 1,1


30W - 2800lm - CRI> 80

1480 x 55 mm - Height: 75mm 1,8

60W - 5800lm - CRI> 80

1800 x 55 mm - Height: 75mm 2,5

80W - 7100lm - CRI> 80




incl. 2x cable susp. auto
 incl. 1x base 80x80x30mm


Station Pendant

| Reference | Price € |
|------------------|---------|
| V3911.0013_ _B/W | 163.00 |
| V3911.0013_ _U | 140.00 |
| V3911.0014_ _B/W | 251.00 |
| V3911.0014_ _U | 222.00 |
| V3911.0015_ _B/W | 310.00 |
| V3911.0015_ _U | 271.00 |

Station Ceiling


| Reference | Price € |
|------------------|---------|
| V3911.0113_ _B/W | 163.00 |
| V3911.0113_ _U | 140.00 |
| V3911.0114_ _B/W | 251.00 |
| V3911.0114_ _U | 222.00 |
| V3911.0115_ _B/W | 310.00 |
| V3911.0115_ _U | 271.00 |





Lynne 1

LED 48W - 3000K - 4300lm - CRI>80



incl. 2x cable susp. auto
incl. 1x base 200x50x50mm

DESCRIPTION

Body made in aluminum
Degree of protection IP20
Led lifetime 50.000hr (L80F10)
Led & driver 220-240V included
Satin plastic PMMA
Class 1
Energy class EC: A+

ON REQUEST

Dimmable driver TRIAC, 0-10V or DALI
Other RAL color or dimensions (customized)


code : V3994600 White
code : V3994601 Black

Lynne 1


| Reference | Price € |
|-----------|---------|
| V3994600 | 245.00 |
| V3994601 | 245.00 |



solid
wood



Avenue Wood



incl. 2x cable susp. auto
incl. 1x base 215x65x50mm

DESCRIPTION

With remote control included (only V3089701)
Body made in solid wood
Degree of protection IP20
Led lifetime 50.000hr (L80F10)
Led & driver 220-240V included
Satin plastic PMMA
Class 1 Energy class EC: A+

ON REQUEST



Available with dimmable driver Triac (V3089702)

code : V3089700 **LED 48W - 3000K - 5000lm - CRI>80**
code : V3089701 **LED 48W - 3000K - 5000lm - CRI>80 (Dimmable with remote control)**



Avenue

| Reference | Price € |
|-----------|---------|
| V3089700 | 409.00 |
| V3089701 | 448.00 |



Trimless-In


RECESSED LED LIGHTING

DESCRIPTION

Body made in extruded profile aluminum
 Degree of protection IP20
 Led lifetime 50.000hr (L80F10)
 Led & driver TRIDONIC 220-240V included
 Satin plastic PMMA
 Class 1
 Energy class EC: A+


ON REQUEST

dimnable driver 1-10V, DALI or Emergency lighting
 Other color: 2700K, 5000K or 6500K
 other CRI: CRI>90
 other RAL color or dimensions (customized)



code : C91L... .06 Grey

| | | | | |
|--|-----------|-----------|-----------------------------|-----|
| | | 30 | 3000K | |
| | | 40 | 4000K | |
| | | | 570 x 65 mm - Height: 90mm | 1,0 |
| | 1H | | 23W - 3250lm - CRI> 80 | |
| | 1L | | 11W - 1600lm - CRI> 80 | |
| | | | 850 x 65 mm - Height: 90mm | 1,3 |
| | 2H | | 35W - 4850lm - CRI> 80 | |
| | 2L | | 16W - 2400lm - CRI> 80 | |
| | | | 1130 x 65 mm - Height: 90mm | 1,6 |
| | 3H | | 46W - 6500lm - CRI> 80 | |
| | 3L | | 21W - 3200lm - CRI> 80 | |
| | | | 1410 x 65 mm - Height: 90mm | 1,9 |
| | 4H | | 57W - 8100lm - CRI> 80 | |
| | 4L | | 26W - 4000lm - CRI> 80 | |



Trimless-In

| Reference | Price € |
|-----------|---------|
| C91L.1H | 179.00 |
| C91L.1L | 195.00 |
| C91L.2H | 210.00 |
| C91L.2L | 230.00 |
| C91L.3H | 250.00 |
| C91L.3L | 235.00 |
| C91L.4H | 299.00 |
| C91L.4L | 265.00 |





Panel

code : C167. _ _ _ . _ _ _


| | | | |
|-------------------------------------------------------------------------------------|-----------|---------------------------------------------------------|------------|
| | 01 | White | |
| | 06 | Grey | |
| | 30 | 3000K | |
| | 40 | 4000K | |
|  | 1 | 330 x 330 mm - Height: 50mm 12W - 1750 lm - CRI > 80 | 2,6 |
|  | 6 | 460 x 460 mm - Height: 50mm 40W - 5500 lm - CRI > 80 | 5,6 |
|  | 5 | 600 x 600 mm - Height: 50mm 42W - 6400 lm - CRI > 80 | 8,0 |

DESCRIPTION

Body made in profile aluminum
Degree of protection IP20
Led lifetime 50.000hr (L80F10)
Led & driver TRIDONIC 220-240V included
Satin white PMMA
Class 1
Energy class EC: A+

ON REQUEST

dimnable driver 1-10V, DALI or Emergency lighting
Micro prismatic plastic
Other color: 2700K or 5000K
other RAL color



Suspension KIT 2




incl. 4x cable susp. Auto 2m
incl. 1x cable transparent 3x 0,75mm² 2m
incl. 1x cable base 54x54x35mm
code : CX03.00

Panel

| Reference | Price € |
|----------------------|---------|
| C167.1 _ _ _ . _ _ _ | 210.00 |
| C167.5 _ _ _ . _ _ _ | 335.00 |
| C167.6 _ _ _ . _ _ _ | 295.00 |

Suspension KIT 2

| Reference | Price € |
|-----------|---------|
| CX03.00 | 37.50 |



Panel

code : C167. _ _ _ _


| | | | |
|-------------------------------------------------------------------------------------|-----------|----------------------------------------------------------|-------------------------------------------------------------------------------------|
| | 01 | White | |
| | 06 | Grey | |
| | 30 | 3000K | |
| | 40 | 4000K | |
|  | 2 | 550 x 300 mm - Height: 50mm 21W - 3200 lm - CRI > 80 |  |
|  | 3 | 870 x 300 mm - Height: 50mm 36W - 5250 lm - CRI > 80 |  |
|  | 4 | 1100 x 300 mm - Height: 50mm 42W - 6400 lm - CRI > 80 |  |

DESCRIPTION

Body made in profile aluminum
Degree of protection IP20
Led lifetime 50.000hr (L80F10)
Led & driver TRIDONIC 220-240V included
Satin white PMMA
Class 1
Energy class EC: A+

ON REQUEST

dimnable driver 1-10V, DALI or Emergency lighting
Micro prismatic plastic
Other color: 2700K or 5000K
other RAL color



Suspension KIT 2



incl. 4x cable susp. Auto 2m
incl. 1x cable transparent 3x 0,75mm² 2m
incl. 1x cable base 54x54x35mm
code : CX03.00

Panel

| Reference | Price € |
|----------------|---------|
| C167.2 _ _ _ _ | 270.00 |
| C167.3 _ _ _ _ | 395.00 |
| C167.4 _ _ _ _ | 360.00 |

Suspension KIT 2

| Reference | Price € |
|-----------|---------|
| CX03.00 | 37.50 |

Square-Ring



600x600 mm
900x900 mm
1200x1200 mm



incl. 4x cable susp. 1m
incl. 1x cable base 54x54x35mm

DESCRIPTION

Body made in profile aluminum
Degree of protection IP20
Led lifetime 50.000hr (L80F10)
Led & driver TRIDONIC 220-240V included
Opal white PMMA
Class 1
Energy class EC: A+

ON REQUEST

Dimmable driver 1-10V, DALI or Emergency lighting
Other color: 2700K or 6500K
Other CRI: CRI>90
Other RAL color
Other dimension: 140x140cm / 170x170cm



code: **C183P.XX XX . XX**

power
led
color

DIMENSION / POWER

| | |
|----|---------------------------------------|
| 1H | 600x600mm - 74W - 12000lm - CRI>80 |
| 1L | 600x600mm - 37W - 6000lm - CRI>80 |
| 2H | 900x900mm - 105W - 17000lm - CRI>80 |
| 2L | 900x900mm - 53W - 8520lm - CRI>80 |
| 3H | 1200x1200mm - 168W - 27200lm - CRI>80 |
| 3L | 1200x1200mm - 84W - 13600lm - CRI>80 |

LED

| | |
|----|-------|
| 30 | 3000K |
| 40 | 4000K |


COLOR


| | |
|----|-------|
| 01 | White |
| 02 | Black |
| 06 | Grey |

Square-Ring

| Reference | Price € |
|-----------------|---------|
| C183P.1H_ _ _ _ | 740.00 |
| C183P.1L_ _ _ _ | 695.00 |
| C183P.2H_ _ _ _ | 1015.00 |
| C183P.2L_ _ _ _ | 945.00 |
| C183P.3H_ _ _ _ | 1395.00 |
| C183P.3L_ _ _ _ | 1310.00 |


Please request us for delivery extra cost







Ring



DESCRIPTION


Body made in aluminum
 Degree of protection IP20
 Led lifetime 50.000hr (L80F10)
 Led & driver TRIDONIC 220-240V included
 Opal white PMMA
 Class 1
 Energy class EC: A+

ON REQUEST


dimnable driver 1-10V, DALI or Emergency lighting
 Other color: 2700K or 6500K
 other CRI: CRI>90
 other RAL color
 Other diameter: Ø 140cm / Ø180cm



incl. 3x cable susp. 1m
 incl. 1x cable base 54x54x35mm



code: C156P.XX XX . XX



DIAMETER / POWER

| | |
|----|------------------------------------|
| 1H | Ø 600mm - 57W - 9350lm - CRI>80 |
| 1L | Ø 600mm - 29W - 4730lm - CRI>80 |
| 2H | Ø 900mm - 88W - 14450lm - CRI>80 |
| 2L | Ø 900mm - 44W - 7310lm - CRI>80 |
| 3H | Ø 1200mm - 114W - 18700lm - CRI>80 |
| 3L | Ø 1200mm - 57W - 9460lm - CRI>80 |

LED

| | |
|----|-------|
| 30 | 3000K |
| 40 | 4000K |


COLOR

| | |
|----|--------|
| 01 | White |
| 02 | Black |
| 06 | Grey |
| 23 | Copper |

Ring

| Reference | Price € |
|-----------------|---------|
| C156P.1H_ _ _ _ | 690.00 |
| C156P.1L_ _ _ _ | 650.00 |
| C156P.2H_ _ _ _ | 930.00 |
| C156P.2L_ _ _ _ | 895.00 |
| C156P.3H_ _ _ _ | 1250.00 |
| C156P.3L_ _ _ _ | 1195.00 |

Please request us for delivery extra cost





Kyclos-P




DESCRIPTION

Body made in aluminum
 Degree of protection IP20
 Led lifetime 50.000hr (L80F10)
 Led & driver TRIDONIC 220-240V included
 Opal white PMMA
 Class 1
 Energy class EC: A+

ON REQUEST

Dimmable driver 1-10V, DALI or Emergency lighting
 Other RAL color
 Other power: 60cm 43W / 90cm 88W / 120cm 154W



code: **C155P.X XX . XX**

power
 led
 color

DIAMETER / POWER


- | | |
|---|-----------------------------------|
| 1 | Ø 600mm - 27W - 5200lm - CRI>80 |
| 2 | Ø 900mm - 53W - 10800lm - CRI>80 |
| 3 | Ø 1200mm - 96W - 18800lm - CRI>80 |

LED

- | | |
|----|-------|
| NW | 4000K |
| WW | 3000K |

COLOR

- | | |
|----|-------|
| 01 | White |
| 06 | Grey |




Kyclos-P

| Reference | Price € |
|-----------|---------|
| C155P.1 | 715.00 |
| C155P.2 | 1170.00 |
| C155P.3 | 2125.00 |

Please request us for delivery extra cost



Kyclos-C




DESCRIPTION

Body made in aluminum
 Degree of protection IP20
 Led lifetime 50.000hr (L80F10)
 Led & driver TRIDONIC 220-240V included
 Opal white PMMA
 Class 1
 Energy class EC: A+

ON REQUEST

Dimmable driver 1-10V, DALI or Emergency lighting
 Other RAL color
 Other power: 60cm 43W / 90cm 88W / 120cm 154W




code: **C155C.X XX . XX**


power
 led
 color




LED 27W - 5200lm - CRI>80



LED 53W - 10800lm - CRI>80



LED 96W - 18800lm - CRI>80



DIAMETER / POWER


| | |
|---|-----------------------------------|
| 1 | Ø 600mm - 27W - 5200lm - CRI>80 |
| 2 | Ø 900mm - 53W - 10800lm - CRI>80 |
| 3 | Ø 1200mm - 96W - 18800lm - CRI>80 |

LED

| | |
|----|-------|
| NW | 4000K |
| WW | 3000K |

COLOR

| | |
|----|-------|
| 01 | White |
| 06 | Grey |




Kyclos-C

| Reference | Price € |
|-----------|---------|
| C155C.1 | 690.00 |
| C155C.2 | 1140.00 |
| C155C.3 | 2100.00 |

Please request us for delivery extra cost

Ceiling



Reeds 3

GU10 LED 230V - max. 10W

code : V4185700 White
code : V4185701 Black


DESCRIPTION

Adjustable 0° - 90° / 355°
Body made in aluminum
Degree of protection IP20
Class 2
Energy class EC: A++/A



Reeds 3

| Reference | Price € |
|-----------|---------|
| V4185700 | 52.00 |
| V4185701 | 52.00 |



Reeds 1

GU10 LED 230V - max. 10W




code : V4184100 White
code : V4184101 Black



DESCRIPTION

Adjustable 0° - 90° / 355°
Body made in aluminum
Degree of protection IP20
Class 2
Energy class EC: A++/A



Reeds 2


GU10 LED 230V - max. 10W

DESCRIPTION


Adjustable 0° - 90° / 355°
Body made in aluminum
Degree of protection IP20
Class 2
Energy class EC: A++/A



code : V4183900 White
code : V4183901 Black



code : V4184000 White
code : V4184001 Black



Reeds 2

Reeds 1

| Reference | Price € |
|-----------|---------|
| V4184100 | 52.00 |
| V4184101 | 52.00 |

| Reference | Price € |
|-----------|---------|
| V4183900 | 68.00 |
| V4183901 | 68.00 |
| V4184000 | 74.00 |
| V4184001 | 74.00 |



Stage 4


GU10 LED 230V - max. 10W

code : V4241000 White
code : V4241001 Black



DESCRIPTION


Adjustable 0° - 90° / 355°
Body made in aluminum
Degree of protection IP20
Class 1
Energy class EC: A++/A



Stage 1

GU10 LED 230V - max. 10W

code : V4224700 White
code : V4224701 Black



DESCRIPTION

Adjustable 0° - 90° / 355°
Body made in aluminum
Degree of protection IP20
Class 1
Energy class EC: A++/A



Stage 3


GU10 LED 230V - max. 10W

code : V4224900 White
code : V4224901 Black



DESCRIPTION


Body made in aluminum
Degree of protection IP20
Class 1
Energy class EC: A++/A



Ruby

GU10 LED 230V - max. 10W

code : V4148800 White
code : V4148801 Black



Led lamp included



DESCRIPTION

LED lamp 5W included (GU10)
Adjustable 0° - 90° / 355°
Body made in painted steel
Degree of protection IP20
Class 2
Energy class EC: A++/A



Stage 4

| Reference | Price € |
|-----------|---------|
| V4241000 | 28.00 |
| V4241001 | 28.00 |

Stage 1

| Reference | Price € |
|-----------|---------|
| V4224700 | 28.00 |
| V4224701 | 28.00 |

Stage 3

| Reference | Price € |
|-----------|---------|
| V4224900 | 22.00 |
| V4224901 | 22.00 |

Ruby

| Reference | Price € |
|-----------|---------|
| V4148800 | 36.00 |
| V4148801 | 36.00 |

Stage reflector

| Reference | Price € |
|-----------|---------|
| V4234400 | 6.00 |
| V4234401 | 6.00 |

Nestor 3


LED 15W 24° - 3000K - 1200lm - CRI>80

code : V4214500 White
code : V4214501 Black
code : V4214502 Gold



DESCRIPTION

Adjustable 0° - 90° / 355°
Body made in aluminum
Driver 220-240V included
Degree of protection IP20
Class 1
Energy class EC: A+



Nestor 2


LED 30W 38° - 3000K - 2500lm - CRI>80

code : V4214400 White
code : V4214401 Black
code : V4214402 Gold



DESCRIPTION

Body made in aluminum
Driver 220-240V included
Degree of protection IP20
Class 1
Energy class EC: A+



Reflectors available for series STAGE



additional reflectors



V4234400
Reflector in gold



V4234401
Reflector in copper



Nestor 3

| Reference | Price € |
|-----------|---------|
| V4214500 | 81.00 |
| V4214501 | 81.00 |
| V4214502 | 87.00 |

Nestor 2

| Reference | Price € |
|-----------|---------|
| V4214400 | 110.00 |
| V4214401 | 110.00 |
| V4214402 | 117.00 |

Nobby 1

GU10 LED 230V - max. 7W

code : V4157100 White
code : V4157101 Black



DESCRIPTION

Adjustable 0° - 90°
Body made in aluminum
Degree of protection IP20
Class 1
Energy class EC: A++/A



Nobby 2

2x GU10 LED 230V - max. 7W

code : V4207900 White
code : V4207901 Black



DESCRIPTION

Adjustable 0° - 90°
Body made in aluminum
Degree of protection IP20
Class 1
Energy class EC: A++/A



Square-1



GU10 LED 230V - max. 10W

code : C177.GU.01 White



DESCRIPTION

Adjustable 0° - 90°
Body made in aluminum, soft texture
Degree of protection IP20
Class 1
Energy class EC: A++/A



Square-2


2x GU10 LED 230V - max. 10W

code : C178.GU.01 White



DESCRIPTION

Adjustable 0° - 90°
Body made in aluminum, soft texture
Degree of protection IP20
Class 1
Energy class EC: A++/A



Nobby 1

| Reference | Price € |
|-----------|---------|
| V4157100 | 71.00 |
| V4157101 | 78.00 |

Nobby 2

| Reference | Price € |
|-----------|---------|
| V4207900 | 74.00 |
| V4207901 | 74.00 |


Square-1

| Reference | Price € |
|------------|---------|
| C177.GU.01 | 46.00 |

Square-2

| Reference | Price € |
|------------|---------|
| C178.GU.01 | 60.00 |






Lotus

LED 18W 120° - 3000K - 1368lm - CRI>80

code : V4208200 White
code : V4208201 Black



DESCRIPTION

Adjustable 0° - 90°
Body made in aluminum
Driver 220-240V included
Degree of protection IP20
Class 1
Energy class EC: A+




Dizi

LED 10W - 3000K - 750lm - CRI>83

code: C174.103K XX . XX


01 White
02 Black

24 LED 10W 24° - 3000K
36 LED 10W 36° - 3000K



DESCRIPTION

Adjustable 0° - 90° / 355°
Body made in aluminum, soft texture
Degree of protection IP20
Driver 220-240V included
Class 1
Energy class EC: A+






Lotus

| Reference | Price € |
|-----------|---------|
| V4208200 | 97.00 |
| V4208201 | 97.00 |

Dizi

| Reference | Price € |
|----------------|---------|
| C174.103K24.01 | 65.00 |
| C174.103K24.02 | 65.00 |
| C174.103K36.01 | 65.00 |
| C174.103K36.02 | 65.00 |



Fani

LED 7W - 3000K - 490lm - CRI>80

code : V4183400 White
code : V4183401 Black

DESCRIPTION

Body made in aluminum
Safety clear glass
Degree of protection IP20
Led 220-240V included
Class 1
Energy class EC: A+



Dice-R

GU10 LED 230V - max. 7W

code : V4144200 White
code : V4144201 Black

DESCRIPTION

Body made in aluminum
Degree of protection IP20
Class 1
Energy class EC: A++/A




Dice-K

GU10 LED 230V - max. 7W

code : V4144100 White
code : V4144101 Black

DESCRIPTION

Body made in aluminum
Degree of protection IP20
Class 1
Energy class EC: A++/A



Fani

| Reference | Price € |
|-----------|---------|
| V4183400 | 38.00 |
| V4183401 | 38.00 |

Dice-R

| Reference | Price € |
|-----------|---------|
| V4144200 | 40.00 |
| V4144201 | 40.00 |

Dice-K

| Reference | Price € |
|-----------|---------|
| V4144100 | 40.00 |
| V4144101 | 40.00 |



Magma

230V IP20 ≤ 0.5



GU10 LED 230V - max. 1x 7W

code : V4095000 White



110x90



DESCRIPTION

LED lamp 5W included (GU10)
 Adjustable 0° - 90° / 355°
 Body made in painted steel
 Degree of protection IP20
 Class 1
 Energy class EC: A++/A

[Led lamp included](#)



GU10 LED 230V - max. 2x 7W

code : V4094900 White



250x80



GU10 LED 230V - max. 3x 7W

code : V4095100 White



410x80



GU10 LED 230V - max. 4x 7W

code : V4095200 White



250x250



Magma

| Reference | Price € |
|-----------|---------|
| V4095000 | 47.00 |

Magma 2

| Reference | Price € |
|-----------|---------|
| V4094900 | 89.00 |

Magma 3

| Reference | Price € |
|-----------|---------|
| V4095100 | 123.00 |

Magma 4

| Reference | Price € |
|-----------|---------|
| V4095200 | 169.00 |




Sfera

230V IP20 \varnothing 0.5 \triangle



GU10 LED 230V - max. 1x 7W
 code : V4148500 White

\triangle 0.50



DESCRIPTION

LED lamp 5W included (GU10)
 Adjustable 0° - 90° / 355°
 Body made in painted steel
 Degree of protection IP20
 Class 1
 Energy class EC: A++/A



GU10 LED 230V - max. 2x 7W
 code : V4148600 White

\triangle 1.20



[Led lamp included](#)



GU10 LED 230V - max. 3x 7W
 code : V4148700 White

\triangle 1.80



Sfera

| Reference | Price € |
|-----------|---------|
| V4148500 | 49.00 |

Sfera 2

| Reference | Price € |
|-----------|---------|
| V4148600 | 95.00 |

Sfera 3

| Reference | Price € |
|-----------|---------|
| V4148700 | 130.00 |



Norman











GU10 LED 230V - max. 1x 7W

code : V4038800 Brushed aluminum 



DESCRIPTION


GU10/50W lamp included
 Adjustable 0° - 90° / 355°
 Body made in brushed aluminum
 Degree of protection IP20
 Class 1
 Energy class EC: A+/A

Lamp included




GU10 LED 230V - max. 2x 7W

code : V4038900 Brushed aluminum 



GU10 LED 230V - max. 3x 7W

code : V4039000 Brushed aluminum 



Norman

| Reference | Price € |
|-----------|---------|
| V4038800 | 38.00 |

Norman 2

| Reference | Price € |
|-----------|---------|
| V4038900 | 71.00 |


Norman 3

| Reference | Price € |
|-----------|---------|
| V4039000 | 107.00 |

Aida

LED 30W 120° - 3000K - 1650lm - CRI>80

code : V4187500 Black



DESCRIPTION

Body made in painted steel
Polycarbonate (PC) protection
Driver 220-240V included
Degree of protection IP20
Class 1
Energy class EC: A+



Bright

LED 18W 120° - 3000K - 1440lm - CRI>80

code : V4158900 Aluminum



DESCRIPTION

Body made in aluminum
Mat plastic PMMA
Driver 220-240V included
Degree of protection IP20
Class 1
Energy class EC: A+



DESCRIPTION

Body made in aluminum
White PC
Driver 220-240V included
Degree of protection IP20
Class 1
Energy class EC: A+



Yara 18W



LED 18W 120° - 3000K - 1530lm - CRI>80

code : V4199600 White
code : V4199601 Silver

Yara 25W



LED 25W 120° - 3000K - 2125lm - CRI>80

code : V4199700 White
code : V4199701 Silver

Aida

| Reference | Price € |
|-----------|---------|
| V4213900 | 163.00 |

Bright


| Reference | Price € |
|-----------|---------|
| V4158900 | 46.00 |

Yara 18W

| Reference | Price € |
|-----------|---------|
| V4199600 | 81.00 |
| V4199601 | 81.00 |

Yara 25W

| Reference | Price € |
|-----------|---------|
| V4199700 | 120.00 |
| V4199701 | 120.00 |



Jaxon 7W

LED 7W - 3000K - 450lm - CRI>80

code : V4157300 White
code : V4157301 Black

DESCRIPTION

Body made in aluminum
Degree of protection IP20
Driver 220-240V included
Mat plastic PMMA
Class 1
Energy class EC: A+



Jaxon 15W

LED 15W - 3000K - 1200lm - CRI>80

code : V4157400 White
code : V4157401 Black

DESCRIPTION

Body made in aluminum
Degree of protection IP20
Driver 220-240V included
Mat plastic PMMA
Class 1
Energy class EC: A+



Jaxon 23W

LED 23W - 3000K - 1750lm - CRI>80

code : V4183300 White
code : V4183301 Black

DESCRIPTION

Body made in aluminum
Degree of protection IP20
Driver 220-240V included
Mat plastic PMMA
Class 1
Energy class EC: A+



Jaxon 7W

| Reference | Price € |
|-----------|---------|
| V4157300 | 33.00 |
| V4157301 | 33.00 |

Jaxon 15W

| Reference | Price € |
|-----------|---------|
| V4157400 | 59.00 |
| V4157401 | 59.00 |


Jaxon 23W

| Reference | Price € |
|-----------|---------|
| V4183300 | 91.00 |
| V4183301 | 91.00 |




DESCRIPTION

Body made in painted steel
 Degree of protection IP20
 Driver 220-240V included
 Polycarbonate (PC) protection
 Class 1
 Energy class EC: A+




Madison 30W



LED 30W - 3000K - 1860lm - CRI>80


code : V4235400 White
 code : V4235401 Black

Madison 40W



LED 40W - 3000K - 2480lm - CRI>80

code : V4235500 White
 code : V4235501 Black



Madison 30W

| Reference | Price € |
|-----------|---------|
| V4235400 | 140.00 |
| V4235401 | 140.00 |

Madison 40W

| Reference | Price € |
|-----------|---------|
| V4235500 | 179.00 |
| V4235501 | 179.00 |



Alessio

E27 LED 230V - max. 4 x 15W

Light Fixture in white or black color with sandblasted glass

DESCRIPTION

Body made in aluminum
Degree of protection IP20
Sandblasted glass
Class 1
Energy class EC: A++/A



∅ 370 mm

code : V4155300 Black
code : V4155301 White
3 x E27 max.15W
220-240V / 50-60Hz



∅ 450 mm

code : V4155400 Black
code : V4155401 White
4 x E27 max.15W
220-240V / 50-60Hz

Alessio

| Reference | Price € |
|-----------|---------|
| V4155300 | 94.00 |
| V4155301 | 94.00 |
| V4155400 | 140.00 |
| V4155401 | 140.00 |



Terry

E27 LED 230V - max 2 x 20W

Light Fixture in brown or white color with sandblasted glass

DESCRIPTION

Body made in aluminum
 degree of protection IP20
 Sandblasted glass
 Class 1
 Energy class EC: A++/A



code : V4104200 White
 code : V4104201 Dark Brown

2 x E27 max.52W
 220-240V / 50-60Hz




also available in the series TERRY



Terry

| Reference | Price € |
|-----------|---------|
| V4104200 | 91.00 |
| V4104201 | 91.00 |



Nestor

LED 10W 24° - 3000K - 750lm - CRI>80

code : V4214300 White
 code : V4214301 Black
 code : V4214302 Gold


DESCRIPTION

Body made in aluminum
 Driver 220-240V included
 Degree of protection IP20
 Class 1
 Energy class EC: A+



Nestor

| Reference | Price € |
|-----------|---------|
| V4214300 | 78.00 |
| V4214301 | 78.00 |
| V4214302 | 84.00 |




Elliot

LED 5W 140° - 3000K - 450lm - CRI>80

code : V4201700 Gold
 code : V4201701 Chrome
 code : V4201702 Copper
 code : V4201703 Black

DESCRIPTION

Body made in aluminum
 Driver 220-240V included
 Degree of protection IP20
 Class 1
 Energy class EC: A+



Elliot

| Reference | Price € |
|-----------|---------|
| V4201700 | 107.00 |
| V4201701 | 97.00 |
| V4201702 | 107.00 |
| V4201703 | 81.00 |



also available in the series ELLIOT






Max

GU10 LED 230V - max. 10W

code : V4236600 Black/gold


DESCRIPTION

Body made in painted steel
 Degree of protection IP20
 Class 1
 Energy class EC: A++/A



Max

| Reference | Price € |
|-----------|---------|
| V4236600 | 81.00 |



Marley

GU10 LED 230V - max. 10W

code : V4236500 Black
 code : V4236501 Copper
 code : V4236502 Gold

DESCRIPTION

Body made in painted steel
 Degree of protection IP20
 Class 1
 Energy class EC: A+/A



Marley

| Reference | Price € |
|-----------|---------|
| V4236500 | 74.00 |
| V4236501 | 74.00 |
| V4236502 | 74.00 |





Ball

GU10 LED 230V - max. 7W


code : V4141400 Black
code : V4141401 Copper

Lamp included




DESCRIPTION

GU10/50W lamp included
Body made in painted steel
Degree of protection IP20
Class 1
Energy class EC: A++/A



Ball

| Reference | Price € |
|-----------|---------|
| V4141400 | 74.00 |
| V4141401 | 81.00 |



Lesante

GU10 LED 230V - max. 7W


code : V4144300 White
code : V4144301 Black

Led lamp included



DESCRIPTION

LED lamp 5W included (GU10)
Body made in painted steel
Degree of protection IP20
Class 1
Energy class EC: A++/A



Lesante

| Reference | Price € |
|-----------|---------|
| V4144300 | 61.00 |
| V4144301 | 61.00 |


Paloma

GU10 LED 230V - max. 7W

code : V4208400 Grey
code : V4208401 Gold

DESCRIPTION

Body made in aluminum
Degree of protection IP20
Class 1
Energy class EC: A++/A



also available in the series PALOMA



Paloma

| Reference | Price € |
|-----------|---------|
| V4208400 | 87.00 |
| V4208401 | 87.00 |




Anisha

E27 LED 230V - max. 20W

code : V4146700 Concrete

DESCRIPTION



Body made in concrete
 Black base with black color cable
 Degree of protection IP20
 Class 1
 Energy class EC: A++/A



1 x E27 LED max.20W
 220-240V / 50-60Hz

Anisha

| Reference | Price € |
|-----------|---------|
| V4146700 | 71.00 |



Pixie

LED 20W 120° - 3000K - 1300lm - CRI>80

code : V4220600 White
code : V4220601 Black


Rena

LED 6W 120° - 3000K - 420lm - CRI>80

code : V4220300 White
code : V4220301 Black

DESCRIPTION

Body made in aluminum
Driver 220-240V included
Degree of protection IP20
Class 1
Energy class EC: A+




Pixie

| Reference | Price € |
|-----------|---------|
| V4220600 | 173.00 |
| V4220601 | 173.00 |

DESCRIPTION

Body made in aluminum
Driver 220-240V included
Degree of protection IP20
Class 1
Energy class EC: A+



Rena

| Reference | Price € |
|-----------|---------|
| V4220300 | 99.00 |
| V4220301 | 99.00 |



Cozi


LED 60W - 3000K - 3600lm - CRI>80



code : V4202500 White

DESCRIPTION

Body made in aluminum
Driver 220-240V included
Degree of protection IP20
Class 1
Energy class EC: A+



Cozi

| Reference | Price € |
|-----------|---------|
| V4202500 | 691.00 |

Cozi


LED 35W - 3000K - 2100lm - CRI>80



code : V4202400 White

DESCRIPTION



Body made in aluminum
Driver 220-240V included
Degree of protection IP20
Class 1
Energy class EC: A+



Cozi

| Reference | Price € |
|-----------|---------|
| V4202400 | 435.00 |





Linus

DESCRIPTION

Body made in painted steel
 Driver 220-240V included
 Degree of protection IP20
 Class 1
 Energy class EC: A+

Linus

| Reference | Price € |
|-----------|---------|
| V4173600 | 435.00 |

www.TerZo-Light.com




LED 50W - 3000K - 3817lm
 code : V4173600 Metallic brown




Merilin

DESCRIPTION

Body made in painted steel
 Driver 220-240V included
 Degree of protection IP20
 Class 1
 Energy class EC: A+




LED 38W - 3000K - 1900lm
 code : V4237300 Mat gold



LED 72W - 3000K - 3600lm
 code : V4237400 Mat gold

Merilin

| Reference | Price € |
|-----------|---------|
| V4237300 | 379.00 |
| V4237400 | 622.00 |




Loop




DESCRIPTION

Body made in aluminum
 Driver 220-240V included
 Degree of protection IP20
 Class 1
 Energy class EC: A+



LED 48W - 3000K - 2640lm
 code : V4222800 Mat gold



LED 60W - 3000K - 3300lm
 code : V4222900 Mat gold

Loop

| Reference | Price € |
|-----------|---------|
| V4222800 | 343.00 |
| V4222900 | 455.00 |



Leon



DESCRIPTION

Body made in aluminum
 Driver 220-240V included
 Degree of protection IP20
 Class 1
 Energy class EC: A+



LED 35W 120° - 3000K - 2090lm
 code : V4222400 Mat gold

Leon

| Reference | Price € |
|-----------|---------|
| V4222400 | 445.00 |



Inside LED




Downward LED

Verdi



DESCRIPTION

Body made in aluminum
 Driver 220-240V included
 Degree of protection IP20
 Class 1
 Energy class EC: A+




LED 54W - 3000K - 3600lm
 code : V4224300 Black

LED 63W - 3000K - 4200lm
 code : V4224400 Black

DESCRIPTION

Body made in aluminum
 Driver 220-240V included
 Degree of protection IP20
 Class 1
 Energy class EC: A+



LED 48W - 3000K - 3200lm
 code : V4224100 Black

LED 61W - 3000K - 4100lm
 code : V4224200 Black

Verdi


| Reference | Price € |
|-----------|---------|
| V4224300 | 337.00 |
| V4224400 | 458.00 |

Please request us for delivery extra cost

Verdi 2

| Reference | Price € |
|-----------|---------|
| V4224100 | 501.00 |
| V4224200 | 622.00 |

Please request us for delivery extra cost





Apollo


LED 38W - 3000K - 2090lm - CRI>80

code : V4214000 White
code : V4214001 Black



DESCRIPTION

Body made in aluminum
Driver 220-240V included
Degree of protection IP20
Class 1
Energy class EC: A+



Apollo 2


LED 38W - 3000K - 2090lm - CRI>80

code : V4214100 White
code : V4214101 Black



DESCRIPTION

Body made in aluminum
Driver 220-240V included
Degree of protection IP20
Class 1
Energy class EC: A+



Apollo

| Reference | Price € |
|-----------|---------|
| V4214000 | 327.00 |
| V4214001 | 327.00 |

Apollo 2

| Reference | Price € |
|-----------|---------|
| V4214100 | 287.00 |
| V4214101 | 287.00 |

Wall & Floor



Tiny

LED 3W 38°- 3000K - 240lm - CRI>80

code : V4080600 Chrome
code : V4092200 Brushed mat Chrome

Koko led

LED 3W 38°- 3000K - 240lm - CRI>80



code : V4157500 Black
code : V4157501 White

DESCRIPTION

With on/off switch on the base
Body made in painted steel
Degree of protection IP20
Driver 220-240V included
Class 1
Energy class EC: A+

DESCRIPTION

With on/off switch on the base
Body made in painted steel
Degree of protection IP20
Driver 220-240V included
Class 1
Energy class EC: A+




Tiny

| Reference | Price € |
|-----------|---------|
| V4080600 | 64.00 |
| V4092200 | 87.00 |

Koko led

| Reference | Price € |
|-----------|---------|
| V4157500 | 91.00 |
| V4157501 | 91.00 |



Ivor

LED 3W 38° - 3000K - 240lm - CRI>80

code : V4176000 Black
code : V4176001 White


DESCRIPTION

Body made in painted steel
Driver 220-240V included
Degree of protection IP20
Class 1
Energy class EC: A+



Ivor

| Reference | Price € |
|-----------|---------|
| V4176000 | 74.00 |
| V4176001 | 74.00 |



Matrix

LED 3W 80° - 3000K - 277lm - CRI>80

code : V4218100 Gold
code : V4218101 Black

DESCRIPTION

With on/off switch on the base
Body made in painted steel
Driver 220-240V included
Degree of protection IP20
Class 1
Energy class EC: A+




Matrix

| Reference | Price € |
|-----------|---------|
| V4218100 | 81.00 |
| V4218101 | 74.00 |

www.TerZo-Light.com

WALL 110



Elsa

LED 5W 36° - 3000K - 300lm - CRI>80

code : V4214900 Gold
code : V4214901 Silver



DESCRIPTION

With on/off switch on the base
Body made in painted steel
Driver 220-240V included
Degree of protection IP20
Class 1
Energy class EC: A+

120x60mm



380



Elsa

| Reference | Price € |
|-----------|---------|
| V4214900 | 94.00 |
| V4214901 | 94.00 |



Zen

LED 3W 36° - 3000K - 225lm - CRI>80

code : V4229300 White
 code : V4229301 Black
 code : V4229302 Oxidized


DESCRIPTION

With on/off switch on the base
 Body made in painted steel
 Driver 220-240V included
 Degree of protection IP20
 Class 1
 Energy class EC: A+



Zen

| Reference | Price € |
|-----------|---------|
| V4229300 | 71.00 |
| V4229301 | 71.00 |
| V4229302 | 81.00 |



Emma

LED 3W 30° - 3000K - 150lm - CRI>80

code : V4235000 White
code : V4235001 Black

DESCRIPTION

With on/off switch on the base
Body made in painted steel
Driver 220-240V included
Degree of protection IP20
Class 1
Energy class EC: A+



Kim

LED 6W - 3000K - 480lm - CRI>80

code : V4188300 White
code : V4188301 Black

DESCRIPTION

With on/off switch on the base
Body made in aluminum
Driver 220-240V included
Mat plastic PMMA
Degree of protection IP20
Class 1
Energy class EC: A+



Emma

| Reference | Price € |
|-----------|---------|
| V4235000 | 48.00 |
| V4235001 | 48.00 |

Kim

| Reference | Price € |
|-----------|---------|
| V4188300 | 81.00 |
| V4188301 | 81.00 |



Jake



LED 8W (3W+5W) - 3000K - 760lm - CRI>80

code : V4243300 Black



DESCRIPTION

With on/off switch on the base
 Body made in painted steel
 Driver 220-240V included
 Degree of protection IP20
 Class 1
 Energy class EC: A+



Sam


LED 18W (6W+12W) - 3000K - 1710lm - CRI>80

code : V4243400 Black



DESCRIPTION

With on/off switch on the base
 Body made in painted steel
 Driver 220-240V included
 Degree of protection IP20
 Class 1
 Energy class EC: A+



Molly


LED 9W (3W+6W) - 3000K - 855lm - CRI>80

code : V4243500 White
 code : V4243501 Black



DESCRIPTION

With on/off switch on the base
 Body made in painted steel
 Driver 220-240V included
 Degree of protection IP20
 Class 1
 Energy class EC: A+



Sam


| Reference | Price € |
|-----------|---------|
| V4243400 | 140.00 |

Sam

| Reference | Price € |
|-----------|---------|
| V4243400 | 140.00 |

Molly


| Reference | Price € |
|-----------|---------|
| V4243500 | 120.00 |
| V4243501 | 120.00 |



Valse

DESCRIPTION

Body made in aluminum
 Driver 220-240V included
 Degree of protection IP20
 Class 1
 Energy class EC: A+




LED 12W 120° - 3000K - 910lm - CRI>80

code : V4213200 White
 code : V4213201 Black

400xP90

42 [



Valse


| Reference | Price € |
|-----------|---------|
| V4213200 | 137.00 |
| V4213201 | 137.00 |

LED 20W 120° - 3000K - 1811lm - CRI>80

code : V4220200 White
 code : V4220201 Black


700xP90

42 [




Valse

| Reference | Price € |
|-----------|---------|
| V4220200 | 173.00 |
| V4220201 | 173.00 |



with light effect at the back side



Moby

LED 6W 480lm + 3W 150lm - 3000K - CRI>80

code : V4188200 White

Elliot

LED 10W (2x 5W) 140° - 3000K - 900lm - CRI>80

code : V4227300 Black
code : V4227301 Gold
code : V4227302 Copper



DESCRIPTION

With 2 switches on the base
Body made in painted steel
Driver 220-240V included
Degree of protection IP20
Class 1
Energy class EC: A+

DESCRIPTION

Body made in painted steel
Driver 220-240V included
Degree of protection IP20
Class 1
Energy class EC: A+



∅ 140xP80



also available in the series ELLIOT




Elliot

| Reference | Price € |
|-----------|---------|
| V4227300 | 87.00 |
| V4227301 | 107.00 |
| V4227302 | 107.00 |

Moby

| Reference | Price € |
|-----------|---------|
| V4188200 | 97.00 |



Paloma Wall

GU10 LED 230V - max. 7W

code : V4233100 Grey
code : V4233101 Gold



DESCRIPTION

Body made in painted steel
Degree of protection IP20
Class 1
Energy class EC: A++/A



Paloma Wall

| Reference | Price € |
|-----------|---------|
| V4233100 | 87.00 |
| V4233101 | 87.00 |



also available in the series PALOMA



Ceramic-6


LED 1W - 3000K - 75lm - CRI>80

code : V4086600 White (plaster)



DESCRIPTION


Body made in plaster white
Can be painted over with same color as wall
Degree of protection IP20
Class 2
Driver 220-240V included
Energy class EC: A+



Ceramic-8


LED 1W - 3000K - 75lm - CRI>80

code : V4097200 White (plaster)



DESCRIPTION


Body made in plaster white
Can be painted over with same color as wall
Degree of protection IP20
Class 2
Driver 220-240V included
Energy class EC: A+



Ceramic-9


LED 1W - 3000K - 75lm - CRI>80

code : V4116500 White (plaster)



DESCRIPTION

Body made in plaster white
Can be painted over with same color as wall
Degree of protection IP20
Class 2
Driver 220-240V included
Energy class EC: A+




Toro

LED 1W - 3000K - 80lm - CRI>80

code : C133.WW._

- 01 White
- 05 Silver grey



DESCRIPTION

Body made in aluminum
Degree of protection IP20
Driver 100-240V included
Class 1
Energy class EC: A+



ACCESSORIES

Fixation Kit "Easy 2" (code: CX04.00)



| Reference | Price € |
|-----------|---------|
| V4086600 | 64.00 |

| Reference | Price € |
|-----------|---------|
| V4097200 | 62.00 |

| Reference | Price € |
|-----------|---------|
| V4116500 | 64.00 |

| Toro | |
|------------|---------|
| Reference | Price € |
| C133.WW.01 | 31.50 |
| C133.WW.05 | 31.50 |

| Easy 2 | |
|-----------|---------|
| Reference | Price € |
| CX04.00 | 3.80 |



Completely invisible

The plaster recessed spotlights are the latest trend in architectural lighting. Ideal for all living spaces and styles, the ceramic spots can be painted, creating a completely invisible lighting effect becoming one with the surroundings and creating a pleasant environment.



Take measurements and cut the plasterboard



Insert the spot



Screw the spot together with the plasterboard



Plaster spot and wall and paint with desired color

For the correct placement of recessed lights, we suggest to use a sample of the product before you proceed with the cutting of the plasterboard.

Cube 1

G9 LED 230V - max. 5W


code : V4096900

White (plaster)



DESCRIPTION

Body made in plaster white
Can be painted over with same color as wall
Degree of protection IP20
Class 1
Energy class EC: A++/A



Cube 2

G9 LED 230V - max. 5W


code : V4097100

White (plaster)



DESCRIPTION

Body made in plaster white
Can be painted over with same color as wall
Degree of protection IP20
Class 1
Energy class EC: A++/A



Mack

E27 LED 230V - max. 20W



code : V4072000

White (plaster)



DESCRIPTION

Body made in plaster white
Can be painted over with same color as wall
Degree of protection IP20
Class 1
Energy class EC: A++/A



Kony

E27 LED 230V - max. 20W


code : V4004301

White (plaster)



DESCRIPTION

Body made in plaster white
Can be painted over with same color as wall
Degree of protection IP20
Class 1
Energy class EC: A++/A



Cube 1

Reference Price €
V4096900 35.00

Cube 2

Reference Price €
V4097100 41.00

Mack

Reference Price €
V4072000 38.00

Kony

Reference Price €
V4004301 51.00




Dana

E14 LED 230V - max 20W



code : V4071900

White (plaster)




DESCRIPTION

Body made in plaster white
 Can be painted over with same color as wall
 Degree of protection IP20
 Class 1
 Energy class EC: A++/A



Dana

| Reference | Price € |
|-----------|---------|
| V4071900 | 41.00 |



Lina

2 x GU10 LED 230V - max. 13W




code : C152.GU. __
|
|

- 00 Brushed natural aluminum
- 01 White
- 02 Black
- 22 Brown
- 39 Grey

DESCRIPTION

Body made in aluminum or stainless steel
Degree of protection IP20
Class 1
Energy class EC: A++/A




Lina

| Reference | Price € |
|------------|---------|
| C152.GU.00 | 74.00 |
| C152.GU.01 | 74.00 |
| C152.GU.02 | 74.00 |
| C152.GU.22 | 74.00 |
| C152.GU.39 | 74.00 |

Koko

2 x GU10 LED 230V - max. 13W




code : C151.GU. __
|
|

- 00 Brushed natural aluminum
- 01 White
- 02 Black
- 22 Brown
- 39 Grey



DESCRIPTION

Body made in aluminum or stainless steel
Degree of protection IP20
Class 1
Energy class EC: A++/A



Koko

| Reference | Price € |
|------------|---------|
| C151.GU.00 | 74.00 |
| C151.GU.01 | 74.00 |
| C151.GU.02 | 74.00 |
| C151.GU.22 | 74.00 |
| C151.GU.39 | 74.00 |



Kubo 2

2 x GU10 LED 230V - max. 13W



code : C147.EC. _ _

- 00 Brushed natural aluminum
- 01 White
- 02 Black
- 39 Grey

Viva

4 x GU10 LED 230V - max. 13W




code : C210.EC. _ _

- 00 Brushed natural aluminum
- 01 White
- 02 Black
- 39 Grey


DESCRIPTION

Body made in profile aluminum
Degree of protection IP20
Class 1
Energy class EC: A++/A



DESCRIPTION

Body made in profile aluminum
Degree of protection IP20
Class 1
Energy class EC: A++/A



Kubo 2

| Reference | Price € |
|------------|---------|
| C147.EC.00 | 111.00 |
| C147.EC.01 | 111.00 |
| C147.EC.02 | 111.00 |
| C147.EC.39 | 111.00 |

Viva

| Reference | Price € |
|------------|---------|
| C210.EC.00 | 219.00 |
| C210.EC.01 | 219.00 |
| C210.EC.02 | 219.00 |
| C210.EC.39 | 219.00 |

Davos

LED 5W - 3000K - 500lm - CRI>80


code : V4202800
code : V4202801

White
Black



DESCRIPTION

Body made in «marble» decor
Driver 220-240V included
Degree of protection IP65
Class 1
Energy class EC: A+



Concrete-1



G9 LED 230V - max. 5W

code : V4096901 Grey (concrete)
code : V4096902 White (concrete)



DESCRIPTION

Body made in concrete
Degree of protection IP20
Class 1
Energy class EC: A++/A



Davos

| Reference | Price € |
|-----------|---------|
| V4202800 | 130.00 |
| V4202801 | 130.00 |


Concrete-1

| Reference | Price € |
|-----------|---------|
| V4096901 | 45.00 |
| V4096902 | 48.00 |



Terry

E14 LED 230V - max 2 x 15W




code : V4104100 White
code : V4104101 Dark brown



DESCRIPTION

Body made in aluminum
degree of protection IP20
Sandblasted glass
Class 1
Energy class EC: A++/A



also available in the series TERRY



Terry

| Reference | Price € |
|-----------|---------|
| V4104100 | 66.00 |
| V4104101 | 66.00 |

Argon 1

LED 3W - 3000K - 190lm - CRI>80


code : V4226800
code : V4226801

White
Black



DESCRIPTION

Body made in aluminum
Safety sandblasted glass
Driver 220-240V included
Degree of protection IP54
Class 1
Energy class EC: A+



Argon 2

LED 24W (2x12W) - 3000K - 1290lm - CRI>80


code : V4226700
code : V4226701

White
Black



DESCRIPTION

Body made in aluminum
Safety sandblasted glass
Driver 220-240V included
Degree of protection IP54
Class 1
Energy class EC: A+



Twist

LED 4W (4x1W) 62° - 3000K - 340lm - CRI>80


code : V4211000
code : V4211001

White
Dark grey



DESCRIPTION

Body made in aluminum
Driver 220-240V included
Degree of protection IP54
Class 1
Energy class EC: A+



Ballito

LED 4W (2x2W) 47° - 3000K - 235lm - CRI>80


code : V4210900
code : V4210901

White
Dark grey



DESCRIPTION

Body made in aluminum
Driver 220-240V included
Degree of protection IP54
Class 1
Energy class EC: A+



Argon 1

| Reference | Price € |
|-----------|---------|
| V4226800 | 41.00 |
| V4226801 | 41.00 |

Argon 2

| Reference | Price € |
|-----------|---------|
| V4226700 | 87.00 |
| V4226701 | 87.00 |

Twist


| Reference | Price € |
|-----------|---------|
| V4211000 | 61.00 |
| V4211001 | 61.00 |

Ballito

| Reference | Price € |
|-----------|---------|
| V4210900 | 53.00 |
| V4210901 | 53.00 |



Kyklos




DESCRIPTION

Body made in painted steel
 Driver 220-240V included
 Degree of protection IP20
 Class 1
 Energy class EC: A+

LED 4,5W 360° - 3000K - 338lm - CRI>80

code : V4193700 White
 code : V4193702 Concrete



LED 9W 360° - 3000K - 675lm - CRI>80

code : V4193800 White
 code : V4193802 Concrete



Kyklos

| Reference | Price € |
|-----------|---------|
| V4193700 | 68.00 |
| V4193702 | 74.00 |

Kyklos

| Reference | Price € |
|-----------|---------|
| V4193800 | 107.00 |
| V4193802 | 114.00 |



Wall lamp with suspension
to fix at ceiling



Shadow

LED 28W 110° - 3000K - 2000lm - CRI>80

code : V4222200 Black

DESCRIPTION

Body made in aluminum
Driver 220-240V included
Degree of protection IP20
Class 2
Energy class EC: A+



Power supply included
With on/off switch button
dimension: \varnothing 100mm Height: 110mm

[Shadow](#)

| Reference | Price € |
|-----------|---------|
| V4222200 | 294.00 |



Rail

LED 24VDC 14W 110° - 3000K - 1137lm - CRI>80


code : V4222500 Black

DESCRIPTION

Adjustable 0° - 180°
to use with «Rail-driver»
Body made in aluminum
Degree of protection IP20
Class 3
Energy class EC: A+

ACCESSORIES

Led power supply 220-240V for one piece (V498886)
Led power supply 220-240V for 2-3 pieces (V498885)



Rail

| Reference | Price € |
|-----------|---------|
| V4222500 | 228.00 |

Rail-driver

| Reference | Price € |
|-----------|---------|
| V498885 | 146.00 |
| V498886 | 41.00 |

DRIVER REQUIRED

code : V4098886

Power supply for one piece
With on/off switch button
220-240V/24Vdc 24W
Class 2
dimension: Ø 90mm Height: 150mm



code : V4098885

Power supply for 2-3 pieces
With on/off switch button
220-240V/24Vdc 45W
Class 2
dimension: Ø 90mm Height: 330mm





Rocco



DESCRIPTION

Body made in painted steel
 Mat PMMA protection
 Driver 220-240V included
 Degree of protection IP44
 Class 1
 Energy class EC: A+

LED 10W - 3000K - 850lm - CRI>80

code : V4236100 Chrome
 code : V4236101 Black



Rocco

| Reference | Price € |
|-----------|---------|
| V4236100 | 114.00 |
| V4236101 | 97.00 |

LED 16W - 3000K - 1360lm - CRI>80

code : V4236200 Chrome
 code : V4236201 Black



Rocco

| Reference | Price € |
|-----------|---------|
| V4236200 | 140.00 |
| V4236201 | 120.00 |




Jasper

LED 12W - 3000K - 760lm - CRI>80

code : V4234900 Chrome
code : V4234901 Black

DESCRIPTION

Body made in painted steel
Mat PMMA protection
Driver 220-240V included
Degree of protection IP44
Class 1
Energy class EC: A+



Jasper

| Reference | Price € |
|-----------|---------|
| V4234900 | 81.00 |
| V4234901 | 81.00 |




Fibi Chrome

code : V4181300 **LED 10W - 3000K - 1150lm - CRI>80**
 code : V4181400 **LED 20W - 3000K - 2300lm - CRI>80**


DESCRIPTION

Body in bright chrome
 Safety sandblasted glass
 Degree of protection IP44
 Class 1
 Energy class EC: A+



Fibi

| Reference | Price € |
|-----------|---------|
| V4181300 | 120.00 |
| V4181400 | 156.00 |



Issac

Chrome

code : V4178000
code : V4178100

LED 13W - 3000K - 820lm - CRI>80
LED 18W - 3000K - 1400lm - CRI>80



DESCRIPTION

Body in bright chrome
Polycarbonate (PC) protection
Degree of protection IP44
Class 1
Energy class EC: A+

12W

18W



Robin

Chrome

code : V4212200
code : V4212300

LED 15W - 3000K - 1275lm - CRI>80
LED 30W - 3000K - 2550lm - CRI>80




DESCRIPTION

Body in bright chrome
Acrylic diffuser
Degree of protection IP44
Class 1
Energy class EC: A+

15W

30W



Issac

Robin

| Reference | Price € | Reference | Price € |
|-----------|---------|-----------|---------|
| V4178000 | 91.00 | V4212200 | 127.00 |
| V4178100 | 107.00 | V4212300 | 196.00 |

Outdoor

Bright

LED 18W 120° - 3000K - 1440lm - CRI>80

code : V4158900 Aluminum



DESCRIPTION

Body made in aluminum
Mat plastic PMMA
Driver 220-240V included
Degree of protection IP20
Class 1
Energy class EC: A+



Donousa S

LED 24W - 3000K - 2040lm - CRI>80

code : V4209300 Silver
code : V4209301 White



DESCRIPTION

Plastic ceiling lamp
Polycarbonate (PC) protection
Driver 220-240V included
Degree of protection IP65
Class 2
Energy class EC: A+



Leros K



E27 LED 230V - max. 2x 18W

code : V4049300 Silver grey
code : V4049303 Brown



DESCRIPTION

Body made in aluminum
Polycarbonate (PC) protection
degree of protection IP44
Class 1
Energy class EC: A++/A



Bright

| Reference | Price € |
|-----------|---------|
| V4158900 | 46.00 |

Donousa S

| Reference | Price € |
|-----------|---------|
| V4209300 | 81.00 |
| V4209301 | 81.00 |

Leros K

| Reference | Price € |
|-----------|---------|
| V4049300 | 69.00 |
| V4049303 | 69.00 |



Donousa R

LED 24W - 3000K - 2040lm - CRI>80


code : V4209400
code : V4209401

Silver
White



DESCRIPTION

Plastic ceiling lamp
Polycarbonate (PC) protection
Driver 220-240V included
Degree of protection IP65
Class 2
Energy class EC: A+



Donousa R

| Reference | Price € |
|-----------|---------|
| V4209400 | 81.00 |
| V4209401 | 81.00 |




Leros R

E27 LED 230V - max. 2x 18W

code : V4049200 Silver grey
 code : V4049201 White
 code : V4049203 Brown

DESCRIPTION

Body made in aluminum
 Polycarbonate (PC) protection
 degree of protection IP44
 Class 1
 Energy class EC: A++/A



Leros R

| Reference | Price € |
|-----------|---------|
| V4049200 | 57.00 |
| V4049201 | 57.00 |
| V4049203 | 57.00 |



DESCRIPTION

Body made in aluminum
 Polycarbonate (PC) protection
 degree of protection IP44
 Class 1
 Energy class EC: A++/A

Chios

E27 LED 230V - max. 2x 18W

code : V4081700 Silver grey
 code : V4081701 Dark grey



Chios

| Reference | Price € |
|-----------|---------|
| V4081700 | 68.00 |
| V4081701 | 68.00 |



Cosmo


LED 20W - 3000K - 1196lm - CRI>80

code : V4212800 Dark grey



DESCRIPTION

Body made in aluminum
Polycarbonate (PC) protection
Driver 220-240V included
Degree of protection IP65
Class 1
Energy class EC: A+



Tibuok 1


LED 10W - 3000K - 635lm - CRI>80

code : V4197600 Dark grey



DESCRIPTION

Body made in aluminum
Polycarbonate (PC) protection
Driver 220-240V included
Degree of protection IP54
Class 1
Energy class EC: A+



Tibuok 2


LED 10W - 3000K - 688lm - CRI>80

code : V4197700 Dark grey



DESCRIPTION

Body made in aluminum
Polycarbonate (PC) protection
Driver 220-240V included
Degree of protection IP54
Class 1
Energy class EC: A+



Cosmo

Tibuok 1

Tibuok 2

| Reference | Price € |
|-----------|---------|
| V4212800 | 107.00 |

| Reference | Price € |
|-----------|---------|
| V4197600 | 58.00 |

| Reference | Price € |
|-----------|---------|
| V4197700 | 61.00 |



Maroco

LED 5W 36° - 3000K - 400lm - CRI>80





code : V4199100
code : V4199101
code : V4199102

Silver
White
Dark grey



DESCRIPTION

Body made in aluminum
Safety clear glass
Driver 220-240V included
Degree of protection IP54
Class 1
Energy class EC: A+



Maroco

| Reference | Price € |
|-----------|---------|
| V4199100 | 64.00 |
| V4199101 | 64.00 |
| V4199102 | 64.00 |

Riva 1

LED 1,5W - 3000K - 105lm - CRI>80





code : V4124800
code : V4124801

Silver Grey
White



DESCRIPTION

Body made in aluminum
Recessed box included
Degree of protection IP65
Driver 220-240V included
Class 2
Energy class EC: A+



Riva 2

LED 3W - 3000K - 210lm - CRI>80





code : V4124900
code : V4124901

Silver Grey
White



DESCRIPTION

Body made in aluminum
Recessed box included
Degree of protection IP65
Driver 220-240V included
Class 2
Energy class EC: A+



Riva 3

LED 3W - 3000K - 210lm - CRI>80





code : V4137700

Silver Grey



DESCRIPTION

Body made in aluminum
Recessed box included
Degree of protection IP65
Driver 220-240V included
Class 2
Energy class EC: A+



Riva 1

| Reference | Price € |
|-----------|---------|
| V4124800 | 46.00 |
| V4124801 | 46.00 |

Riva 2

| Reference | Price € |
|-----------|---------|
| V4124900 | 49.00 |
| V4124901 | 49.00 |

Riva 3

| Reference | Price € |
|-----------|---------|
| V4137700 | 68.00 |



Theta 1

LED 3W - 3000K - 140lm - CRI>80





code : V4198800 Grey



DESCRIPTION

Body made in aluminum
 Recessed box included
 Provided with 20cm cable
 Driver 220-240V included
 Degree of protection IP65
 Class 1
 Energy class EC: A+



Theta 2

LED 4W - 3000K - 180lm - CRI>80





code : V4198900 Grey



DESCRIPTION

Body made in aluminum
 Recessed box included
 Provided with 20cm cable
 Driver 220-240V included
 Degree of protection IP65
 Class 1
 Energy class EC: A+



Theta 1

| Reference | Price € |
|-----------|---------|
| V4198800 | 53.00 |


Theta 2

| Reference | Price € |
|-----------|---------|
| V4198900 | 56.00 |

Royal 1

LED 12VDC 1W 180° - 3000K - 87lm - CRI>80

code : V4223000 Silver




DESCRIPTION

Body made in aluminum
Degree of protection IP65
Mat white plastic PMMA
led 12VDC included
Provided with 2x 20cm cable
Class 3
Energy class EC: A+

ACCESSORIES


Led power supply 220-240V/12VDC
Recessed box (V00.4223)



Royal 2

LED 24VDC 1W - 3000K - 95lm - CRI>80

code : V4223100 White





DESCRIPTION

Body made in aluminum
Degree of protection IP67
led 24VDC included
Provided with 20cm cable
Class 3
Energy class EC: A+

ACCESSORIES


Led power supply 220-240V/24VDC
Recessed box (V00.4223)



Leros plus 1



LED 1,5W - 3000K - 112lm - CRI>80

code : V4137800 Silver Grey
code : V4137801 White



DESCRIPTION

Plastic wall lamp
Degree of protection IP44
Driver 220-240V included
Class 2
Energy class EC: A+



Leros plus 2



LED 1,5W - 3000K - 112lm - CRI>80

code : V4138100 Silver Grey
code : V4138101 White



DESCRIPTION

Plastic wall lamp
Degree of protection IP44
Driver 220-240V included
Class 2
Energy class EC: A+



Royal 1

| Reference | Price € |
|-----------|---------|
| V4223000 | 29.00 |

Royal 2

| Reference | Price € |
|-----------|---------|
| V4223100 | 31.00 |

Box Royal

| Reference | Price € |
|-----------|---------|
| V00.4223 | 4.00 |

Leros plus 1

| Reference | Price € |
|-----------|---------|
| V4137800 | 32.00 |
| V4137801 | 32.00 |

Leros plus 2

| Reference | Price € |
|-----------|---------|
| V4138100 | 35.00 |
| V4138101 | 35.00 |




Tech 6


LED max. 6W - 3000K - 258lm - CRI>80



code : V4155900 Silver grey
LED 3,5W - 3000K - 168lm - CRI>80
220-240V / 50-60Hz



code : V4156000 Silver grey
LED 6W - 3000K - 258lm - CRI>80
220-240V / 50-60Hz



DESCRIPTION

Body made in aluminum
Degree of protection IP54
Safety clear structured glass
Driver 220-240V included
Class 1
Energy class EC: A+



Tech 6

| Reference | Price € |
|-----------|---------|
| V4155900 | 45.00 |
| V4156000 | 51.00 |

Minos 2

LED 4W - 3000K - 400lm - CRI>80

code : V4189600


Dark grey



DESCRIPTION

Plastic wall/ceiling lamp
Driver 220-240V included
Degree of protection IP54
Class 2
Energy class EC: A+

140XP53



Minos 3

LED 6W - 3000K - 500lm - CRI>80

code : V4189700



Dark grey



DESCRIPTION

Plastic wall/ceiling lamp
Driver 220-240V included
Degree of protection IP54
Class 2
Energy class EC: A+

230xP68



Minos 2

| Reference | Price € |
|-----------|---------|
| V4189600 | 32.00 |

Minos 3

| Reference | Price € |
|-----------|---------|
| V4189700 | 35.00 |



Minos 1

LED 4W - 3000K - 400lm - CRI>80

code : V4189500


Dark grey



DESCRIPTION


Plastic wall/ceiling lamp
 Driver 220-240V included
 Degree of protection IP54
 Class 2
 Energy class EC: A+

Ø 140XP58



Minos 1

| Reference | Price € |
|-----------|---------|
| V4189500 | 32.00 |



2in1

Tech 1

LED 6W (2x3W) - 3000K - 480lm - CRI>80





code : V4097900 Silver grey



DESCRIPTION

Body made in aluminum
Degree of protection IP44
Safety sandblasted glass
Driver 220-240V included
Class 1
Energy class EC: A+



Toolix-S

LED 6W (2x3W) 40° - 3000K - 600lm - CRI>83





code : C176S.063K.01 White
code : C176S.063K.48 Dark grey



DESCRIPTION

Body made in aluminum
Degree of protection IP65
Driver 220-240V included
Class 1
Safety clear glass
Energy class EC: A+



Toolix-R

LED 6W (2x3W) 40° - 3000K - 600lm - CRI>83





code : C176R.063K.01 White
code : C176R.063K.48 Dark grey



DESCRIPTION

Body made in aluminum
Degree of protection IP65
Driver 220-240V included
Class 1
Safety clear glass
Energy class EC: A+



Tech 1

| Reference | Price € |
|-----------|---------|
| V4097900 | 117.00 |

Toolix-S

| Reference | Price € |
|---------------|---------|
| C176S.063K.01 | 85.00 |
| C176S.063K.48 | 85.00 |

Toolix-R

| Reference | Price € |
|---------------|---------|
| C176R.063K.01 | 85.00 |
| C176R.063K.48 | 85.00 |



Arris A

LED 6W (2x 3W) 80° - 3000K - 420lm - CRI>80





code : V4223500 Dark grey



DESCRIPTION

Body made in aluminum
Degree of protection IP65
Driver 220-240V included
Safety clear glass
Class 1
Energy class EC: A+



Arris B

LED 6W (2x 3W) 80° - 3000K - 420lm - CRI>80





code : V4223400 Dark grey



DESCRIPTION

Body made in aluminum
Degree of protection IP65
Driver 220-240V included
Safety clear glass
Class 1
Energy class EC: A+



Cerberere

LED 6W (2x3W) 40° - 3000K - 600lm - CRI>83





code : C175.063K.05 Silver grey



DESCRIPTION

Body made in aluminum
Degree of protection IP65
Driver 220-240V included
Class 1
Safety clear glass
Energy class EC: A+



Arris A

| Reference | Price € |
|-----------|---------|
| V4223500 | 81.00 |

Arris B


| Reference | Price € |
|-----------|---------|
| V4223400 | 81.00 |

Cerberere

| Reference | Price € |
|--------------|---------|
| C175.063K.05 | 75.00 |

Greg-round


LED 6W - 3000K - 420lm - CRI>80



code : V4188700 White
code : V4188701 Black

DESCRIPTION

Adjustable beam angle
Body made in aluminum
Driver 220-240V included
Degree of protection IP44
Class 1
Energy class EC: A+



Greg-square



LED 6W - 3000K - 420lm - CRI>80



code : V4188800 White
code : V4188801 Black

DESCRIPTION

Adjustable beam angle
Body made in aluminum
Driver 220-240V included
Degree of protection IP44
Class 1
Energy class EC: A+



Samos 1



LED 5W - 3000K - 500lm - CRI>80



code : V4189200 Grey (concrete)

DESCRIPTION

Body made in concrete
Driver 220-240V included
Degree of protection IP54
Class 1
Energy class EC: A+



Greg-round


| Reference | Price € |
|-----------|---------|
| V4188700 | 61.00 |
| V4188701 | 61.00 |

Greg-square

| Reference | Price € |
|-----------|---------|
| V4188800 | 61.00 |
| V4188801 | 61.00 |


Samos 1

| Reference | Price € |
|-----------|---------|
| V4189200 | 123.00 |



Samos 2

LED 5W - 3000K - 500lm - CRI>80



code : V4189300 Grey (concrete)

DESCRIPTION

Body made in concrete
 Driver 220-240V included
 Degree of protection IP54
 Class 1
 Energy class EC: A+

120xP120

350



Samos 2

| Reference | Price € |
|-----------|---------|
| V4189300 | 137.00 |




Rio

LED 12W (2x 6W) 120° - 3000K - 742lm - CRI>80

DESCRIPTION

Body made in aluminum
 Safety clear glass
 Driver 220-240V included
 Degree of protection IP54
 Class 1
 Energy class EC: A+



code : V4223300

White

code : V4223301

Dark grey



Rio

| Reference | Price € |
|-----------|---------|
| V4223300 | 87.00 |
| V4223301 | 87.00 |




Tech 3

LED max. 16W - 3000K - 980lm - CRI>80


DESCRIPTION

Body made in aluminum
 Degree of protection IP54
 Safety clear structured glass
 Driver 220-240V included
 Class 1
 Energy class EC: A+




code : V4155801 White

LED 6,5W - 3000K - 247lm - CRI>80
 220-240V / 50-60Hz



code : V4137600 Silver Grey

LED 12W - 3000K - 800lm - CRI>80
 220-240V / 50-60Hz



code : V4155700 Silver Grey

LED 16W - 3000K - 980lm - CRI>80
 220-240V / 50-60Hz

Tech 3

| Reference | Price € |
|-----------|---------|
| V4137600 | 81.00 |
| V4155700 | 110.00 |
| V4155801 | 41.00 |

Tech 7

LED 16W (2x8W) - 3000K - 900lm - CRI>80



code : V4198700 Dark grey



DESCRIPTION

Body made in aluminum
Polycarbonate (PC) protection
Driver 220-240V included
Degree of protection IP65
Class 1
Energy class EC: A+



Quadro

LED 10W (2x5W) 62° - 3000K - 550lm - CRI>80






code : V4226200 black



DESCRIPTION

Body made in aluminum
Degree of protection IP54
Driver 220-240V included
Class 1
Energy class EC: A+



Argon 1

LED 3W - 3000K - 190lm - CRI>80





code : V4226800 White
code : V4226801 Black



DESCRIPTION

Body made in aluminum
Safety sandblasted glass
Driver 220-240V included
Degree of protection IP54
Class 1
Energy class EC: A+



Argon 2

LED 24W (2x12W) - 3000K - 1290lm - CRI>80




code : V4226700 White
code : V4226701 Black



DESCRIPTION

Body made in aluminum
Safety sandblasted glass
Driver 220-240V included
Degree of protection IP54
Class 1
Energy class EC: A+



Tech 7

| Reference | Price € |
|-----------|---------|
| V4198700 | 99.00 |

Quadro

| Reference | Price € |
|-----------|---------|
| V4226200 | 71.00 |

Argon 1

| Reference | Price € |
|-----------|---------|
| V4226800 | 41.00 |
| V4226801 | 41.00 |

Argon 2

| Reference | Price € |
|-----------|---------|
| V4226700 | 87.00 |
| V4226701 | 87.00 |

Twist

LED 4W (4x1W) 62° - 3000K - 340lm - CRI>80




code : V4211000
code : V4211001

White
Dark grey



DESCRIPTION

Body made in aluminum
Driver 220-240V included
Degree of protection IP54
Class 1
Energy class EC: A+



Ballito

LED 4W (2x2W) 47° - 3000K - 235lm - CRI>80




code : V4210900
code : V4210901

White
Dark grey



DESCRIPTION

Body made in aluminum
Driver 220-240V included
Degree of protection IP54
Class 1
Energy class EC: A+



Twist

| Reference | Price € |
|-----------|---------|
| V4211000 | 61.00 |
| V4211001 | 61.00 |

Ballito

| Reference | Price € |
|-----------|---------|
| V4210900 | 53.00 |
| V4210901 | 53.00 |

Dokos

LED 6W - 3000K - 375lm - CRI>80





code : V4227200 Dark grey



DESCRIPTION

Body made in aluminum
Driver 220-240V included
Degree of protection IP54
Class 1
Energy class EC: A+



Tibuok 3



LED 12W - 3000K - 732lm - CRI>80

code : V4197800 Dark grey




DESCRIPTION

Body made in aluminum
Polycarbonate (PC) protection
Driver 220-240V included
Degree of protection IP44
Class 1
Energy class EC: A+



Tech 8

LED 6W (2x3W) - 3000K - 400lm - CRI>80




code : V4227100 Dark grey



DESCRIPTION

Body made in aluminum
Safety white glass
Driver 220-240V included
Degree of protection IP65
Class 1
Energy class EC: A+



Dokos

Tibuok 3

Tech 8

| Reference | Price € |
|-----------|---------|
| V4227200 | 61.00 |

| Reference | Price € |
|-----------|---------|
| V4197800 | 51.00 |

| Reference | Price € |
|-----------|---------|
| V4227100 | 48.00 |



i-Tech


LED 15W - 3000K - 800lm - CRI>80



code : V4199000 Dark grey

DESCRIPTION

Body made in aluminum
 Safety white glass
 Driver 220-240V included
 Degree of protection IP65
 Class 1
 Energy class EC: A+



i-Tech

| Reference | Price € |
|-----------|---------|
| V4199000 | 66.00 |

Rhodes 2

E27 LED 230V - max. 20W




code : V4080200 Dark grey



DESCRIPTION

Body made in aluminum
Safety clear glass
Degree of protection IP44
Class 1
Energy class EC: A++/A



Dilos

LED 6W 36° - 3000K - 380lm - CRI>80




code : V4160500 Dark grey



DESCRIPTION

Adjustable 0° - 180°
Body made in aluminum
Safety clear glass
Driver 220-240V included
Degree of protection IP54
Class 1
Energy class EC: A+



Hydra

GU10 LED 230V - max. 5W




code : V4136200 Silver grey
code : V4136201 White
code : V4136202 Brown



DESCRIPTION

Body made in aluminum
Degree of protection IP54
Safety clear glass
Class 1
Energy class EC: A++/A



Hydra

Rhodes 2


| Reference | Price € |
|-----------|---------|
| V4080200 | 59.00 |

Dilos

| Reference | Price € |
|-----------|---------|
| V4160500 | 81.00 |

| Reference | Price € |
|-----------|---------|
| V4136200 | 32.00 |
| V4136201 | 32.00 |
| V4136202 | 32.00 |

2in1



Rhodes

E27 LED 230V - max. 15W




code : V4100700 Silver grey
code : V4100701 White
code : V4100702 Brown



DESCRIPTION

Body made in aluminum
Degree of protection IP54
Safety sandblasted glass
Class 1
Energy class EC: A++/A



Rhodes

| Reference | Price € |
|-----------|---------|
| V4100700 | 71.00 |
| V4100701 | 71.00 |
| V4100702 | 71.00 |






 230V
  IP55
  0.5°
  A++/A

Paros

GU10 LED 230V - max. 7W

DESCRIPTION

Body made in aluminum
 Degree of protection IP55
 Safety clear glass
 Class 1
 Energy class EC: A++/A




code : V4143700 White
 code : V4143701 Silver Grey

QPAR16 GU10 max. 35W
 220-240V / 50-60Hz

Paros

| Reference | Price € |
|-----------|---------|
| V4143700 | 55.00 |
| V4143701 | 55.00 |



Tilos A

GU10 LED 230V - max. 2x 5W

Tilos B





GU10 LED 230V - max. 2x 5W

DESCRIPTION

Body made in aluminum
Degree of protection IP44
Safety clear glass
Class 1
Energy class EC: A+/A

DESCRIPTION

Body made in aluminum
Degree of protection IP44
Safety clear glass
Class 1
Energy class EC: A+/A



code : V4099400 Dark grey
code : V4099401 White

code : V4099500 Dark grey
code : V4099501 White

code : V4099600 Dark grey
code : V4099601 White



code : V4099700 Dark grey
code : V4099701 White

QPAR16 GU10 max. 2 x 35W
220-240V / 50-60Hz

QPAR16 GU10 max. 1 x 35W
220-240V / 50-60Hz

QPAR16 GU10 max. 2 x 35W
220-240V / 50-60Hz

QPAR16 GU10 max. 1 x 35W
220-240V / 50-60Hz



Tilos A

| Reference | Price € |
|-----------|---------|
| V4099400 | 49.00 |
| V4099401 | 52.00 |
| V4099500 | 40.00 |
| V4099501 | 41.00 |

Tilos B

| Reference | Price € |
|-----------|---------|
| V4099600 | 49.00 |
| V4099601 | 52.00 |
| V4099700 | 40.00 |
| V4099701 | 41.00 |


Alma

GU10 LED 230V - max. 2x 5W



code : C777.GU. _ _

- | | | |
|--|----|-------------------------|
| | 02 | Black |
| | 04 | Brushed stainless steel |
| | 32 | Anodised aluminum |
| | 39 | Grey |



DESCRIPTION

Body made in aluminum or stainless steel
Screws in stainless steel
Degree of protection IP65
Safety clear glass
Class 1
Energy class EC: A++/A


Ada

GU10 LED 230V - max. 5W



code : C778.GU. _ _

- | | | |
|--|----|-------------------------|
| | 02 | Black |
| | 04 | Brushed stainless steel |
| | 32 | Anodised aluminum |
| | 39 | Grey |



DESCRIPTION

Body made in aluminum or stainless steel
Screws in stainless steel
Degree of protection IP65
Safety clear glass
Class 1
Energy class EC: A++/A



Alma

| Reference | Price € |
|------------|---------|
| C777.GU.02 | 136.50 |
| C777.GU.04 | 149.00 |
| C777.GU.32 | 149.00 |
| C777.GU.39 | 136.50 |

Ada

| Reference | Price € |
|------------|---------|
| C778.GU.02 | 107.50 |
| C778.GU.04 | 119.00 |
| C778.GU.32 | 119.00 |
| C778.GU.39 | 107.50 |




Serko D

E27 LED 230V - max. 15W



code : C710.E2. _ _

| | | |
|--|----|-------------------------|
| | 02 | Black |
| | 04 | Brushed stainless steel |
| | 21 | Brushed copper |
| | 32 | Anodised aluminum |
| | 39 | Grey |



DESCRIPTION

Body made in profile aluminum, stainless steel or copper
 Safety sandblasted plexiglass
 Screws in stainless steel
 Degree of protection IP65 - IK09
 Class 1
 Energy class EC: A++/A

Serko FL

E27 LED 230V - max. 15W



code: C700. XX . XX




HEIGHT

| | |
|-----------|--------|
| 29 | 220 mm |
| 62 | 550 mm |

COLOR

| | |
|-----------|-------------------------|
| 02 | Black |
| 04 | Brushed stainless steel |
| 21 | Brushed copper |
| 32 | Anodised aluminum |
| 39 | Grey |




DESCRIPTION

Body made in profile aluminum, stainless steel or copper
 Safety sandblasted plexiglass
 Screws in stainless steel
 Degree of protection IP65 - IK09
 Class 1
 Energy class EC: A++/A

ACCESSORIES

base plate Ø 100mm "Easy install" (code CX01. _ _)



Serko D

| Reference | Price € |
|------------|---------|
| C710.E2.02 | 146.50 |
| C710.E2.04 | 163.00 |
| C710.E2.21 | 254.00 |
| C710.E2.32 | 163.00 |
| C710.E2.39 | 146.50 |

Serko FL

| Reference | Price € |
|------------|---------|
| C700.29.02 | 107.00 |
| C700.29.04 | 120.00 |
| C700.29.21 | 174.00 |
| C700.29.32 | 107.00 |
| C700.29.39 | 107.00 |

Serko FL

| Reference | Price € |
|------------|---------|
| C700.62.02 | 144.00 |
| C700.62.04 | 160.00 |
| C700.62.21 | 290.00 |
| C700.62.32 | 144.00 |
| C700.62.39 | 144.00 |

Easy install

| Reference | Price € |
|-----------|---------|
| CX01.04 | 24.50 |
| CX01.21 | 37.50 |




Tower D

E27 LED 230V - max. 20W


code : C161.E2. __

- 02 Black
- 32 Anodised aluminum
- 39 grey



DESCRIPTION

Body made in profile aluminum
 Safety sandblasted plexiglass
 Screws in stainless steel
 Degree of protection IP65 - IK09
 Class 1
 Energy class EC: A++/A



Tower FL

E27 LED 230V - max. 20W

code: C162. XX . XX


height | color

HEIGHT

| | | |
|------|----|--------|
| 1.20 | 22 | 220 mm |
| 2.50 | 60 | 600 mm |
| 2.80 | 90 | 900 mm |

COLOR

| | |
|----|-------------------|
| 02 | Black |
| 32 | Anodised aluminum |
| 39 | grey |



DESCRIPTION

Body made in profile aluminum
 Safety sandblasted plexiglass
 Screws in stainless steel
 Degree of protection IP65 - IK09
 Class 1
 Energy class EC: A++/A



Tower D

| Reference | Price € |
|------------|---------|
| C161.E2.02 | 209.00 |
| C161.E2.32 | 235.00 |
| C161.E2.39 | 209.00 |

Tower FL

| Reference | Price € |
|------------|---------|
| C162.22.02 | 149.00 |
| C162.22.32 | 173.00 |
| C162.22.39 | 149.00 |

Tower FL

| Reference | Price € |
|------------|---------|
| C162.60.02 | 199.00 |
| C162.60.32 | 231.00 |
| C162.60.39 | 199.00 |

Tower FL

| Reference | Price € |
|------------|---------|
| C162.90.02 | 244.00 |
| C162.90.32 | 284.00 |
| C162.90.39 | 244.00 |



Avox FL

E27 LED 230V - max. 20W

code: C160. XX . XX

height | color




HEIGHT

| | | |
|-------------------------------------------------------------------------------------|-----------|---------|
|  | 34 | 340 mm |
|  | 72 | 720 mm |
|  | 99 | 1020 mm |

COLOR

| | |
|-----------|-------------------|
| 02 | Black |
| 32 | Anodised aluminum |
| 39 | grey |



DESCRIPTION

Body made in profile aluminum
 Safety sandblasted plexiglass
 Screws in stainless steel
 Degree of protection IP65 - IK09
 Class 1
 Energy class EC: A++/A



Avox FL

| Reference | Price € |
|------------|---------|
| C160.34.02 | 159.00 |
| C160.34.32 | 179.00 |
| C160.34.39 | 159.00 |

Avox FL

| Reference | Price € |
|------------|---------|
| C160.72.02 | 212.00 |
| C160.72.32 | 239.00 |
| C160.72.39 | 212.00 |

Avox FL


| Reference | Price € |
|------------|---------|
| C160.99.02 | 249.00 |
| C160.99.32 | 289.00 |
| C160.99.39 | 249.00 |



Matty


E27 LED 230V - max. 20W

code : V4134700 Black



DESCRIPTION


Body made in painted aluminum
 Safety clear glass
 Degree of protection IP23
 Class 1
 Energy class EC: A++/A



Campana

E27 LED 230V - max 20W

code : V4158200 Black



DESCRIPTION


Body made in painted stainless steel
 Safety clear glass
 Degree of protection IP44
 Class 1
 Energy class EC: A++/A



Country 2


E27 LED 230V - max 20W

code : V4170700 Black



DESCRIPTION

Body made in painted stainless steel
 Safety clear glass
 Degree of protection IP44
 Class 1
 Energy class EC: A++/A



| Matty | | Campana | | Country 2 | |
|-----------|---------|-----------|---------|-----------|---------|
| Reference | Price € | Reference | Price € | Reference | Price € |
| V4134700 | 99.00 | V4158200 | 74.00 | V4170700 | 81.00 |



Campana-3

E27 LED 230V - max. 20W

code : V4137200 Black



DESCRIPTION


Body made in painted stainless steel
 Safety clear glass
 Degree of protection IP44
 Class 1
 Energy class EC: A++/A



Campana-4

E27 LED 230V - max. 20W

code : V4137300 Black



DESCRIPTION

Body made in painted stainless steel
 Safety clear glass
 Degree of protection IP44
 Class 1
 Energy class EC: A++/A



Campana-3

Campana-4

| Reference | Price € | Reference | Price € |
|-----------|---------|-----------|---------|
| V4137200 | 66.00 | V4137300 | 66.00 |



Faro

LED 3W - 3000K - 200lm - CRI>80

code : V4226600 Dark grey

DESCRIPTION

Body made in aluminum
Polycarbonate (PC) protection
Degree of protection IP65
Driver 220-240V included
Provided with 20cm cable
Class 2
Energy class EC: A+



Faro

| Reference | Price € |
|-----------|---------|
| V4226600 | 41.00 |





Bios-floor



LED 13W - 3000K - 600lm - CRI>80



code : V4213000 Dark grey - height: 500mm
code : V4213100 Dark grey - height: 800mm

DESCRIPTION

Body made in aluminum
Driver 220-240V included
Degree of protection IP65
Class 1
Energy class EC: A+



Bios-wall



LED 13W - 3000K - 600lm - CRI>80



code : V4212900 Dark grey

DESCRIPTION

Body made in aluminum
Driver 220-240V included
Degree of protection IP65
Class 1
Energy class EC: A+



Bios-floor

| Reference | Price € |
|-----------|---------|
| V4213000 | 140.00 |
| V4213100 | 173.00 |

Bios-wall

| Reference | Price € |
|-----------|---------|
| V4212900 | 107.00 |



Jason

LED 13W - 3000K - 1040lm - CRI>80

DESCRIPTION

Body made in aluminum
 Driver 220-240V included
 Degree of protection IP65
 Class 1
 Energy class EC: A+



code : V4190700

Dark grey

300

152x121



code : V4190800

Dark grey

500

152x121



Jason

| Reference | Price € |
|-----------|---------|
| V4190700 | 127.00 |
| V4190800 | 146.00 |



Marc-floor

GU10 LED 230V - max. 5W



code : V4176500 Black

DESCRIPTION

Body made in aluminum
Safety clear glass
Degree of protection IP44
Class 1
Energy class EC: A++/A



Marc-wall



GU10 LED 230V - max. 5W



code : V4176400 Black

DESCRIPTION

Body made in aluminum
Safety clear glass
Degree of protection IP44
Class 1
Energy class EC: A++/A



Marc-floor

| Reference | Price € |
|-----------|---------|
| V4176500 | 127.00 |

Marc-wall

| Reference | Price € |
|-----------|---------|
| V4176400 | 48.00 |

Ermis 3W

LED 3W 25° - 3000K - 330lm - CRI>80

code : V4205000 Dark grey



DESCRIPTION

Body made in aluminum
Degree of protection IP66
Driver 220-240V included
Safety clear glass
Provided with 20cm cable
Class 1
Energy class EC: A+



Ermis 9W

LED 9W 25° - 3000K - 990lm - CRI>80

code : V4205100 Dark grey



DESCRIPTION

Body made in aluminum
Degree of protection IP66
Driver 220-240V included
Safety clear glass
Provided with 20cm cable
Class 1
Energy class EC: A+



Ermis 18W

LED 18W 25° - 3000K - 1980lm - CRI>80

code : V4205200 Dark grey



DESCRIPTION

Body made in aluminum
Degree of protection IP66
Driver 220-240V included
Safety clear glass
Provided with 20cm cable
Class 1
Energy class EC: A+



Ermis 3W


| Reference | Price € |
|-----------|---------|
| V4205000 | 64.00 |

Ermis 9W

| Reference | Price € |
|-----------|---------|
| V4205100 | 97.00 |

Ermis 18W

| Reference | Price € |
|-----------|---------|
| V4205200 | 146.00 |



Atlas 3W

LED 3W 25° - 3200K - 270lm - CRI>80

code : V4187500 Dark grey


∅41

127



DESCRIPTION

Body made in aluminum
Degree of protection IP65
Driver 220-240V included
Safety clear glass
Provided with 20cm cable
Class 1
Energy class EC: A+



Atlas 5W

LED 5W 25° - 3000K - 379lm - CRI>80

code : V4229700 black


90

640



DESCRIPTION

Body made in aluminum
Degree of protection IP65
Driver 220-240V included
Safety clear glass
Provided with 15cm cable
Class 1
Energy class EC: A+



Spike 6W

LED 6W 35° - 2700K - 400lm - CRI>80

code : V4176300 Black

108x40

400



DESCRIPTION

Body made in aluminum
Degree of protection IP44
Driver 220-240V included
Provided with 2m cable + plug
Class 1
Energy class EC: A+

Provided with 2m cable + plug




Atlas 3W

Atlas 5W

Spike 6W

| Reference | Price € | Reference | Price € |
|-----------|---------|-----------|---------|
| V4187500 | 51.00 | V4229700 | 81.00 |

| Reference | Price € |
|-----------|---------|
| V4176300 | 97.00 |



Aris 3W

LED 3W 25° - 3000K - 330lm - CRI>80

code : V4205300 Dark grey



DESCRIPTION


Body made in aluminum
Degree of protection IP66
Driver 220-240V included
Safety clear glass
Provided with 20cm cable
Class 1
Energy class EC: A+



Aris 10W

LED 10W 25° - 3000K - 1100lm - CRI>80

code : V4205400 Dark grey



DESCRIPTION

Body made in aluminum
Degree of protection IP66
Driver 220-240V included
Safety clear glass
Provided with 20cm cable
Class 1
Energy class EC: A+



Leros

GU10 LED 230V - max. 5W

code : V4158300 Black



DESCRIPTION

Body made in aluminum
Stirrup in painted steel
Safety clear glass
Provided with 20cm cable
Degree of protection IP65
Class 1
Energy class EC: A++/A



Aris 3W

Aris 10W

Leros

Maris 12W

Tech 6W

Reference Price €
V4205300 48.00

Reference Price €
V4205400 115.00

Reference Price €
V4158300 23.00

Reference Price €
V4187600 104.00

Reference Price €
V4143600 110.00

Maris 12W

LED 12W 25° - 3200K - 1080lm - CRI>80


code : V4187600

Dark grey



DESCRIPTION

Body made in aluminum
Degree of protection IP65
Driver 220-240V included
Safety clear glass
Provided with 20cm cable
Class 1
Energy class EC: A+



Tech 6W

LED 6W 25° - 3000K - 540lm - CRI>80


code : V4143600

Silver Grey



DESCRIPTION

Body made in aluminum
Driver 220-240V included
Safety sandblasted glass
Provided with 20cm cable
Degree of protection IP44
Class 1
Energy class EC: A+






Samora

E27 LED 230V - max 18W

code : V4224000


Dark grey



DESCRIPTION

Body made in painted steel
 Polycarbonate (PC) protection
 Degree of protection IP65
 Provided with 50cm cable + plug
 Class 1
 Energy class EC: A++/A

Provided with cable + plug



Samora

| Reference | Price € |
|-----------|---------|
| V4224000 | 186.00 |



Window


LED 6W 180° - 3000K - 480lm - CRI>80

code : V4234200 White



DESCRIPTION

Body made in aluminum
 Provided with 20cm cable
 Driver 220-240V included
 Degree of protection IP65
 Class 1
 Energy class EC: A+




Window

| Reference | Price € |
|-----------|---------|
| V4234200 | 81.00 |



adjustable 180°



Marvel

DESCRIPTION

Body made in aluminum
 Degree of protection IP67
 Driver 220-240V included
 Provided with 20cm cable
 Class 1
 Energy class EC: A+

36W

1000x45



63 |

code : V4187200 Dark Grey

LED 36W 10° - 3200K - 3960lm - CRI>80
 220-240V / 50-60Hz

12W

600x45



63 |

code : V4187300 Dark Grey

LED 12W 10° - 3200K - 1320lm - CRI>80
 220-240V / 50-60Hz

6W

300x45



63 |

code : V4187400 Dark Grey

LED 6W 10° - 3200K - 660lm - CRI>80
 220-240V / 50-60Hz

Marvel

| Reference | Price € |
|-----------|---------|
| V4187200 | 163.00 |
| V4187300 | 107.00 |
| V4187400 | 84.00 |





CX10

code : CX10



DESCRIPTION

GU10 fitting - Classe 2

CX10

| Reference | Price € |
|-----------|---------|
| CX10 | 0.90 |

Easy install

code : CX01.04 Brushed stainless steel
code : CX01.21 Brushed copper



DESCRIPTION

Base plate Ø 100mm
Body made in stainless steel or copper

Easy install

| Reference | Price € |
|-----------|---------|
| CX01.04 | 24.50 |
| CX01.21 | 37.50 |

Suspension KIT 1

code : CX02.00



DESCRIPTION

incl. 2x cable susp. Auto 2m
incl. 1x cable transparent 3x 0,75mm² 2m
incl. 1x cable base 54x54x35mm

Suspension KIT 1

| Reference | Price € |
|-----------|---------|
| CX02.00 | 25.00 |

Suspension KIT 2

code : CX03.00



DESCRIPTION

incl. 4x cable susp. Auto 2m
incl. 1x cable transparent 3x 0,75mm² 2m
incl. 1x cable base 54x54x35mm

Suspension KIT 2

| Reference | Price € |
|-----------|---------|
| CX03.00 | 37.50 |

CX082

code : CX082



DESCRIPTION

Dimension: Ø 23mm / L 68mm
connection with 3 poles
Rated voltage: 250V
Rated current: 10 A
for cable Ø 6 - 13mm
CE - IP68

CX082

| Reference | Price € |
|-----------|---------|
| CX082 | 16.00 |

CX082.Y

code : CX082.Y



DESCRIPTION

Dimension: 110x60x30mm
connection 3 lines
Rated voltage: 250V
Rated current: 10 A
for cable Ø 6 - 11mm
CE - IP68

CX082.Y

| Reference | Price € |
|-----------|---------|
| CX082.Y | 24.00 |

ACCESSORIES

Information

INDEX BY NAME

| Name | page | Name | page | Name | page |
|----------------|---------|----------------|-------|------------------|-------|
| Ada | 162 | FOS-ARC | 52 | Paros | 160 |
| Aida | 83 | FOS-S | 52 | Pixie | 95 |
| Alessio | 86 | Frameless 15W | 24 | Quadro | 154 |
| Alma | 162 | Frameless K-8W | 24 | Rado 1 | 37 |
| Anisha | 94 | Frameless R-8W | 24 | Rado 2 | 37 |
| Apollo | 105 | Greg-round | 150 | Rail | 129 |
| Apollo 2 | 105 | Greg-square | 150 | Rail-driver | 129 |
| Argon 1 | 126,154 | Hydra | 158 | Reeds 1 | 72 |
| Argon 2 | 126,154 | i-Tech | 157 | Reeds 2 | 72 |
| Aris 10W | 180 | Issac | 133 | Reeds 3 | 70 |
| Aris 3W | 180 | Ivor | 109 | Reeds 4 | 47 |
| Arris A | 149 | Jake | 114 | Rena | 95 |
| Arris B | 149 | Jason | 174 | Rhodes | 159 |
| Artsi 1 | 37 | Jasper | 131 | Rhodes 2 | 158 |
| Artsi 2 | 37 | Jaxon 15W | 84 | Ring | 65 |
| Atlas 3W | 178 | Jaxon 23W | 84 | Rio | 152 |
| Atlas 5W | 178 | Jaxon 7W | 84 | Riva 1 | 142 |
| Avenue | 57 | Kim | 113 | Riva 2 | 142 |
| Avox FL | 167 | Koko | 122 | Riva 3 | 142 |
| Axo-R 7-10W | 19 | Koko led | 108 | Rob | 34 |
| Axo-S 7-10W | 19 | Kony | 120 | Robin | 133 |
| Ball | 92 | Kubo 2 | 123 | Rocco | 130 |
| Ballito | 126,155 | Kyclos-C | 67 | Royal 1 | 144 |
| Bios-floor | 173 | Kyclos-P | 66 | Royal 2 | 144 |
| Bios-wall | 173 | Kyklos | 127 | Royal 3 | 16 |
| Box Royal | 144 | Leon | 101 | Ruby | 74 |
| Bright | 136 | Leros | 180 | Sam | 114 |
| Campana | 169 | Leros K | 136 | Samora | 182 |
| Campana-3 | 170 | Leros plus 1 | 144 | Samos 1 | 150 |
| Campana-4 | 170 | Leros plus 2 | 144 | Samos 2 | 151 |
| Ceramic-1 | 38 | Leros R | 138 | Sara | 28 |
| Ceramic-2 | 38 | Lesante | 93 | Sara-S | 29 |
| Ceramic-3 | 38 | Lina | 122 | Serko D | 164 |
| Ceramic-4 | 38 | Linus | 98 | Serko FL | 164 |
| Ceramic-5 | 38 | Loop | 100 | Sfera | 81 |
| Ceramic-6 | 118 | Lotus | 78 | Shadow | 128 |
| Ceramic-8 | 118 | Lynne 1 | 56 | Spike 6W | 178 |
| Ceramic-9 | 118 | Mack | 120 | Square-1 | 76 |
| Cerbere | 149 | Madison 30W | 85 | Square-2 | 76 |
| Chios | 139 | Madison 40W | 85 | Square-Ring | 62 |
| Concrete-1 | 124 | Magma | 80 | Stage reflector | 44,74 |
| Cosmo | 140 | Magma 2 | 80 | Stage 1 | 74 |
| Country 2 | 169 | Magma 3 | 80 | Stage 2 | 44 |
| Cozi | 96 | Magma 4 | 80 | Stage 3 | 74 |
| Cube 1 | 120 | Marc-floor | 175 | Stage 4 | 74 |
| Cube 2 | 120 | Marc-wall | 175 | Station Ceiling | 54 |
| CX082 | 186 | Maris 12W | 181 | Station Pendant | 54 |
| CX082.Y | 186 | Marley | 91 | Stilo | 28 |
| CX10 | 186 | Maroco | 141 | Suspension KIT 1 | 186 |
| Dana | 121 | Marvel | 184 | Suspension KIT 2 | 186 |
| Davos | 124 | Matrix | 110 | Tech 1 | 148 |
| Dice-K | 79 | Matty | 169 | Tech 3 | 153 |
| Dice-R | 79 | Max | 90 | Tech 6 | 145 |
| Dilos | 158 | Merilin | 99 | Tech 6W | 181 |
| Dimald 7W | 18 | Mini 3W | 16 | Tech 7 | 154 |
| Dino 12W - 30W | 25 | Minos 1 | 147 | Tech 8 | 156 |
| Dizi | 78 | Minos 2 | 146 | Terry | 125 |
| Dokos | 156 | Minos 3 | 146 | Theta 1 | 143 |
| Donousa R | 137 | Moby | 116 | Theta 2 | 143 |
| Donousa S | 136 | Molly | 114 | Tibuok 1 | 140 |
| Easy 2 | 118 | Nestor | 88 | Tibuok 2 | 140 |
| Easy install | 186 | Nestor 10W | 42 | Tibuok 3 | 156 |
| Elliot | 89 | Nestor 15W | 42 | Tilos A | 161 |
| Elsa | 111 | Nestor 2 | 75 | Tilos B | 161 |
| Emma | 113 | Nestor 3 | 75 | Tim | 35 |
| Ermis 18W | 176 | Nestor 30W | 42 | Tiny | 108 |
| Ermis 3W | 176 | Nobby 1 | 76 | Tito 7-10W | 20 |
| Ermis 9W | 176 | Nobby 2 | 76 | Togo 10W | 20 |
| Fani | 79 | Norman | 82 | Toolix-R | 148 |
| Faro | 171 | Norman 2 | 82 | Toolix-S | 148 |
| Fibi | 132 | Norman 3 | 82 | Top Spot R | 23 |
| Fino 1 | 36 | Paloma | 93 | Top Spot RA | 23 |
| Fino 2 | 36 | Paloma Wall | 117 | Top Spot RAD | 23 |
| FOS wall | 53 | Panel | 60-61 | Top Spot RO | 22 |

INDEX BY CODE

| Name | page | Name | page | Name | page |
|------------------|-------|----------|------|----------|------|
| C101.GU. _ _ | 28 | V3994601 | 56 | V4144301 | 93 |
| C102.GU. _ _ | 28 | V4004301 | 120 | V4146700 | 94 |
| C102S.GU. _ _ | 29 | V4038800 | 82 | V4148500 | 81 |
| C103R.GU. _ _ | 31 | V4038900 | 82 | V4148600 | 81 |
| C103S.GU. _ _ | 31 | V4039000 | 82 | V4148700 | 81 |
| C104R.GU.- - | 32 | V4049200 | 138 | V4148800 | 74 |
| C104S.GU.- - | 32 | V4049201 | 138 | V4148801 | 74 |
| C105S.GX.00 | 33 | V4049203 | 138 | V4151200 | 27 |
| C106S.GX.00 | 33 | V4049300 | 136 | V4151201 | 27 |
| C107R. _ _ _ _ | 30 | V4049303 | 136 | V4151400 | 27 |
| C108R. _ _ _ _ | 34 | V4071400 | 38 | V4151401 | 27 |
| C109. _ _ _ _01 | 25 | V4071500 | 38 | V4155300 | 86 |
| C111.GU.05 | 37 | V4071900 | 121 | V4155301 | 86 |
| C112.GU.05 | 37 | V4072000 | 120 | V4155400 | 86 |
| C133.WW. _ _ _ _ | 118 | V4080200 | 158 | V4155401 | 86 |
| C147.EC. _ _ _ _ | 123 | V4080600 | 108 | V4155700 | 153 |
| C151.GU. _ _ _ _ | 122 | V4081000 | 38 | V4155801 | 153 |
| C152.GU. _ _ _ _ | 122 | V4081100 | 38 | V4155900 | 145 |
| C155C. _ _ _ _ _ | 67 | V4081400 | 38 | V4156000 | 145 |
| C155P. _ _ _ _ _ | 66 | V4081700 | 139 | V4157100 | 76 |
| C156P. _ _ _ _ _ | 65 | V4081701 | 139 | V4157101 | 76 |
| C157. _ _ _ _ _ | 24 | V4086600 | 118 | V4157300 | 84 |
| C160. _ _ _ _ _ | 167 | V4092200 | 108 | V4157301 | 84 |
| C161. _ _ _ _ _ | 166 | V4094900 | 80 | V4157400 | 84 |
| C161.E2. _ _ _ _ | 166 | V4095000 | 80 | V4157401 | 84 |
| C162. _ _ _ _ _ | 166 | V4095100 | 80 | V4157500 | 108 |
| C167. _ _ _ _ _ | 60-61 | V4095200 | 80 | V4157501 | 108 |
| C170R. _ _ _ _ _ | 18 | V4096900 | 120 | V4158200 | 169 |
| C171R. _ _ _ _ _ | 20 | V4096901 | 124 | V4158300 | 180 |
| C172R. _ _ _ _ _ | 19 | V4096902 | 124 | V4158900 | 136 |
| C172S. _ _ _ _ _ | 19 | V4097100 | 120 | V4160500 | 158 |
| C173R. _ _ _ _ _ | 16 | V4097200 | 118 | V4170700 | 169 |
| C174. _ _ _ _ _ | 78 | V4097900 | 148 | V4173600 | 98 |
| C175.063K.05 | 149 | V4099400 | 161 | V4176000 | 109 |
| C176R.063K. _ _ | 148 | V4099401 | 161 | V4176001 | 109 |
| C176S.063K. _ _ | 148 | V4099500 | 161 | V4176300 | 178 |
| C177.GU.01 | 76 | V4099501 | 161 | V4176400 | 175 |
| C178.GU.01 | 76 | V4099600 | 161 | V4176500 | 175 |
| C179R. _ _ _ _01 | 20 | V4099601 | 161 | V4178000 | 133 |
| C180. _ _ _ _ _ | 53 | V4099700 | 161 | V4178100 | 133 |
| C181. _ _ _ _ _ | 52 | V4099701 | 161 | V4181300 | 132 |
| C182. _ _ _ _ _ | 52 | V4100700 | 159 | V4181400 | 132 |
| C183P. _ _ _ _ _ | 62 | V4100701 | 159 | V4182700 | 35 |
| C210.EC. _ _ _ _ | 123 | V4100702 | 159 | V4182900 | 34 |
| C700. _ _ _ _ _ | 164 | V4104100 | 125 | V4182901 | 34 |
| C71.1WW. _ _ _ _ | 26 | V4104101 | 125 | V4183300 | 84 |
| C710.E2. _ _ _ _ | 164 | V4104200 | 87 | V4183301 | 84 |
| C777.GU. _ _ _ _ | 162 | V4104201 | 87 | V4183400 | 79 |
| C778.GU. _ _ _ _ | 162 | V4116500 | 118 | V4183401 | 79 |
| C90L.180.00 | 50 | V4124800 | 142 | V4183900 | 72 |
| C90L. _ _ _ _ _ | 50 | V4124801 | 142 | V4183901 | 72 |
| C91L. _ _ _ _ _ | 58 | V4124900 | 142 | V4184000 | 72 |
| CX01.04 | 186 | V4124901 | 142 | V4184001 | 72 |
| CX01.21 | 186 | V4134700 | 169 | V4184100 | 72 |
| CX02.00 | 186 | V4136200 | 158 | V4184101 | 72 |
| CX03.00 | 186 | V4136201 | 158 | V4184200 | 47 |
| CX04.00 | 118 | V4137200 | 170 | V4184201 | 47 |
| CX082 | 186 | V4137300 | 170 | V4185700 | 70 |
| CX082.Y | 186 | V4137600 | 153 | V4185701 | 70 |
| CX10 | 186 | V4137700 | 142 | V4187200 | 184 |
| V00.4223 | 144 | V4137800 | 144 | V4187300 | 184 |
| V3089700 | 57 | V4137801 | 144 | V4187400 | 184 |
| V3089701 | 57 | V4138100 | 144 | V4187500 | 178 |
| V3911.0013. _ _ | 54 | V4138101 | 144 | V4187600 | 181 |
| V3911.0014. _ _ | 54 | V4141400 | 92 | V4188200 | 116 |
| V3911.0015. _ _ | 54 | V4141401 | 92 | V4188300 | 113 |
| V3911.0016. _ _ | 48 | V4143600 | 181 | V4188301 | 113 |
| V3911.0017. _ _ | 48 | V4143700 | 160 | V4188700 | 150 |
| V3911.0113. _ _ | 54 | V4143701 | 160 | V4188701 | 150 |
| V3911.0114. _ _ | 54 | V4144100 | 79 | V4188800 | 150 |
| V3911.0115. _ _ | 54 | V4144101 | 79 | V4188801 | 150 |
| V3911.0116. _ _ | 48 | V4144200 | 79 | V4189200 | 150 |
| V3911.0117. _ _ | 48 | V4144201 | 79 | V4189300 | 151 |
| V3994600 | 56 | V4144300 | 93 | V4189500 | 147 |

INDEX BY CODE

| Name | page | Name | page | Name | page |
|----------|---------|--------------|---------|----------|-------|
| V4189600 | 146 | V4214502 | 75 | V4229700 | 178 |
| V4189700 | 146 | V4214600 | 42 | V4233100 | 117 |
| V4190700 | 174 | V4214601 | 42 | V4233101 | 117 |
| V4190800 | 174 | V4214700 | 42 | V4234200 | 183 |
| V4193700 | 127 | V4214701 | 42 | V4234400 | 44,74 |
| V4193702 | 127 | V4214702 | 42 | V4234401 | 44,74 |
| V4193800 | 127 | V4214800 | 42 | V4234900 | 131 |
| V4193802 | 127 | V4214801 | 42 | V4234901 | 131 |
| V4197600 | 140 | V4214802 | 42 | V4235000 | 113 |
| V4197700 | 140 | V4214900 | 111 | V4235001 | 113 |
| V4197800 | 156 | V4214901 | 111 | V4235400 | 85 |
| V4198700 | 154 | V4218100 | 110 | V4235401 | 85 |
| V4198800 | 143 | V4218101 | 110 | V4235500 | 85 |
| V4198900 | 143 | V4219500 | 23 | V4235501 | 85 |
| V4199000 | 157 | V4219501 | 23 | V4236100 | 130 |
| V4199100 | 141 | V4219600 | 23 | V4236101 | 130 |
| V4199101 | 141 | V4219601 | 23 | V4236200 | 130 |
| V4199102 | 141 | V4219700 | 22 | V4236201 | 130 |
| V4199600 | 83 | V4219800 | 22 | V4236500 | 91 |
| V4199601 | 83 | V4219900 | 23 | V4236501 | 91 |
| V4199700 | 83 | V4219901 | 23 | V4236502 | 91 |
| V4199701 | 83 | V4220000 | 23 | V4236600 | 90 |
| V4201700 | 89 | V4220001 | 23 | V4237300 | 99 |
| V4201701 | 89 | V4220100 | 22 | V4237400 | 99 |
| V4201702 | 89 | V4220100.DIM | 22 | V4241000 | 74 |
| V4201703 | 89 | V4220101 | 22 | V4241001 | 74 |
| V4202400 | 96 | V4220101.DIM | 22 | V4243300 | 114 |
| V4202500 | 96 | V4220200 | 115 | V4243400 | 114 |
| V4202800 | 124 | V4220201 | 115 | V4243500 | 114 |
| V4202801 | 124 | V4220300 | 95 | V4243501 | 114 |
| V4205000 | 176 | V4220301 | 95 | V498885 | 129 |
| V4205100 | 176 | V4220600 | 95 | V498886 | 129 |
| V4205200 | 176 | V4220601 | 95 | | |
| V4205300 | 180 | V4222200 | 128 | | |
| V4205400 | 180 | V4222400 | 101 | | |
| V4207900 | 76 | V4222500 | 129 | | |
| V4207901 | 76 | V4222800 | 100 | | |
| V4208000 | 37 | V4222900 | 100 | | |
| V4208001 | 37 | V4223000 | 144 | | |
| V4208100 | 37 | V4223100 | 144 | | |
| V4208101 | 37 | V4223200 | 16 | | |
| V4208200 | 78 | V4223300 | 152 | | |
| V4208201 | 78 | V4223301 | 152 | | |
| V4208400 | 93 | V4223400 | 149 | | |
| V4208401 | 93 | V4223500 | 149 | | |
| V4209300 | 136 | V4224000 | 182 | | |
| V4209301 | 136 | V4224100 | 102 | | |
| V4209400 | 137 | V4224200 | 102 | | |
| V4209401 | 137 | V4224300 | 102 | | |
| V4210900 | 126,155 | V4224400 | 102 | | |
| V4210901 | 126,155 | V4224700 | 74 | | |
| V4211000 | 126,155 | V4224701 | 74 | | |
| V4211001 | 126,155 | V4224800 | 44 | | |
| V4212200 | 133 | V4224801 | 44 | | |
| V4212300 | 133 | V4224900 | 74 | | |
| V4212800 | 140 | V4224901 | 74 | | |
| V4212900 | 173 | V4225000 | 36 | | |
| V4213000 | 173 | V4225001 | 36 | | |
| V4213100 | 173 | V4225100 | 36 | | |
| V4213200 | 115 | V4225101 | 36 | | |
| V4213201 | 115 | V4226200 | 154 | | |
| V4213900 | 83 | V4226600 | 171 | | |
| V4214000 | 105 | V4226700 | 126,154 | | |
| V4214001 | 105 | V4226701 | 126,154 | | |
| V4214100 | 105 | V4226800 | 126,154 | | |
| V4214101 | 105 | V4226801 | 126,154 | | |
| V4214300 | 88 | V4227100 | 156 | | |
| V4214301 | 88 | V4227200 | 156 | | |
| V4214302 | 88 | V4227300 | 116 | | |
| V4214400 | 75 | V4227301 | 116 | | |
| V4214401 | 75 | V4227302 | 116 | | |
| V4214402 | 75 | V4229300 | 112 | | |
| V4214500 | 75 | V4229301 | 112 | | |
| V4214501 | 75 | V4229302 | 112 | | |



CLASS I - CLASSE I - SCHUTZKLASSE I

- A light fitting whose safety is guaranteed by an additional protective conductor (earth) connected with the metal frame of the lamp.
- Deze armaturen zijn uitgerust met aansluitmogelijkheid voor aarding, waarmee alle aanraakbare metalen delen die bij een isolatiestoring direct onder spanning kunnen komen, moeten verbonden zijn. Aansluiting aan de aardleiding is verplicht.
- Les luminaires sont équipés d'un moyen de raccordement pour la mise à la terre, qui interconnecte toutes les parties métalliques exposées susceptible d'être mise sous tension suite à un défaut de l'isolation. Le raccordement de mise à la terre est obligatoire. En cas de défectuosité, le courant est coupé par fusible.
- Leuchten für Anschluß an einen Schutzleiter. Die Schutzleiterklemme ist gekennzeichnet. Im Fehlerfall Netzabschaltung durch Überstromschutzorgane.



CE standard - CE norm - norme CE

- The mark CE represents an implicit assurance of quality and affixed under the sole responsibility of the manufacturer. The mark CE must be affixed on the product, or in alternative, on the packing or on directions.
- De CE markering waarborgt een stilzwijgende kwaliteitsgarantie en wordt aangebracht onder uitdrukkelijke verantwoordelijkheid van de fabrikant. De CE markering wordt aangebracht op het toestel of als alternatief op de verpakking of de gebruiksaanwijzing.
- La marque CE représente une implicite assurance de qualité et est apposée sous la responsabilité exclusive du fabriquant. La marque CE doit être apposée sur l'appareil, ou en alternative, sur l'emballage ou sur les modes d'emploi.
- Das CE-Zeichen verkörpert eine klare Sicherung der Qualität und wird auf ausschliessliche Verantwortung des Herstellers angebracht. Das CE-Zeichen muss auf dem Produkt, auf der Verpackung oder auf der Gebrauchsanweisung angebracht werden.

IP DEGREE OF PROTECTION

FIRST DIGIT CODE:

Protection against penetration by solid bodies

Beschermd tegen voorwerpen

Protection contre les corps solides

Fremdkörperschutz

- | | |
|---|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0 | No protection Niet beschermd Non Protégé Nicht beschützt |
| 1 | Protected against solid matters > 50mm Beschermd tegen voorwerpen > 50mm Protégé contre les corps solides > 50mm Gegen Fremdkörper > 50mm |
| 2 | Protected against solid matters > 12mm Beschermd tegen voorwerpen > 12mm Protégé contre les corps solides > 12mm Gegen Fremdkörper > 12mm |
| 3 | Protected against solid matters > 2,5mm Beschermd tegen voorwerpen > 2,5mm Protégé contre les corps solides > 2,5mm Gegen Fremdkörper > 2,5mm |
| 4 | Protected against solid matters > 1mm Beschermd tegen voorwerpen > 1mm Protégé contre les corps solides > 1mm Gegen Fremdkörper > 1mm |
| 5 | Dust Protected Beschermd tegen stof Protégé contre la poussière Staubgeschützt |
| 6 | Fully tight Volledig stofdicht Etanche aux poussières Staubdicht |

SECOND DIGIT CODE:

Protection against penetration by water

Beschermd tegen vocht

Protection contre l'humidité

Wasserschutz

- | | |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0 | No protection Niet beschermd Non Protégé Nicht beschützt |
| 1 | Protected against dripping water Beschermd tegen verticaal vallende druppels Protégé contre chute de gouttes d'eau verticale Gegen senkrecht fallendes Tropfwasser |
| 2 | Protected against dripping water when tilted up to 15° Beschermd tegen druppels onder hoek van max. 15° Protégé contre chute d'eau oblique max. 15° Gegen schräg fallendes Tropfwasser bis 15° Neigung |
| 3 | Protected against spraying water when tilted up to 60° Beschermd tegen sproeiwater onder hoek van max. 60° Protégé contre la pluie oblique max. 60° Gegen schräg fallendes Sprühwasser bis 60° Neigung |
| 4 | Protected against splashing water Beschermd tegen spatwater uit alle richtingen Protégé contre les projections d'eau de toutes directions Gegen Spritzwasser |
| 5 | Protected against water jets Beschermd tegen waterstralen uit alle richtingen Protégé contre les jets d'eau de toutes directions Gegen Strahlwasser |
| 6 | Protected against heavy seas Beschermd tegen golven, zware zeeën Protection contre les jets d'eau forts Gegen starkes Strahlwasser |
| 7 | Protected against the effects of immersion Beschermd tegen beperkte onderdompeling Protection contre courtes immersions Gegen zeitweiliges Untertauchen |
| 8 | Protected against submersion Beschermd tegen permanente onderdompeling Protection contre l'immersion permanente Gegen dauerndes Untertauchen |

NOTES

NOTES



COLOR CODE

| | | | | | |
|----|---------------------------|-----------------------------|--------------------------|----------------------------|----------------------|
| 00 | Brushed natural aluminium | Natuur geborsteld aluminium | Aluminium brossé naturel | Natuur gebürstet Aluminium | Φυσικο Αλουμινιο |
| 01 | White | Wit | Blanc | Weiß | Λευκο |
| 02 | Black | Zwart | Noir | Schwarz | Μαυρο |
| 04 | Brushed Stainless Steel | Geborsteld Inox | Inox brossé | Edelstahl gebürstet | Ανοξειδωτο |
| 05 | Silver Grey | Metaalgrijs | Gris métal | Metallgrau | Γκρι Μεταλικο |
| 06 | Grey | Grijs | Gris | Grau | Γκρι |
| 09 | Bronze | Brons | Bronze | Altmessing | Μπρονζε |
| 10 | Bright gold | Glanzend goud | Doré brillant | Glanzgold | Χρυσο |
| 19 | Brushed mat Chrome | Geborsteld mat Chrome | Chrome brossé mat | Matt Chrom gebürstet | Νικελ ματ |
| 32 | Anodised Aluminium | Geanodiseerd Aluminium | Aluminium anodisé | Aluminium anodisiert | Ανοδιωμενο αλουμινιο |
| 39 | Grey | Grijs | Gris | Grau | Γκρι |

LEGEND

| | | | | | |
|--------------|----------------------------|------------------------|---------------------------|-------------------------|-----------------------|
| | Fixture Class 1 | Toestel klasse 1 | Appareil classe 1 | Gerät Klasse 1 | Κλαση 1 |
| | Fixture Class 2 | Toestel klasse 2 | Appareil classe 2 | Gerät Klasse 2 | Κλαση 2 |
| | Fixture Class 3 | Toestel klasse 3 | Appareil classe 3 | Gerät Klasse 3 | Κλαση 3 |
| CE | CE Standard | CE Norm | Norme CE | CE Norm | CE |
| IP/IK | Degree of protection | Beschermingsindicatie | Degré de protection | Schutzklasse | Βαθμοδ στεγανωτηταδ |
| | Distance to another object | Afstand tot een object | Distance d'un autre objet | Abstand zu einem Objekt | Αποσταση αντικειμενου |
| | Net Weight Kg | Netto gewicht Kg | Poids net Kg | Nettogewicht Kg | Βαροδ Κιλο |

Catalogue edition 04/2020

The data in this catalogue are provided in good faith and only for your information. This data may not be used against TerZo Light / BEL Lighting, who reserves the right to alter all product data any time, without any notice. The general BEL LIGHTING conditions of sale are always applicable. Nothing in this catalogue may be reproduced without written permission from the BEL LIGHTING company.

TerZo Light

A BRAND OF BEL LIGHTING Group

Zoning industriel de Saintes, Avenue Ernest Solvay 42

BE 1480 Saintes (Tubize) - Belgium

tel: + 32 (0)2 3552428 fax: + 32 (0)2 3550396

web: www.terzo-light.com

email: info@terzo-light.com