

# NEWS 2020

VIRTUAL CATALOGUE

**onok**  
lighting

# onok


---

Onok was founded in 1994 as a high quality lighting components manufacturer. Onok fast became one of the leading companies in the Spanish markets. Specialised in the design, manufacturing and distribution of technical lighting for indoor and outdoor use, both in the domestic and exportation markets.

We have the pleasure to introduce you the new products.


## Click System

Pages 4-29




## Balo System

Pages 38-41




## Hoop

Pages 46-57




## Zoom

Pages 36-37




## Tube System

Pages 42-45




## Balo Pendant

Pages 58-59



## RingBox Surface


Pages 32-35



# CLICK SYSTEM

FEEL FREE TO  
CREATE YOUR  
OWN ESPACE







# CLICK PROFILE

CLICK SYSTEM

COLOURS



CORNER



## CLICK DOT CLICK SYSTEM

CRI >90

DALI | CASAMBI | BLUETOOTH

2.7K | 3K | 4K

19° - 30°

1000 - 2000 lumens



## CLICK DOT TILT CLICK SYSTEM


CRI >90

DALI | CASAMBI | BLUETOOTH

2.7K | 3K | 4K

16° - 36°


1000 - 2000 lumens





## CLICK STRAIGHT CLICK SYSTEM

CRI >90  
DALI | CASAMBI | BLUETOOTH  
2.7K | 3K | 4K  
100°  
1000 - 2500 lumens





## CLICK FOCUS CLICK SYSTEM


CRI >90

DALI | CASAMBI | BLUETOOTH

2.7K | 3K | 4K

16° - 25° - 40°

500 - 700 - 1300 - 3000 lumens





## **CLICK ZOOM** CLICK SYSTEM

CRI >90


DALI | CASAMBI | BLUETOOTH

3K

Adjustable 15° to 55°

1100 lumens





## CLICK TUBE CLICK SYSTEM

CRI >90

DALI | CASAMBI | BLUETOOTH

2.7K | 3K | 4K

25°

2x500 lumens





## **CLICK BALO** CLICK SYSTEM

CRI >90

DALI | CASAMBI | BLUETOOTH

2.7K | 3K | 4K

150°

2x500 lumens



# CLICK MONT CLICK SYSTEM


CRI >90

DALI | CASAMBI | BLUETOOTH



3K

35°

2x755 lumens





1000 &  
1500 mm  
version



## **CLICK LINEAR** CLICK SYSTEM

CRI >85  
DALI | CASAMBI | BLUETOOTH  
3K | 4K  
100°  
5000 lumens





## **CLICK WALLWASHER** CLICK SYSTEM

CRI >90

DALI | CASAMBI | BLUETOOTH

3K


30°

1100 lumens




## PROFILES + LUMINAIRES


▲ Profile 1 Meter / Max. 2 luminaires




▲ Profile 1.5 Meters / Max. 3 luminaires



## HOW TO INSTALL?



1. Install profile and connect electronic modules



2. Connect luminaires and close profile



# RINGO BOX SURFACE CARDANS


CRI >85

DALI

2.7 | 3K | 4K

26° - 40° - 60°

600 - 1100 - 2500 - 3200 lumens



120 mm & 100 mm  
Black & White

# ZOOM PROJECTORS


CRI >85

DALI


3K

Adjustable 15° to 55°


1100 lumens




RECESSED



SURFACE




TRACK



# BALO SYSTEM

PENDANT SYSTEMS





## BALO SYSTEM PENDANT SYSTEMS


CRI >90

DALI

3K

120°

400 - 500 - 700 lumens





## **TUBE SYSTEM**

PENDANT SYSTEMS

## TUBE SYSTEM PENDANT SYSTEMS


CRI >90

DALI

3K

25°

500 lumens



# HOOP


SURFACE, PENDANT & TABLE

BLACK & WHITE




# hoop pendant luminary

Ø 500  
Ø 700  
Ø 900



3K  
2'7K



## HOOP EXTERIOR & INTERIOR HORIZONTAL PENDANTS

CRI >90

NO DIM

2.7K | 3K

120°

2100 - 3100 - 4300 lumens




Ø500  
Ø700  
Ø900



Ø500  
Ø700  
Ø900





## HOOP INTERIOR VERTICAL PENDANTS


CRI >90

NO DIM

2.7K | 3K

120°

2100 - 3100 - 4300 lumens



Ø500  
Ø700  
Ø900



## HOOP TABLE LAMP

### HOOP FAMILY


CRI >90

NO DIM

2.7K | 3K

120°

2100 - 3100 lumens



Ø500  
Ø700



## MIDHOOP PENDANTS

CRI >90

NO DIM

2.7K | 3K

120°

500 - 700 - 1000 lumens





## **BALO** PENDANTS

CRI >90

NO DIM | DALI

2.7K | 3K

150°

400 - 500 - 700 lumens



Ø60



Ø90



Ø150

**onok**  
lighting