


davide groppi

WIRELESS	5	SUSPENSION	79	SISTEMI	199
35MM	25	CARTESIO	109	DOT SISTEMA - cETLus certification	243
BUGIA	13	CATHODE	103	ENDLESS 1	225
CLIP	21	ChainDelier 1	111	ENDLESS 2	227
LIGHT MY FIRE	29	ChainDelier 2	113	FLASH 6 - cETLus certification	205
PoPuP	15	FOSBURY	89	FLASH 12 - cETLus certification	207
PROFUMO D'ESTATE	23	LED IS MORE 1	81	INFINITO 6 - cETLus certification	201
QuiQuoQua	19	LED IS MORE 2	83	INFINITO 12 - cETLus certification	203
TETATET	7	MISS 1 - cETLus certification	99	OHM ABSOLUTE	215
TETATET FLÛTE	11	MISS 2 - cETLus certification	101	OHM ROUNDTRIP	219
		MOON 120	95	SISTEMA - EUTRAC cULus certification	241
		MOON 200	95	SPOT ENDLESS	235
TABLE	31	MOON 60	91		
ABA 45	41	MOON 60 DE	93		
CALVINO	43	MOON 80	91	CEILING	181
EDI SON	33	NEURO - cETLus certification	85	DOT PL	189
MOON T	39	OVO	107	HAKO PL LED	197
MORSETTO	45	OVONELPIATTO	105	MINI PL - cETLus certification	193
PALPEBRA	35	SHANGHAI	117	NULLA PL	187
PIGRECO	37	SIMBIOSI	97	PUNTO PL	195
TOMOKO	47			SANMARTINO	183
				SOLEMIO	185
		WALL	121	TRICK TRACK	191
FLOOR	49	CHARLES	177		
ABA 120	73	DOT P - cETLus certification	135		
BANNER 230	67	EDISON'S NIGHTMARE	167	RECESSED	245
HASHI	61	FILM	179	MINI - cETLus certification	259
MASAI	57	FOIL	155	MINI BIT - cETLus certification	261
MISTER	69	FOIL LED - cETLus certification	155	MIRA R - cETLus certification	263
MOON F	75	FOLDER	159	NULLA - cETLus certification	247
MOVIE	65	MERIDIANA	141	NULLA 25 - cETLus certification	253
PABLO	63	MIRA - cETLus certification	123		
Q	71	MIRA MAGNETIC	127		
SAMPEI 230	51	MIRA MAGNETIC P	131	OUTDOOR	265
SAMPEI 260	51	MIRA SWITCH - cETLus certification	125	BUBKA	271
SAMPEI 290	53	MORSETTO P	139	GRILLO	269
SAMPEI 440	53	OZEN - cETLus certification	163	IMU	267
SHOJI	77	OZEN VETRO - cETLus certification	165	LENTA	273
		PAGINA	169	SAMPEI 440 OUTDOOR	277
		PIÙ - cETLus certification	161	SHOJI OUTDOOR	275
		RAIL	173		
		SOL 1	151		
		SOL 1 LED - cETLus certification	151	COMMERCIAL TERMS	279
		SOL 2	153	ALPHABETICAL INDEX	283
		SOL 2 LED - cETLus certification	153		
		SPOT	137		
		TOAST - cETLus certification	147	COMMERCIAL TERMS	279
		TOAST LED - cETLus certification	145	ALPHABETICAL INDEX	283


WIRELESS



Compasso d'Oro ADI
Mention of Honour
2016

DESIGN DAVIDE GROPPI - 2013
TABLE LAMP - METAL - METHACRYLATE

TETATET



17050303	MATT WHITE - 3000K	2 W LED - 183 lm - CRI>80 RECHARGEABLE BATTERY 4,8 V NiMH 4500 mAh MAGNETIC FIXING - INCLUDES CHARGER INPUT 100-240 V - 50/60 Hz BATTERY LIFE TEN HOURS MINIMUM 3 PIECES
17050303-27	MATT WHITE - 2700K	

OPTIONAL ACCESSORIES


18890303	MATT WHITE	RECHARGEABLE BATTERY 4,8 V NiMH 4500 mAh
50650610	STANDARD	CHARGER INPUT 100-240 V - 50/60 Hz - OUTPUT 800 mA DC - 4,8-12 V - 36 W - IP20





DESIGN DAVIDE GROPPÌ - 2017
TABLE LAMP - METAL - METHACRYLATE


TETATET Flûte



18970303	MATT WHITE - 3000K	2 W LED - 180 lm - CRI>80
18970303-27	MATT WHITE - 2700K	RECHARGEABLE LITHIUM BATTERY 5 V DC - Li-Poly 3900 mAh - MICRO USB
		TRANSPARENT STEM - MAGNETIC FIXING
		INCLUDES CHARGER INPUT 100-240 V - 50/60 Hz
		BATTERY LIFE NINE HOURS
		MINIMUM 3 PIECES

OPTIONAL ACCESSORIES


50650660	STANDARD	CHARGER
		INPUT 100-240 V - 50/60 Hz - OUTPUT 5 V DC - 5 W - IP20



19490803	BRUSHED BRASS	2 W LED - 3000K - 120 lm - CRI> 80 RECHARGEABLE LITHIUM BATTERY 5 V DC - Li-Poly 3900 mAh - MICRO USB MATT WHITE DIFFUSER - BRASS BASE INCLUDES CHARGER INPUT 100-240 V - 50/60 Hz BATTERY LIFE NINE HOURS

OPTIONAL ACCESSORIES

50650660	STANDARD	CHARGER INPUT 100 -240 V - 50/60 Hz - OUTPUT 5 V DC - 5 W - IP20



18450303	MATT WHITE	2 W LED - 3000K - 183 lm - CRI> 80 5 W AUDIO - 50-20000 Hz RECHARGEABLE BATTERY 12 V NiMH 3700 mAh MAGNETIC FIXING - INCLUDES CHARGER INPUT 100-240 V - 50/60 Hz BATTERY LIFE: TWELVE HOURS FOR LIGHT ONLY AND THIRTY HOURS FOR AUDIO ONLY AT MEDIUM VOLUME

OPTIONAL ACCESSORIES


18900303	MATT WHITE	RECHARGEABLE BATTERY 12 V NiMH 3700 mAh

50650610	STANDARD	CHARGER INPUT 100-240 V - 50/60 Hz - OUTPUT 800 mA DC - 4,8-12 V - 36 W - IP20








SHADE



LED MODULE



CEILING ROSE





18940303	MATT WHITE	5 W LED - 3000K - 345 lm - CRI> 80 RECHARGEABLE LITHIUM BATTERY 9 V DC - Li-Ion 5800 mAh MAGNETIC LED MODULE - BLACK LED MODULE CHARGER INCLUDED INPUT 100-240 V - 50/60 Hz BATTERY LIFE EIGHT HOURS

OPTIONAL ACCESSORIES

1A0570403	MATT BLACK	MAGNETIC LED MODULE 5 W LED - 3000K - 345 lm - CRI> 80 RECHARGEABLE LITHIUM BATTERY 9 V DC - Li-Ion 5800 mAh - BATTERY LIFE EIGHT HOURS

1A0510003	STANDARD	SLOPED CEILING FIXING KIT SEE PAGE 119

50650620	STANDARD	CHARGER INPUT 100-240 V - 50/60 Hz - OUTPUT 9 V DC - 20 W - IP20



19570303	MATT WHITE - 3000K	2 W LED - 180 lm - CRI>80 RECHARGEABLE LITHIUM BATTERY 5 V DC - Li-Poly 3900 mAh - MICRO USB WHITE WALL FITTING INCLUDES CHARGER INPUT 100-240 V - 50/60 Hz BATTERY LIFE NINE HOURS
19570303-27	MATT WHITE - 2700K	


OPTIONAL ACCESSORIES

50650660	STANDARD	CHARGER INPUT 100-240 V - 50/60 Hz - OUTPUT 5 V DC - 5 W - IP20



DESIGN DAVIDE GROPPI - MICHELE GROPPI - 2013
TABLE LAMP - GLASS - METAL

PROFUMO D'ESTATE




17020303	MATT WHITE	LED MODULE WITH BATTERY TOUCH SWITCH BATTERIES 3 x 1,5 V AAA




DESIGN ALESSANDRA DALLAGIOVANNA - DAVIDE GROPPI - 2009
PENDANT - METAL - POLYCARBONATE

35MM




15090003	STANDARD	0,3 W LED BATTERIES 2 x CR2032 INCLUDED SLOWLY FLASHING LIGHT CUSTOMIZABLE IMAGE - IMAGE NOT INCLUDED MINIMUM 10 PIECES





DESIGN OMAR CARRAGLIA - DAVIDE GROPPÌ - 2014
CANDLE - METAL - GLASS

LIGHT MY FIRE



17520303	MATT WHITE	CANDLE INCLUDED MINIMUM 8 PIECES


OPTIONAL ACCESSORIES

18200003	STANDARD	10 CANDLES
----------	----------	------------




DESIGN DAVIDE GROPPÌ - 2005
TABLE LAMP - METAL


EDI SON



13470303	MATT WHITE	120 V - 60 Hz - MAX 40 W - G40 GLOBOLUX WHITE CABLE - DIMMER - BULB NOT INCLUDED



13390303	MATT WHITE	120 V - 60 Hz - MAX 40 W - E12
		WHITE CABLE - DIMMER - BULB NOT INCLUDED




19300003	STANDARD	24 V DC - 6,5 W LED - 3000K - 450 lm - CRI>90 BLACK CABLE - DIMMER INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz




DESIGN DAVIDE GROPPÌ - 2019
TABLE LAMP - JAPANESE PAPER - METAL - PE

MOON T



19800003	STANDARD	120 V - 60 Hz - MAX 18 W LED - E26 WHITE CABLE - DIMMER - BULB NOT INCLUDED




14630303	MATT WHITE	120 V - 60 Hz - MAX 60 W - G40 GLOBOLUX WHITE CABLE - DIMMER - BULB NOT INCLUDED




DESIGN DAVIDE GROPPÌ - 2018
TABLE LAMP - BRASS - METAL - METHACRYLATE


CALVINO



19480003	STANDARD - 3000K	24 V DC - 18 W LED - 1372 lm - CRI > 80 BRASS STEM - MIRROR - BLACK CABLE - BLACK BASE ADJUSTABLE - DIMMER INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz
19480003-27	STANDARD - 2700K	




19070403	MATT BLACK	24 V DC - 13 W LED - 3000K - 823 lm - CRI>90 BLACK CABLE - RED LEVER CLAMP ADJUSTABLE - DIMMER INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz



DESIGN AMEDEO G. CAVALCHINI WITH NOEMI LATTANZIO - 2017
TABLE LAMP - METAL - METHACRYLATE

TOMOKO



19290303	MATT WHITE	120 V - 60 Hz
		50 W LED - 2200K + 45 W LED - 5000K - 3000 lm - CRI> 80
		WHITE CABLE - ADJUSTABLE LIGHT FROM WARM WHITE COLOUR TO COOL WHITE COLOUR
		DIMMER

FLOOR





Compasso d'Oro ADI
Award 2014

DESIGN ENZO CALABRESE - DAVIDE GROPPI - 2011
FLOOR LAMP - FIBERGLASS - METAL

SAMPEI

DRIVER





18310303	MATT WHITE - 3000K	SAMPEI 230 120 V - 60 Hz - 15 W LED 1456 lm (3000K) / 1370 lm (2700K) - CRI 90 WHITE CABLE - ADJUSTABLE - DIMMER
18310303-27	MATT WHITE - 2700K	
18310403	MATT BLACK - 3000K	SAMPEI 230 120 V - 60 Hz - 15 W LED 1456 lm (3000K) / 1370 lm (2700K) - CRI 90 BLACK CABLE - ADJUSTABLE - DIMMER
18310403-27	MATT BLACK - 2700K	
18320303	MATT WHITE - 3000K	SAMPEI 260 120 V - 60 Hz - 15 W LED 1456 lm (3000K) / 1370 lm (2700K) - CRI 90 WHITE CABLE - ADJUSTABLE - DIMMER
18320303-27	MATT WHITE - 2700K	
18320403	MATT BLACK - 3000K	SAMPEI 260 120 V - 60 Hz - 15 W LED 1456 lm (3000K) / 1370 lm (2700K) - CRI 90 BLACK CABLE - ADJUSTABLE - DIMMER
18320403-27	MATT BLACK - 2700K	




DESIGN ENZO CALABRESE - DAVIDE GROPPI - 2011
FLOOR LAMP - FIBERGLASS - METAL

SAMPEI

DRIVER




18330303	MATT WHITE - 3000K	SAMPEI 290 120 V - 60 Hz - 15 W LED 1456 lm (3000K) / 1370 lm (2700K) - CRI 90 WHITE CABLE - ADJUSTABLE - DIMMER
18330303-27	MATT WHITE - 2700K	
18330403	MATT BLACK - 3000K	SAMPEI 290 120 V - 60 Hz - 15 W LED 1456 lm (3000K) / 1370 lm (2700K) - CRI 90 BLACK CABLE - ADJUSTABLE - DIMMER
18330403-27	MATT BLACK - 2700K	
18340303	MATT WHITE - 3000K	SAMPEI 440 120 V - 60 Hz - 15 W LED 1584 lm (3000K) / 1491 lm (2700K) - CRI 90 WHITE CABLE - ADJUSTABLE - DIMMER
18340303-27	MATT WHITE - 2700K	
18340403	MATT BLACK - 3000K	SAMPEI 440 120 V - 60 Hz - 15 W LED 1584 lm (3000K) / 1491 lm (2700K) - CRI 90 BLACK CABLE - ADJUSTABLE - DIMMER
18340403-27	MATT BLACK - 2700K	







CEILING ROSE



DRIVER



18060303	MATT WHITE - 3000K	120 V - 60 Hz - 15 W LED - 619 lm - CRI>90 POWER SUPPLY WITH PLUG - COAXIAL CABLE DIMMER
18060303-27	MATT WHITE - 2700K	
18060803	BRUSHED BRASS - 3000K	
18060803-27	BRUSHED BRASS - 2700K	

OPTIONAL ACCESSORIES



1A0510003	STANDARD	SLOPED CEILING FIXING KIT SEE PAGE 119




MASAI






DRIVER





19030403	MATT BLACK - 3000K	120 V - 60 Hz - 13 W LED - 823 lm - CRI>90 BLACK CABLE - ADJUSTABLE - DIMMER
19030403-27	MATT BLACK - 2700K	
19030803	BRUSHED BRASS - 3000K	
19030803-27	BRUSHED BRASS - 2700K	





DRIVER



18180003	STANDARD	120 V - 60 Hz - 28 W LED - RGB WIRELESS CONTROL POWER SUPPLY WITH PLUG - TRANSPARENT CABLE





17720303	MATT WHITE	120 V - 60 Hz
17721303	BLACK BRUSHED INOX	38 W LED - 2700K - 2832 lm - CRI > 90
		32 W LED - RGB
		RGBW WIRELESS CONTROL
		BLACK CABLE





12700303	MATT WHITE	120 V - 60 Hz - 4 x 54 W - G5 POWER SUPPLY WITH PLUG - WHITE CABLE - DIMMER - FLUORESCENT BULBS INCLUDED
		 4 x 54 W FLUORESCENT - 3000K - 4 x 5000 lm - CRI 80 - DIMMABLE



DRIVER



17190303	MATT WHITE - 3000K	120 V - 60 Hz - 28,5 W LED - 2884 lm - CRI>90 WHITE CABLE - DIMMER
17190303-27	MATT WHITE - 2700K	
17190403	MATT BLACK - 3000K	120 V - 60 Hz - 28,5 W LED - 2884 lm - CRI>90 BLACK CABLE - DIMMER
17190403-27	MATT BLACK - 2700K	




18920003	STANDARD	120 V - 60 Hz - MAX 10 W LED - GU10 BULB NOT INCLUDED



DESIGN OMAR CARRAGLIA - 2007
FLOOR LAMP - METAL - METHACRYLATE

ABA 120




15560303	MATT WHITE	120 V - 60 Hz - MAX 60 W - G40 GLOBOLUX WHITE CABLE - DIMMER - BULB NOT INCLUDED



DESIGN DAVIDE GROPPÌ - 2010
FLOOR LAMP - JAPANESE PAPER - METAL - PE

MOON F




14820003	STANDARD	120 V - 60 Hz - MAX 25 W LED - E26 WHITE CABLE - DIMMER - BULB NOT INCLUDED




DESIGN DAVIDE GROPPI - PAOLA LENTI - 2013
FLOOR LAMP - METAL - PBT - POLYCARBONATE

SHOJI





18850003	STANDARD	120 V - 60 Hz - MAX 18 W LED - E26 BLACK CABLE - DIMMER - BULB NOT INCLUDED



DESIGN DAVIDE GROPPI - 2011
SUSPENSION LAMP - METAL - METHACRYLATE

LED IS MORE 1



CEILING ROSE



17610303	MATT WHITE	120 V - 60 Hz - 4 W LED - 3000K - 354 lm - CRI > 90 WHITE CABLE - WHITE CEILING ROSE - NOT DIMMABLE OPTIONAL ACCESSORIES SUSPENSION KIT - SEE PAGE 119



CEILING ROSE



17620303	MATT WHITE	MAX 350 mA DC - MAX 4 W LED - 3000K - 354 lm - CRI > 90 WHITE CABLE - WHITE CEILING ROSE INSTALLATION ON PLASTERBOARD WITH FLAT ROSE AND MAGNETIC FIXING COMPULSORY INSTALLATION KIT INCLUDED PLASTERBOARD CUT-OUT 85 x 97 mm MINIMUM SPACE FOR MOUNTING 120 mm INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz - OUTPUT 350 mA DC - NOT DIMMABLE





DESIGN DAVIDE GROPPI - BEPPE MERLANO - 2013
SUSPENSION LAMP - METAL



NEURO

CLAMP




17130303	MATT WHITE	120 V - 60 Hz - MAX 10 W LED - GU10 POWER SUPPLY WITH PLUG - WHITE CABLE 10 m INCLUDES SWITCH THAT MUST BE WIRED FIVE CLAMPS INCLUDED - BULB NOT INCLUDED
17130403	MATT BLACK	120 V - 60 Hz - MAX 10 W LED - GU10 POWER SUPPLY WITH PLUG - BLACK CABLE 10 m INCLUDES SWITCH THAT MUST BE WIRED FIVE CLAMPS INCLUDED - BULB NOT INCLUDED


OPTIONAL ACCESSORIES		
17470303	MATT WHITE	WALL AND CEILING ROSE
17470403	MATT BLACK	
17270303	MATT WHITE	CLAMP
17270403	MATT BLACK	



POWER SUPPLY WITH PLUG INSTALLATION




WALL AND CEILING ROSE INSTALLATION







CEILING ROSE





BASE



17540403	MATT BLACK - 3000K	120 V - 60 Hz - 15 W LED - 560 lm - CRI > 90 POWER SUPPLY WITH PLUG - TRANSPARENT CABLE DUAL EMISSION - NOT DIMMABLE OPTIONAL ACCESSORIES SUSPENSION KIT - SEE PAGE 119
17540403-27	MATT BLACK - 2700K	



CEILING ROSE





15150003	STANDARD	MOON 60 120 V - 60 Hz - MAX 25 W LED - E26 WHITE CABLE - WHITE CEILING ROSE - BULB NOT INCLUDED OPTIONAL ACCESSORIES SUSPENSION KIT - SEE PAGE 119
13720003	STANDARD	MOON 80 120 V - 60 Hz - MAX 25 W LED - E26 WHITE CABLE - WHITE CEILING ROSE - BULB NOT INCLUDED OPTIONAL ACCESSORIES SUSPENSION KIT - SEE PAGE 119



DESIGN DAVIDE GROPPÌ - 2005
SUSPENSION LAMP - JAPANESE PAPER - PE

MOON 60 DE

CEILING ROSE





16570003	STANDARD	120 V - 60 Hz - MAX 25 W LED - E26 + MAX 10 W LED - GU10 TRANSPARENT CABLE - WHITE CEILING ROSE DUAL EMISSION - BULBS NOT INCLUDED OPTIONAL ACCESSORIES SUSPENSION KIT - SEE PAGE 119



DESIGN DAVIDE GROPPÌ - 2005
SUSPENSION LAMP - JAPANESE PAPER - PE


MOON 120 / MOON 200

CEILING ROSE





19860003	STANDARD	MOON 120 120 V - 60 Hz - MAX 2 x 25 W LED - E26 WHITE CABLE - WHITE CEILING ROSE - BULBS NOT INCLUDED OPTIONAL ACCESSORIES SUSPENSION KIT - SEE PAGE 119


18780003	STANDARD	MOON 200 120 V - 60 Hz - MAX 4 x 25 W LED - E26 WHITE CABLE - WHITE CEILING ROSE - BULBS NOT INCLUDED





CEILING ROSE



18040303	MATT WHITE - 3000K	120 V - 60 Hz - 15 W LED - 960 lm - CRI>90 WHITE CEILING ROSE - 1-10 V - PUSH DIMMABLE OPTIONAL ACCESSORIES SUSPENSION KIT - SEE PAGE 119
18040303-27	MATT WHITE - 2700K	




CEILING ROSE



16100303	MATT WHITE - 3000K	120 V - 60 Hz - 5,5 W LED - 312 lm - CRI>90 WHITE CABLE - WHITE CEILING ROSE - NOT DIMMABLE OPTIONAL ACCESSORIES SUSPENSION KIT - SEE PAGE 119
16100303-27	MATT WHITE - 2700K	
16100403	MATT BLACK - 3000K	
16100403-27	MATT BLACK - 2700K	
16100803	BRUSHED BRASS - 3000K	120 V - 60 Hz - 5,5 W LED - 312 lm - CRI>90 BLACK CABLE - BLACK CEILING ROSE - NOT DIMMABLE OPTIONAL ACCESSORIES SUSPENSION KIT - SEE PAGE 119
16100803-27	BRUSHED BRASS - 2700K	





CEILING ROSE



16110303	MATT WHITE - 3000K	MAX 350 mA DC - MAX 4 W LED - 312 lm - CRI >90 WHITE CABLE - WHITE CEILING ROSE
16110303-27	MATT WHITE - 2700K	INSTALLATION ON PLASTERBOARD WITH FLAT ROSE AND MAGNETIC FIXING COMPULSORY INSTALLATION KIT INCLUDED
16110403	MATT BLACK - 3000K	PLASTERBOARD CUT-OUT 85 x 97 mm - MINIMUM SPACE FOR MOUNTING 120 mm INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz - OUTPUT 350 mA DC - NOT DIMMABLE
16110403-27	MATT BLACK - 2700K	
16110803	BRUSHED BRASS - 3000K	MAX 350 mA DC - MAX 4 W LED - 312 lm - CRI >90 BLACK CABLE - BLACK CEILING ROSE
16110803-27	BRUSHED BRASS - 2700K	INSTALLATION ON PLASTERBOARD WITH FLAT ROSE AND MAGNETIC FIXING COMPULSORY INSTALLATION KIT INCLUDED
		PLASTERBOARD CUT-OUT 85 x 97 mm - MINIMUM SPACE FOR MOUNTING 120 mm INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz - OUTPUT 350 mA DC - NOT DIMMABLE



CEILING ROSE




18150303	MATT WHITE - 3000K	120 V - 60 Hz - 5,5 W LED - 286 lm - CRI>90 WHITE CABLE - WHITE CEILING ROSE - NOT DIMMABLE OPTIONAL ACCESSORIES SUSPENSION KIT - SEE PAGE 119
18150303-27	MATT WHITE - 2700K	
18150803	BRUSHED BRASS - 3000K	120 V - 60 Hz - 5,5 W LED - 286 lm - CRI>90 BLACK CABLE - BLACK CEILING ROSE - NOT DIMMABLE OPTIONAL ACCESSORIES SUSPENSION KIT - SEE PAGE 119
18150803-27	BRUSHED BRASS - 2700K	



DESIGN MASSIMILIANO ALAJMO - RAFFAELE ALAJMO - 2010
SUSPENSION LAMP - METAL

OVONELPIATTO



CEILING ROSE



15680303	MATT WHITE	120 V - 60 Hz - MAX 20 W 12 V - GU4 WHITE CABLE - WHITE CEILING ROSE - LED BULB INCLUDED
		3,5 W LED - 2700K - 210 lm - CRI 80




CEILING ROSE





15670303	MATT WHITE	120 V - 60 Hz - MAX 20 W 12 V - GU4 WHITE CABLE - WHITE CEILING ROSE - LED BULB INCLUDED
		3,5 W LED - 2700K - 210 lm - CRI 80




CEILING ROSE



SHADE




19560003	STANDARD	120 V - 60 Hz - 3,6 W LED - 3000K - 300 lm - CRI>80 (DOWN) - 10,8 W LED - 3000K - 930 lm - CRI>90 (UP) MIRROR INOX REFLECTOR - WHITE CEILING ROSE - WHITE CABLE DUAL EMISSION - 1-10 V - PUSH DIMMABLE
1A0070003	CARTESIO Ø 900 - SPECIAL VERSION	



19880003	STANDARD - 3000K	ChainDelier 1-1 120 V - 60 Hz - 1 x 5 W LED - 350 lm - CRI > 90 40 GOLD FINISH LINKS - BIG GOLD FINISH CEILING ROSE 0-10 V DIMMABLE OPTIONAL ACCESSORIES SEE PAG 115
19880003-27	STANDARD - 2700K	
19900003	STANDARD - 3000K	ChainDelier 1-2 120 V - 60 Hz - 2 x 5 W LED - 2 x 350 lm - CRI > 90 60 GOLD FINISH LINKS - BIG GOLD FINISH CEILING ROSE 0-10 V DIMMABLE OPTIONAL ACCESSORIES SEE PAG 115
19900003-27	STANDARD - 2700K	
19920003	STANDARD - 3000K	ChainDelier 1-3 120 V - 60 Hz - 3 x 5 W LED - 3 x 350 lm - CRI > 90 100 GOLD FINISH LINKS - BIG GOLD FINISH CEILING ROSE - SMALL GOLD FINISH CEILING ROSE 0-10 V DIMMABLE OPTIONAL ACCESSORIES SEE PAG 115
19920003-27	STANDARD - 2700K	






SUGGESTED MEASURES






19870003	STANDARD - 3000K	ChainDelier 2-1 24 V DC - 1 x 5 W LED - 350 lm - CRI>90 40 GOLD FINISH LINKS - 2 GOLD FINISH CEILING ROSE COMPULSORY INSTALLATION KIT INCLUDED - INCLUDES LED DRIVER INPUT 120 V - 60 Hz 0-10 V DIMMABLE - OPTIONAL ACCESSORIES SEE PAG 115
19870003-27	STANDARD - 2700K	
19890003	STANDARD - 3000K	ChainDelier 2-2 24 V DC - 2 x 5 W LED - 2 x 350 lm - CRI>90 60 GOLD FINISH LINKS - 2 GOLD FINISH CEILING ROSE COMPULSORY INSTALLATION KIT INCLUDED - INCLUDES LED DRIVER INPUT 120 V - 60 Hz 0-10 V DIMMABLE - OPTIONAL ACCESSORIES SEE PAG 115
19890003-27	STANDARD - 2700K	
19910003	STANDARD - 3000K	ChainDelier 2-3 24 V DC - 3 x 5 W LED - 3 x 350 lm - CRI>90 100 GOLD FINISH LINKS - 3 GOLD FINISH CEILING ROSE COMPULSORY INSTALLATION KIT INCLUDED - INCLUDES LED DRIVER INPUT 120 V - 60 Hz 0-10 V DIMMABLE - OPTIONAL ACCESSORIES SEE PAG 115
19910003-27	STANDARD - 2700K	

ChainDelier 1



ChainDelier 2 SUGGESTED MEASURES




OPTIONAL ACCESSORIES



1A0380003	STANDARD - 3000K	24 V DC - 5 W LED - 350 lm - CRI>90 LED MODULE - MAX 5 MODULES FOR DRIVER	
1A0380003-27	STANDARD - 2700K		

1A0730003	STANDARD	10 GOLD FINISH LINKS	


1A0390003	STANDARD (+ POSITIVE)	GOLD FINISH CEILING ROSE	
1A0400003	STANDARD (- NEGATIVE)		




CEILING ROSE





17120303	MATT WHITE - 3000K	120 V - 60 Hz - 15 W LED - 619 lm - CRI>90 COAXIAL CABLE - WHITE CEILING ROSE 1-10 V - PUSH DIMMABLE OPTIONAL ACCESSORIES SUSPENSION KIT - SEE PAGE 119
17120303-27	MATT WHITE - 2700K	
17120803	BRUSHED BRASS - 3000K	
17120803-27	BRUSHED BRASS - 2700K	



OPTIONAL ACCESSORIES

1A0510003	STANDARD	SLOPED CEILING FIXING KIT COMPATIBLE LAMPS: QuiQuoQua - MASAI - FOSBURY - MOON 120	
1A0520003	STANDARD	SLOPED ROSE FIXING KIT COMPATIBLE LAMPS: MOON 60 - MOON 60 DE - MOON 80	
1A0530003	STANDARD	SLOPED CEILING FIXING HOOK COMPATIBLE LAMPS: MERIDIANA - SIMBIOSI - SHANGHAI	
17270303	MATT WHITE	CLAMP	
17270403	MATT BLACK		

WALL





18810303	MATT WHITE - 3000K	120 V - 60 Hz - 7,5 W LED - 352 lm - CRI>90 ADJUSTABLE - 1-10 V - PUSH DIMMABLE
18810303-27	MATT WHITE - 2700K	
18810403	MATT BLACK - 3000K	
18810403-27	MATT BLACK - 2700K	

18980303	MATT WHITE - 3000K	120 V - 60 Hz - 7,5 W LED - 352 lm - CRI>90 ADJUSTABLE - DALI DIMMABLE
18980303-27	MATT WHITE - 2700K	
18980403	MATT BLACK - 3000K	
18980403-27	MATT BLACK - 2700K	



18240303	MATT WHITE - 3000K	120 V - 60 Hz - 7,5 W LED - 352 lm - CRI>90 ADJUSTABLE - NOT DIMMABLE
18240303-27	MATT WHITE - 2700K	
18240403	MATT BLACK - 3000K	
18240403-27	MATT BLACK - 2700K	



DESIGN OMAR CARRAGLIA - 2015
WALL LAMP - METAL





MIRA SWITCH




DESIGN OMAR CARRAGLIA - 2015
WALL LAMP - METAL

MIRA MAGNETIC





18160303	MATT WHITE - 3000K	MAX 500 mA DC - MAX 5,6 W LED - 352 lm - CRI>90 MAGNETIC FIXING - WHITE CABLE 3 m ADJUSTABLE INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz - NOT DIMMABLE
18160303-27	MATT WHITE - 2700K	
18160403	MATT BLACK - 3000K	MAX 500 mA DC - MAX 5,6 W LED - 352 lm - CRI>90 MAGNETIC FIXING - BLACK CABLE 3 m ADJUSTABLE INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz - NOT DIMMABLE
18160403-27	MATT BLACK - 2700K	





DESIGN OMAR CARRAGLIA - 2015
WALL LAMP - METAL

MIRA MAGNETIC P



19550303	MATT WHITE - 3000K	24 V DC - 5,6 W LED - 352 lm - CRI > 90
19550303-27	MATT WHITE - 2700K	POWER SUPPLY WITH PLUG
		MAGNETIC FIXING - WHITE CABLE 5 m
		ADJUSTABLE - DIMMER
		INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz
19550403	MATT BLACK - 3000K	24 V DC - 5,6 W LED - 352 lm - CRI > 90
19550403-27	MATT BLACK - 2700K	POWER SUPPLY WITH PLUG
		MAGNETIC FIXING - BLACK CABLE 5 m
		ADJUSTABLE - DIMMER
		INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz









DESIGN OMAR CARRAGLIA - DAVIDE GROPPÌ - 2015
WALL LAMP - METAL



DOT P



17840303	MATT WHITE	120 V - 60 Hz - MAX 10 W LED - GU10 ADJUSTABLE - WHITE WALL BACK PLATE BULB NOT INCLUDED
17840403	MATT BLACK	



1A05003	MATT WHITE	120 V - 60 Hz - MAX 15 W LED ADJUSTABLE - PUSH - 1-10 V DIMMABLE LED MODULE NOT INCLUDED

COMPULSORY ACCESSORIES

50041500	LED MODULE 15° SPOT	MAX 15 W LED - 15° - 3000K - 1456 lm - CRI 90 - DIMMABLE
50041510	LED MODULE 15° SPOT	MAX 15 W LED - 15° - 2700K - 1350 lm - CRI 90 - DIMMABLE
50041350	LED MODULE 24° SPOT	MAX 15 W LED - 24° - 3000K - 1584 lm - CRI 90 - DIMMABLE
50041450	LED MODULE 24° SPOT	MAX 15 W LED - 24° - 2700K - 1480 lm - CRI 90 - DIMMABLE


OPTIONAL ACCESSORIES

133100	STANDARD	DARKLIGHT
--------	----------	-----------



DESIGN DAVIDE GROPPÌ - 2019
WALL LAMP - METAL



MORSETTO P



19760403	MATT BLACK	24 V DC - 13 W LED - 3000K - 823 lm - CRI>90 BLACK CABLE ADJUSTABLE - DIMMER INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz



CEILING ROSE



1A0680403	MATT BLACK - 3000K	MERIDIANA - REMOTE KIT 24 V DC - 40 W LED - 1623 lm - CRI > 90 COMPULSORY POWER SUPPLY KIT INCLUDED - SEE PAGE 143 INCLUDES LED DRIVER INPUT 120 V - 60 Hz - DALI - PUSH - Q/1-10 V - TRIAC / IGBT - DIMMABLE
1A0680403-27	MATT BLACK - 2700K	

1A0690403	MATT BLACK - 3000K	MERIDIANA - PLUG KIT 24 V DC - 40 W LED - 1623 lm - CRI > 90 COMPULSORY POWER SUPPLY KIT INCLUDED - SEE PAGE 143 INCLUDES LED DRIVER INPUT 120 V - 60 Hz - DIMMABLE
1A0690403-27	MATT BLACK - 2700K	


OPTIONAL ACCESORIES

1A0370003	STANDARD	FIXING ROUGH WALLS - 2,5 m




1A0530003	STANDARD	SLOPED CEILING FIXING HOOK SEE PAGE 119



REMOTE POWER SUPPLY KIT



POWER SUPPLY KIT WITH PLUG






DESIGN DAVIDE GROPPI - ALBERTO ZATTIN - 2011
WALL LAMP - GLASS - METAL



TOAST LED




16500103	POLISHED CHROME - 3000K	120 V - 60 Hz - 12 W LED - 743 lm - CRI>80 WHITE WALL BACK PLATE - NOT DIMMABLE
16500103-27	POLISHED CHROME - 2700K	
16500303	MATT WHITE - 3000K	
16500303-27	MATT WHITE - 2700K	
16500403	MATT BLACK - 3000K	
16500403-27	MATT BLACK - 2700K	
16500803	BRUSHED BRASS - 3000K	
16500803-27	BRUSHED BRASS - 2700K	
16501403	BRUSHED CHROME - 3000K	
16501403-27	BRUSHED CHROME - 2700K	





DESIGN DAVIDE GROPPI - ALBERTO ZATTIN - 2001
WALL LAMP - GLASS - METAL




TOAST




10460103	POLISHED CHROME	120 V - 60 Hz - MAX 100 W - R7s WHITE WALL BACK PLATE - BULB NOT INCLUDED
10460303	MATT WHITE	
10460403	MATT BLACK	
10460803	BRUSHED BRASS	
10461403	BRUSHED CHROME	






16590303	MATT WHITE - 3000K	SOL 1 LED 120 V - 60 Hz - 18 W LED - 1305 lm - CRI>80 WHITE WALL BACK PLATE - TRIAC DIMMABLE 
16590303-27	MATT WHITE - 2700K	
16590403	MATT BLACK - 3000K	
16590403-27	MATT BLACK - 2700K	

13400303	MATT WHITE	SOL 1 120 V - 60 Hz - MAX 150 W - R7s WHITE WALL BACK PLATE - BULB NOT INCLUDED
13400403	MATT BLACK	



16600303	MATT WHITE - 3000K	SOL 2 LED 120 V - 60 Hz - 27 W LED - 1959 lm - CRI>80 WHITE WALL BACK PLATE - TRIAC DIMMABLE 
16600303-27	MATT WHITE - 2700K	
16600403	MATT BLACK - 3000K	
16600403-27	MATT BLACK - 2700K	


14710303	MATT WHITE	SOL 2 120 V - 60 Hz - MAX 200 W - R7s WHITE WALL BACK PLATE - BULB NOT INCLUDED
14710403	MATT BLACK	



16610303	MATT WHITE - 3000K	FOIL LED 120 V - 60 Hz - 27 W LED - 1959 lm - CRI>80 WHITE WALL BACK PLATE - TRIAC DIMMABLE 
16610303-27	MATT WHITE - 2700K	
16610403	MATT BLACK - 3000K	
16610403-27	MATT BLACK - 2700K	

15170303	MATT WHITE	FOIL 120 V - 60 Hz - MAX 200 W - R7s WHITE WALL BACK PLATE - BULB NOT INCLUDED
15170403	MATT BLACK	






17160303	MATT WHITE - 3000K	120 V - 60 Hz - 18 W LED - 416 lm - CRI>80 DALI - 1-10 V - PUSH DIMMABLE
17160303-27	MATT WHITE - 2700K	



DESIGN DAVIDE GROPPI - 2007
WALL LAMP - METAL



PIÙ




14520303	MATT WHITE	120 V - 60 Hz - MAX 120 W - R7s BULB NOT INCLUDED




DESIGN DAVIDE GROPPÌ - 1999
WALL LAMP - METAL



OZEN




10360103	POLISHED CHROME	120 V - 60 Hz - MAX 60 W - G9 WHITE WALL BACK PLATE - BULB NOT INCLUDED
10360303	MATT WHITE	
10361403	BRUSHED CHROME	



DESIGN DAVIDE GROPPI - 1999
WALL LAMP - GLASS - METAL





OZEN VETRO



10410003	STANDARD	120 V - 60 Hz - MAX 48 W - G9 WHITE WALL BACK PLATE - BULB NOT INCLUDED




DRIVER





15130003	STANDARD	120 V - 60 Hz - MAX 20 W 12 V - G4 POWER SUPPLY WITH PLUG COAXIAL CABLE - DIMMER - HALOGEN BULB INCLUDED
		 16 W HALOGEN - 2800K - 300 lm - CRI 100 - DIMMABLE

DESIGN HARRY THALER - 2014
WALL LAMP - GLASS - METAL

EDISON'S NIGHTMARE



LED PEN





19790003	STANDARD	24 V DC - 3,6 W LED - 3000K - 280 lm - CRI>90 LED PEN AND PAPER SHEET WITH MICRO SUCTION CUPS REPOSITIONABLE AT WILL INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz BLACK CABLE - DIMMER - INCLUDED 5 FILM WITH MICRO SUCTION CUPS








DRIVER




19810003	STANDARD	24 V DC - 22 W LED - 3000K - 2000 lm - CRI > 90 HEART CONFIGURATION INCLUDES POWER SUPPLY KIT WITH PLUG INPUT 100-240 V - 50/60 Hz DIMMER






17550003	STANDARD	120 V - 60 Hz - 2,1 W OLED - 4000K - 80 lm
		NOT DIMMABLE



15330003	STANDARD	5 V DC - 3 W LED LUMINOUS WALL MODULE WITH SLOWLY FLASHING LIGHT CUSTOMIZABLE IMAGES - IMAGES NOT INCLUDED MODULES CONNECTOR INCLUDED POWER SUPPLY NOT INCLUDED

COMPULSORY ACCESSORIES

5065014	STANDARD	POWER SUPPLY WITH PLUG INPUT 120 V - 60 Hz - OUTPUT 5 V DC - 15 W MAX 5 MODULES





DESIGN OMAR CARRAGLIA - DAVIDE GROPPÌ - 2014
CEILING LAMP - METAL


SANMARTINO



17590303	MATT WHITE	120 V - 60 Hz - 10 W LED - 3000K - 375 lm - CRI>90 NOT DIMMABLE
17591503	NATURAL BRASS	




18430303	MATT WHITE	120 V - 60 Hz
		18 W LED - 3000K - 1593 lm - CRI>90 - DALI - 1-10 V - PUSH DIMMABLE
		24 W LED - RGB WIRELESS CONTROL




DESIGN DAVIDE GROPPI - 2014
CEILING LAMP - METAL



NULLA PL



19230303	MATT WHITE - 3000K	120 V - 60 Hz - 10 W LED - 375 lm - CRI>90 NOT DIMMABLE
19230303-27	MATT WHITE - 2700K	





18540303	MATT WHITE	120 V - 60 Hz - MAX 10 W LED - GU10 BULB NOT INCLUDED




18530303	MATT WHITE	120 V - 60 Hz - MAX 10 W LED - GU10 ADJUSTABLE - BULB NOT INCLUDED WHITE CABLE 2 m MAXIMUM 20 CONNECTABLE LUMINAIRES
18530403	MATT BLACK	120 V - 60 Hz - MAX 10 W LED - GU10 ADJUSTABLE - BULB NOT INCLUDED BLACK CABLE 2 m MAXIMUM 20 CONNECTABLE LUMINAIRES

OPTIONAL ACCESSORIES

17470303	MATT WHITE	WALL AND CEILING ROSE
17470403	MATT BLACK	



18550303	MATT WHITE	120 V - 60 Hz - MAX 10 W LED - GU10 ADJUSTABLE - BULB NOT INCLUDED
18553403	MATT WHITE - BLACK BICOLOUR	



11960303	MATT WHITE	120 V - 60 Hz - MAX 50 W 12 V - G53 ADJUSTABLE - IGBT DIMMABLE BULB UNIVERSAL ADAPTER INCLUDED BULB NOT INCLUDED
11963403	MATT WHITE - BLACK BICOLOUR	


OPTIONAL ACCESSORIES

13310003	STANDARD	DARKLIGHT
----------	----------	-----------




DESIGN ALBERTO ZATTIN - 2000
CEILING LAMP - GLASS - METAL

HAKO PL LED




16620303	MATT WHITE - 3000K	120 V - 60 Hz - 13,5 W LED - 869 lm - CRI > 80 TRIAC DIMMABLE
16620303-27	MATT WHITE - 2700K	




1A0580403	MATT BLACK - 3000K	INFINITO 6 - REMOTE KIT 24 V DC - 45 W LED - 4086 lm - CRI > 90 LED MODULE 6 m LONG - CAN BE CUT INTO ANY DESIRED LENGTH WHITE WALL BACK PLATE COMPULSORY POWER SUPPLY KIT INCLUDED - SEE PAGE 209 INCLUDES LED DRIVER INPUT 120 V - 60 Hz - DALI - PUSH - 0/1-10 V - TRIAC / IGBT - DIMMABLE OPTIONAL ACCESSORIES NOT INCLUDED - SEE PAGE 211
1A0580403-27	MATT BLACK - 2700K	

1A0590403	MATT BLACK - 3000K	INFINITO 6 - PLUG KIT 24 V DC - 45 W LED - 4086 lm - CRI > 90 LED MODULE 6 m LONG - CAN BE CUT INTO ANY DESIRED LENGTH WHITE WALL BACK PLATE COMPULSORY POWER SUPPLY KIT INCLUDED - SEE PAGE 209 INCLUDES LED DRIVER INPUT 120 V - 60 Hz - DIMMABLE OPTIONAL ACCESSORIES NOT INCLUDED - SEE PAGE 211
1A0590403-27	MATT BLACK - 2700K	




1A0600403	MATT BLACK - 3000K	INFINITO 12 - REMOTE KIT 24 V DC - 90 W LED - 8172 lm - CRI > 90 LED MODULE 12 m LONG - CAN BE CUT INTO ANY DESIRED LENGTH WHITE WALL BACK PLATE COMPULSORY POWER SUPPLY KIT INCLUDED - SEE PAGE 209 INCLUDES LED DRIVER INPUT 120 V - 60 Hz - DALI - PUSH - 0/1-10 V - TRIAC / IGBT - DIMMABLE OPTIONAL ACCESSORIES NOT INCLUDED - SEE PAGE 211
1A0600403-27	MATT BLACK - 2700K	
1A0610403	MATT BLACK - 3000K	INFINITO 12 - PLUG KIT 24 V DC - 90 W LED - 8172 lm - CRI > 90 LED MODULE 12 m LONG - CAN BE CUT INTO ANY DESIRED LENGTH WHITE WALL BACK PLATE COMPULSORY POWER SUPPLY KIT INCLUDED - SEE PAGE 209 INCLUDES LED DRIVER INPUT 120 V - 60 Hz - DIMMABLE OPTIONAL ACCESSORIES NOT INCLUDED - SEE PAGE 211
1A0610403-27	MATT BLACK - 2700K	



DESIGN DAVIDE GROPPÌ - 2017
WALL LAMP - METAL




FLASH 6




1A0620403	MATT BLACK - 3000K	FLASH 6 - REMOTE KIT 24 V DC - 45 W LED - 4086 lm - CRI>90 LED MODULE 6 m LONG - CAN BE CUT INTO ANY DESIRED LENGTH WHITE WALL BACK PLATE COMPULSORY POWER SUPPLY KIT INCLUDED - SEE PAGE 209 INCLUDES LED DRIVER INPUT 120 V - 60 Hz - DALI - PUSH - 0/1-10 V - TRIAC/IGBT - DIMMABLE OPTIONAL ACCESSORIES NOT INCLUDED - SEE PAGE 211
1A0620403-27	MATT BLACK - 2700K	

1A0630403	MATT BLACK - 3000K	FLASH 6 - PLUG KIT 24 V DC - 45 W LED - 4086 lm - CRI>90 LED MODULE 6 m LONG - CAN BE CUT INTO ANY DESIRED LENGTH WHITE WALL BACK PLATE COMPULSORY POWER SUPPLY KIT INCLUDED - SEE PAGE 209 INCLUDES LED DRIVER INPUT 120 V - 60 Hz - DIMMABLE OPTIONAL ACCESSORIES NOT INCLUDED - SEE PAGE 211
1A0630403-27	MATT BLACK - 2700K	




1A0640403	MATT BLACK - 3000K	FLASH 12 - REMOTE KIT 24 V DC - 90 W LED - 8172 lm - CRI>90 LED MODULE 12 m LONG - CAN BE CUT INTO ANY DESIRED LENGTH WHITE WALL BACK PLATE COMPULSORY POWER SUPPLY KIT INCLUDED - SEE PAGE 209 INCLUDES LED DRIVER INPUT 120 V - 60 Hz - DALI - PUSH - 0/1-10 V - TRIAC/IGBT - DIMMABLE OPTIONAL ACCESSORIES NOT INCLUDED - SEE PAGE 211
1A0640403-27	MATT BLACK - 2700K	




1A0650403	MATT BLACK - 3000K	FLASH 12 - PLUG KIT 24 V DC - 90 W LED - 8172 lm - CRI>90 LED MODULE 12 m LONG - CAN BE CUT INTO ANY DESIRED LENGTH WHITE WALL BACK PLATE COMPULSORY POWER SUPPLY KIT INCLUDED - SEE PAGE 209 INCLUDES LED DRIVER INPUT 120 V - 60 Hz - DIMMABLE OPTIONAL ACCESSORIES NOT INCLUDED - SEE PAGE 211
1A0650403-27	MATT BLACK - 2700K	




REMOTE POWER SUPPLY KIT




POWER SUPPLY KIT WITH PLUG



1A0120403 - KIT WALL CONNECTION VERTICAL SLOPED 45°




1A0340403 - 1A0350403 - KIT WALL CONNECTION SLOPED 75°





OPTIONAL ACCESSORIES

1A0080403	MATT BLACK	CEILING CONNECTION KIT	
17470403	MATT BLACK	WALL AND CEILING ROSE	
1A0120403	MATT BLACK	KIT WALL CONNECTION VERTICAL SLOPED 45°	
1A0340403	MATT BLACK	KIT WALL CONNECTION SLOPED RIGHT 75°	
1A0350403	MATT BLACK	KIT WALL CONNECTION SLOPED LEFT 75°	
1A0290403	MATT BLACK	SWALLOWS FOR INFINITO ONLY	
1A0800403	MATT BLACK	SWALLOWS FOR FLASH ONLY	








TIE ROD





1A0760403	STANDARD 12° - 3000K	MAX 350 mA DC - 1 x 3,6 W LED - 12° 3000K - 288 lm - CRI > 95 / 2700K - 272 lm - CRI > 95 UNIPOLAR WIRE 12 m - 2 TIE RODS - MAX 4 SPOT ON UNIPOLAR WIRE COMPULSORY POWER SUPPLY KIT INCLUDED - SEE PAGE 217 INCLUDES LED DRIVER INPUT 110-240 V - 50/60 Hz - DALI - PUSH - 1-10 V DIMMABLE OPTIONAL ACCESSORIES NOT INCLUDED - SEE PAGE 223
1A0760403-27	STANDARD 12° - 2700K	
1A0460403	STANDARD 24° - 3000K	MAX 350 mA DC - 1 x 3,6 W LED - 24° 3000K - 286 lm - CRI > 95 / 2700K - 270 lm - CRI > 95 UNIPOLAR WIRE 12 m - 2 TIE RODS - MAX 4 SPOT ON UNIPOLAR WIRE COMPULSORY POWER SUPPLY KIT INCLUDED - SEE PAGE 217 INCLUDES LED DRIVER INPUT 110-240 V - 50/60 Hz - DALI - PUSH - 1-10 V DIMMABLE OPTIONAL ACCESSORIES NOT INCLUDED - SEE PAGE 223
1A0460403-27	STANDARD 24° - 2700K	

DRIVER DIMENSION
• 79 / 3.11" • • 124 / 4.88" •
22 / 0.87"







WALL ROSE





1A0750403	STANDARD 12° - 3000K	120 V - 60 Hz - 1 x 3,6 W LED - 12° 3000K - 288 lm - CRI > 95 / 2700K - 272 lm - CRI > 95 UNIPOLAR WIRE 24 m - 4 WIRES GUIDE WHITE WALL ROSE DALI - PUSH - 1-10 V DIMMABLE OPTIONAL ACCESSORIES NOT INCLUDED - SEE PAGE 223
1A0750403-27	STANDARD 12° - 2700K	
19780403	STANDARD 24° - 3000K	120 V - 60 Hz - 1 x 3,6 W LED - 24° 3000K - 286 lm - CRI > 95 / 2700K - 270 lm - CRI > 95 UNIPOLAR WIRE 24 m - 4 WIRES GUIDE WHITE WALL ROSE DALI - PUSH - 1-10 V DIMMABLE OPTIONAL ACCESSORIES NOT INCLUDED - SEE PAGE 223
19780403-27	STANDARD 24° - 2700K	





OPTIONAL ACCESSORIES

1A0040403	MATT BLACK - 12° - 3000K	ADDITIONAL LED MODULE MAX 350 mA DC - MAX 3,6 W LED - 12° 3000K - 288 lm - CRI > 95 / 2700K - 272 lm - CRI > 95 MAX 4 SPOT ON UNIPOLAR WIRE	• 110 / 4.33" • 60 / 2.36" •  
1A0040403-27	MATT BLACK - 12° - 2700K		
1A0740403	MATT BLACK - 24° - 3000K	ADDITIONAL LED MODULE MAX 350 mA DC - MAX 3,6 W LED - 24° 3000K - 286 lm - CRI > 95 / 2700K - 270 lm - CRI > 95 MAX 4 SPOT ON UNIPOLAR WIRE	
1A0740403-27	MATT BLACK - 24° - 2700K		
1A0420403	MATT BLACK - 3000K	WIRE GUIDE	34 / 1.34"  18 / 0.71" 




19970303	MATT WHITE	48 V DC - 1 x 12,6 W LED SPOT ENDLESS INCLUDED ADHESIVE STRIP 10 m - POWER BASE AND TERMINALS BOX INCLUDED COMPULSORY POWER SUPPLY KIT INCLUDED - SEE PAGE 232 INCLUDES LED DRIVER INPUT 120 V - 60 Hz - NOT DIMMABLE LED MODULE AND OPTIONAL ACCESSORIES NOT INCLUDED
19970403	MATT BLACK	

COMPULSORY ACCESSORIES

50041500	LED MODULE 15° SPOT	12,6 W LED (350 mA) - 15° - 3000K - 1350 lm - CRI 90 - DIMMABLE
50041510	LED MODULE 15° SPOT	12,6 W LED (350 mA) - 15° - 2700K - 1269 lm - CRI 90 - DIMMABLE
50041350	LED MODULE 24° SPOT	12,6 W LED (350 mA) - 24° - 3000K - 1361 lm - CRI 90 - DIMMABLE
50041450	LED MODULE 24° SPOT	12,6 W LED (350 mA) - 24° - 2700K - 1281 lm - CRI 90 - DIMMABLE

OPTIONAL ACCESSORIES

13310003	STANDARD	DARKLIGHT
----------	----------	-----------



19590303	MATT WHITE	48 V DC - 1 x 12,6 W LED SPOT ENDLESS INCLUDED ADHESIVE STRIP 10 m - POWER BASE AND TERMINALS BOX INCLUDED COMPULSORY POWER SUPPLY KIT INCLUDED - SEE PAGE 232 INCLUDES REMOTE POWER SUPPLY KIT INPUT 100-240 V - 50/60 Hz - NOT DIMMABLE DIMMABLE CONTROLLER NOT INCLUDED LED MODULE AND OPTIONAL ACCESSORIES NOT INCLUDED
19590403	MATT BLACK	

COMPULSORY ACCESSORIES


50041500	LED MODULE 15° SPOT	12,6 W LED (350 mA) - 15° - 3000K - 1350 lm - CRI 90 - DIMMABLE
50041510	LED MODULE 15° SPOT	12,6 W LED (350 mA) - 15° - 2700K - 1269 lm - CRI 90 - DIMMABLE
50041350	LED MODULE 24° SPOT	12,6 W LED (350 mA) - 24° - 3000K - 1361 lm - CRI 90 - DIMMABLE
50041450	LED MODULE 24° SPOT	12,6 W LED (350 mA) - 24° - 2700K - 1281 lm - CRI 90 - DIMMABLE

OPTIONAL ACCESSORIES




51990010	CONTROLLER LED DIMMER	DALI - PUSH - 0/1-10 V DIMMABLE
13310003	STANDARD	DARKLIGHT










REMOTE POWER SUPPLY KIT



OPTIONAL ACCESSORIES

19990303	MATT WHITE - 5 m	ENDLESS - MAX 150 W - MAX 48 V DC - MAX 4 A	
19990403	MATT BLACK - 5 m		
1A0050303	MATT WHITE - 10 m		
1A0050403	MATT BLACK - 10 m		
1A0370003	STANDARD	FIXING ROUGH WALLS - 2,5 m	
19610303	MATT WHITE	TERMINALS BOX	
19610403	MATT BLACK		
19690003	MATT BLACK	TERMINALS - 2 PIECES	



1A1070303	MATT WHITE	48 V DC - MAX 12,6 W LED NOT DIMMABLE - MAX 5 SPOT ON ENDLESS LED MODULE NOT INCLUDED
1A1070403	MATT BLACK	

COMPULSORY ACCESSORIES

50041500	LED MODULE 15° SPOT	12,6 W LED (350 mA) - 15° - 3000K - 1350 lm - CRI 90 - DIMMABLE
50041510	LED MODULE 15° SPOT	12,6 W LED (350 mA) - 15° - 2700K - 1269 lm - CRI 90 - DIMMABLE
50041350	LED MODULE 24° SPOT	12,6 W LED (350 mA) - 24° - 3000K - 1361 lm - CRI 90 - DIMMABLE
50041450	LED MODULE 24° SPOT	12,6 W LED (350 mA) - 24° - 2700K - 1281 lm - CRI 90 - DIMMABLE

OPTIONAL ACCESSORIES

13310003	STANDARD	DARKLIGHT
----------	----------	-----------









DESIGN 2014
CEILING LAMP - METAL
EUTRAC - cULus CERTIFICATION

39310010	TRACK 4 FT WHITE	SURFACE TRACK SYSTEM - 120 V MINIMUM 6 PIECES IN ANY SIZE
39310040	TRACK 4 FT BLACK	
39310020	TRACK 8 FT WHITE	
39310050	TRACK 8 FT BLACK	




COMPULSORY INSTALLATION KITS

39310070	MATT WHITE	POWER RIGHT CONNECTOR - 120 V
39310080	MATT BLACK	
39310090	MATT WHITE	POWER LEFT CONNECTOR - 120 V
39310100	MATT BLACK	



36360190	MATT WHITE	END CAP
36360200	MATT BLACK	




OPTIONAL INSTALLATION KITS


36360220	MATT WHITE	LINEAR CONNECTOR - 120 V
36360230	MATT BLACK	




39310110	MATT WHITE	INTERNAL L CONNECTOR - 120 V
39310120	MATT BLACK	
39310130	MATT WHITE	EXTERNAL L CONNECTOR - 120 V
39310140	MATT BLACK	




39310170	MATT WHITE	RIGHT T CONNECTOR - 120 V
39310180	MATT BLACK	
39310190	MATT WHITE	LEFT T CONNECTOR - 120 V
39310200	MATT BLACK	



39310210	MATT WHITE	X CONNECTOR - 120 V
39310220	MATT BLACK	



36360440	STANDARD H. 1500 mm	ADJUSTABLE SUSPENSION CABLE KIT TO BUY TOGETHER WITH 36360470 OR 36360480
36360450	STANDARD H. 3000 mm	
36360460	STANDARD H. 6200 mm	



36360470	MATT WHITE	SUSPENSION COUPLER
36360480	MATT BLACK	







DESIGN OMAR CARRAGLIA - DAVIDE GROPPi - 2015
CEILING LAMP - METAL



DOT SISTEMA



17830303	MATT WHITE	120 V - 60 Hz - MAX 10 W LED - GU10 COMPULSORY INSTALLATION KIT NOT INCLUDED - SEE PAGE 241 ADJUSTABLE - BULB NOT INCLUDED
17830403	MATT BLACK	



RECESSED



DESIGN DAVIDE GROPPI - 2010
RECESSED CEILING LAMP - METAL



NULLA





19160003	STANDARD - 3000K	MAX 1050 mA DC - MAX 12 W LED - 530 lm - CRI > 90 VISIBLE HOLE Ø 18 mm - COMPULSORY INSTALLATION KIT NOT INCLUDED INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz DALI - PUSH - 1-10 V DIMMABLE
19160003-27	STANDARD - 2700K	

COMPULSORY INSTALLATION KITS


16530403	MATT BLACK	PLASTERBOARD FLANGE 12,5/15 mm
17430403	MATT BLACK - IP65	PLASTERBOARD CUT-OUT Ø 21 mm
		MINIMUM SPACE FOR MOUNTING 75 mm

OPTIONAL INSTALLATION KITS


16420003	STANDARD 200 x 200 mm	PLASTERBOARD PANEL 12,5 mm
16690003	STANDARD 400 x 400 mm	PLASTERBOARD CUT-OUT 200 x 200 mm / 400 x 400 mm










1A0540003	STANDARD DIM 1-10 V - PUSH - 3000K	24 V DC - 6 W LED - 392 lm - CRI>90 VISIBLE HOLE Ø 25 mm - LUMINAIRE REMOVABLE FOR MAINTENANCE COMPULSORY INSTALLATION KIT NOT INCLUDED - SEE PAGE 255 INCLUDES LED DRIVER INPUT 110-240 V - 50/60 Hz - 1-10 V - PUSH DIMMABLE
1A0540003-27	STANDARD DIM 1-10 V - PUSH - 2700K	
1A0550003	STANDARD DIM DALI - 3000K	24 V DC - 6 W LED - 392 lm - CRI>90 VISIBLE HOLE Ø 25 mm - LUMINAIRE REMOVABLE FOR MAINTENANCE COMPULSORY INSTALLATION KIT NOT INCLUDED - SEE PAGE 255 INCLUDES LED DRIVER INPUT 110-240 V - 50/60 Hz - DALI DIMMABLE
1A0550003-27	STANDARD DIM DALI - 2700K	
1A0560003	STANDARD DIM TRIAC / IGBT - 3000K	24 V DC - 6 W LED - 392 lm - CRI>90 VISIBLE HOLE Ø 25 mm - LUMINAIRE REMOVABLE FOR MAINTENANCE COMPULSORY INSTALLATION KIT NOT INCLUDED - SEE PAGE 255 INCLUDES LED DRIVER INPUT 120 V - 60 Hz - TRIAC / IGBT DIMMABLE
1A0560003-27	STANDARD DIM TRIAC / IGBT - 2700K	





LUMINAIRE REMOVABLE FOR MAINTENANCE



COMPULSORY INSTALLATION KIT

18250003	STANDARD	PLASTERBOARD FLANGE 12,5 mm PLASTERBOARD CUT-OUT Ø 35 mm MINIMUM SPACE FOR MOUNTING 160 mm








19620303	MATT WHITE - 3000K	MAX 400 mA DC - MAX 12 W LED - 589 lm - CRI>95 COMPULSORY INSTALLATION KIT NOT INCLUDED ADJUSTABLE - OPTIONAL LED MODULE ACCESSORIES NOT INCLUDED INCLUDES LED DRIVER INPUT 110-240 V - 50/60 Hz - 1-10 V - PUSH DIMMABLE
19620303-27	MATT WHITE - 2700K	
19620403	MATT BLACK - 3000K	
19620403-27	MATT BLACK - 2700K	
19090303	MATT WHITE - 3000K	MAX 400 mA DC - MAX 12 W LED - 589 lm - CRI>95 COMPULSORY INSTALLATION KIT NOT INCLUDED ADJUSTABLE - OPTIONAL LED MODULE ACCESSORIES NOT INCLUDED INCLUDES LED DRIVER INPUT 110-240 V - 50/60 Hz - DALI DIMMABLE
19090303-27	MATT WHITE - 2700K	
19090403	MATT BLACK - 3000K	
19090403-27	MATT BLACK - 2700K	

COMPULSORY INSTALLATION KITS

18420303	MATT WHITE	PLASTERBOARD FRAME 12,5 mm
18420403	MATT BLACK	PLASTERBOARD CUT-OUT 104 x 104 mm MINIMUM SPACE FOR MOUNTING 130 mm

"POINT SOURCE OPTICS" OPTIONAL LED MODULE ACCESSORIES FOR UNIFORM AND HIGH INTENSITY BEAMS



5158002	STANDARD	FILTER - MR16 - 25°
5158003	STANDARD	FILTER - MR16 - 36°
5158004	STANDARD	DARKLIGHT - MR16



19630303	MATT WHITE - 3000K	MAX 400 mA DC - MAX 12 W LED - 589 lm - CRI>95 PLASTERBOARD CUT-OUT 115 x 105 mm MINIMUM SPACE FOR MOUNTING 130 mm ADJUSTABLE - OPTIONAL LED MODULE ACCESSORIES NOT INCLUDED INCLUDES LED DRIVER INPUT 110-240 V - 50/60 Hz - 1-10 V - PUSH DIMMABLE
19630303-27	MATT WHITE - 2700K	
19633403	MATT WHITE - BLACK BICOLOUR - 3000K	
19633403-27	MATT WHITE - BLACK BICOLOUR - 2700K	
19100303	MATT WHITE - 3000K	MAX 400 mA DC - MAX 12 W LED - 589 lm - CRI>95 PLASTERBOARD CUT-OUT 115 x 105 mm MINIMUM SPACE FOR MOUNTING 130 mm ADJUSTABLE - OPTIONAL LED MODULE ACCESSORIES NOT INCLUDED INCLUDES LED DRIVER INPUT 110-240 V - 50/60 Hz - DALI DIMMABLE
19100303-27	MATT WHITE - 2700K	
19103403	MATT WHITE - BLACK BICOLOUR - 3000K	
19103403-27	MATT WHITE - BLACK BICOLOUR - 2700K	


“POINT SOURCE OPTICS” OPTIONAL LED MODULE ACCESSORIES FOR UNIFORM AND HIGH INTENSITY BEAMS

5158002	STANDARD	FILTER - MR16 - 25°
5158003	STANDARD	FILTER - MR16 - 36°
5158004	STANDARD	DARKLIGHT - MR16




17290303	MATT WHITE - 3000K	MAX 500 mA DC - MAX 5,6 W LED - 352 lm - CRI>90 PLASTERBOARD CUT-OUT 40 x 40 mm MINIMUM SPACE FOR MOUNTING 85 mm ADJUSTABLE INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz - NOT DIMMABLE
17290303-27	MATT WHITE - 2700K	
17290403	MATT BLACK - 3000K	
17290403-27	MATT BLACK - 2700K	

OUTDOOR



17230003	STANDARD	MAX 350 mA DC - MAX 5,5 W LED - 3000K - 306 lm - CRI>80 INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz - IP67 - NOT DIMMABLE



18560403	MATT BLACK	24 V DC - 4,2 W LED - 3000K - 282 lm - CRI>90
		ADJUSTABLE
		LED DRIVER NOT INCLUDED


COMPULSORY ACCESSORIES

5112011	STANDARD	LED DRIVER
		INPUT 100-240 V - 50/60 Hz - OUTPUT 24 V DC - 20 W - IP67 - NOT DIMMABLE

OPTIONAL ACCESSORIES

18490403	MATT BLACK	ADDITIONAL LED HEAD
		24 V DC - 4,2 W LED - 3000K - 282 lm - CRI>90

17990003	STANDARD	ADDITIONAL STEM 1 m




17390003	STANDARD - 3000K	MAX 700 mA DC - MAX 8,4 W LED - 639 lm - CRI > 90
17390003-27	STANDARD - 2700K	BLACK CABLE 5 m - OPTIONAL INSTALLATION KIT NOT INCLUDED
		CUT-OUT Ø 250 mm
		MINIMUM SPACE FOR MOUNTING 350 mm
		ADJUSTABLE
		INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz - IP67 - NOT DIMMABLE

OPTIONAL INSTALLATION KITS


17730003	STANDARD	INSTALLATION ANCHORING DEVICE
----------	----------	-------------------------------

OPTIONAL ACCESSORIES

18510403	MATT BLACK - 3000K	ADDITIONAL LED HEAD
18510403-27	MATT BLACK - 2700K	MAX 700 mA DC - MAX 8,4 W LED - 639 lm - CRI > 90




15600303	MATT WHITE	120 V - 60 Hz - MAX 18 W LED - E26 BLACK CABLE 5 m - BULB NOT INCLUDED



DESIGN DAVIDE GROPPI - PAOLA LENTI - 2013
OUTDOOR LAMP - METAL - PBT - POLYCARBONATE

SHOJI OUTDOOR




18860003	STANDARD	120 V - 60 Hz - MAX 18 W LED - E26 BLACK CABLE 5 m - BULB NOT INCLUDED



Compasso d'Oro ADI
Award 2014

DESIGN ENZO CALABRESE - DAVIDE GROPPI - 2011
OUTDOOR LAMP - FIBERGLASS - METAL

SAMPEI 440 OUTDOOR



17980303	MATT WHITE - 3000K	MAX 700 mA DC - MAX 8,4 W LED - 639 lm - CRI>90 BLACK CABLE 5 m - ADJUSTABLE INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz - IP67 - NOT DIMMABLE
17980303-27	MATT WHITE - 2700K	
17980403	MATT BLACK - 3000K	
17980403-27	MATT BLACK - 2700K	

General terms.
This document replaces any other previous one.
Davide Groppi srl reserves the right to change its products without notice. In this case, the descriptions printed here are not binding.

The sizes are expressed in millimeters.

Shipment.
Returned merchandise must be authorized in writing by Davide Groppi srl.
Any claim must be made in writing to Davide Groppi srl within 7 days of the delivery date. If not, will not be accepted.

Warranty.
All products are guaranteed for 24 months from the date of delivery.
The warranty is not valid for damage caused by third parties.
Any damage resulting from improper installation or changes to products cannot be considered the responsibility of Davide Groppi srl.

Rights.
No part of this document may be reproduced or transmitted in any form or by any means: electronic, mechanical or otherwise,
without the written permission of Davide Groppi srl.

Jurisdiction.
For any dispute, Piacenza, Italy, will be the court of jurisdiction.

Privacy.
Davide Groppi srl protects the confidentiality of personal data as provided to articles 12, 13 and 14 of the European Regulation n. 679/2016 ("GDPR").

Davide Groppi srl is constantly revising its products in order to offer the best and latest technology available.
This is why its catalogues and technical notes are in constant evolution.
You can find the latest information and technical updates on our website www.davidegroppi.com

35MM	25	MORSETTO	45
ABA 45	41	MOVIE	65
ABA 120	73	NEURO - cETLus certification	85
BANNER 230	67	NULLA - cETLus certification	247
BUBKA	271	NULLA 25 - cETLus certification	253
BUGIA	13	NULLA PL	187
CALVINO	43	OHM ABSOLUTE	215
CARTESIO	109	OHM ROUNDTRIP	219
CATHODE	103	OVO	107
CHARLES	177	OVONELPIATTO	105
ChainDelier 1	111	OZEN - cETLus certification	163
ChainDelier 2	113	OZEN VETRO - cETLus certification	165
CLIP	21	PABLO	63
DOT P - cETLus certification	135	PAGINA	169
DOT PL	189	PALPEBRA	35
DOT SISTEMA - cETLus certification	243	PIGRECO	37
EDI SON	33	PIÙ - cETLus certification	161
EDISON'S NIGHTMARE	167	PoPuP	15
ENDLESS 1	225	PROFUMO D'ESTATE	23
ENDLESS 2	227	PUNTO PL	195
FILM	179	Q	71
FLASH 6 - cETLus certification	205	QuiQuoQua	19
FLASH 12 - cETLus certification	207	RAIL	173
FOIL	155	SAMPEI 230	51
FOIL LED - cETLus certification	155	SAMPEI 260	51
FOLDER	159	SAMPEI 290	53
FOSBURY	89	SAMPEI 440	53
GRILLO	269	SAMPEI 440 OUTDOOR	277
HAKO PL LED	197	SANMARTINO	183
HASHI	61	SHANGHAI	117
IMU	267	SHOJI	77
INFINITO 6 - cETLus certification	201	SHOJI OUTDOOR	275
INFINITO 12 - cETLus certification	203	SIMBIOSI	97
LED IS MORE 1	81	SISTEMA - EUTRAC cULus certification	241
LED IS MORE 2	83	SOL 1	151
LENTA	273	SOL 1 LED - cETLus certification	151
LIGHT MY FIRE	29	SOL 2	153
MASAI	57	SOL 2 LED - cETLus certification	153
MERIDIANA	141	SOLEMIO	185
MINI - cETLus certification	259	SPOT 1	137
MINI BIT - cETLus certification	261	SPOT ENDLESS	235
MINI PL - cETLus certification	193	TETATET	7
MIRA - cETLus certification	123	TETATET Flûte	11
MIRA MAGNETIC	127	TOAST - cETLus certification	147
MIRA MAGNETIC P	131	TOAST LED - cETLus certification	145
MIRA R - cETLus certification	263	TOMOKO	47
MIRA SWITCH - cETLus certification	125	TRICK TRACK	191
MISS 1 - cETLus certification	99		
MISS 2 - cETLus certification	101		
MISTER	69		
MOON 60	91		
MOON 60 DE	93		
MOON 80	91		
MOON 120	95		
MOON 200	95		
MOON F	75		
MOON T	39		

davidegroppi.com

Davide Groppi srl
Via Belizzi 20 / 22
29122 Piacenza - Italia
Ph. +39.0523.571590
Fx. +39.0523.579768
info@davigroppi.com

Davide Groppi srl © 2020
Società soggetta a direzione e coordinamento di Italian Design Brands spa