

Slimfocus

L'arte sublime della semplicità

focus[®]



slimfocus

Ultima creazione dell'Atelier Dominique Imbert, Slimfocus è il risultato di una ricerca di fluidità estetica, d'ingombro minimo e di prestazioni termiche eccezionali.

Slimfocus è una rivoluzione nel settore del camino contemporaneo dalla presenza importante: è un periscopio di fiamme, una sintesi e una filosofia unica.

E' disponibile in versione tradizionale sospesa e fissa, ideale per le installazioni ad angolo o in prossimità di una parete.

Dal 2015 sarà proposto in versioni a flusso bilanciato (per case passive), girevole (per centro di stanza), su basamento e a gas.

caratteristiche

camino a legna, sospeso, fisso, dotato di camera di combustione in materiale refrattario (vermiculite).

circuiti specifici dell'aria primaria e secondaria per la combustione, la post-combustione e il mantenimento della pulizia del vetro mediante flusso d'aria permanente.

modello omologato (CTIF n° prova TD 4466)

con condotto inox interno per l'evacuazione dei fumi (diam. 150 mm).

elemento telescopico di raccordo in acciaio inox fornito.

verniciatura: nero opaco ad alta resistenza termica.

la garanzia di buon funzionamento è data con una lunghezza minima del condotto fumi (interno + esterno) di 3 m, a porta chiusa.

peso (per locale con altezza pavimento-soffitto di 2,70 m): 193 kg.

lunghezza legna: da 25 a 35 cm, in posizione obliqua.

questo modello va installato da un professionista abilitato a norma di legge.

accessori (n° di riferimento del modello : 92)

verniciatura grigio-ardesia, lunghezza del condotto fumi su misura.

prestazioni

P : de 2 à 6 KW - η : 85, 4 % - CO à 13% d'O2 : 0,09 %

polveri/dust : 30 mg/Nm3

The Slimfocus, the latest creation from Dominique Imbert's design studio, is the sleek result of a quest for aesthetic fluidity, minimum volume and excellent heat performance. A revolution in contemporary fireplaces, the Slimfocus is an assertive presence, a periscope of fire that synthesises a whole philosophy. It is currently available as a suspended, non-pivoting version (for installation in a corner or near a wall).

In 2015, it will be available in a version with a balanced flue chimney (for low-energy houses), a pivoting version (for installation in the centre of a room), a version with a base and a gas version.

characteristics

suspended, non-pivoting wood-burning fireplace, equipped with a combustion chamber insulated with a vermiculite refractory lining.

separate channels for primary and secondary combustion air, a post-combustion system and a permanent supply of fresh air to clean the glass panel.

this model is entirely certified (CTIF test no. TD 4466) with the internal stainless steel connecting flue supplied (diam. 150 mm), which is adjustable in length.

heat-resistant matt black paint

guaranteed efficiency with a minimum flue length (interior plus exterior) of 3 m with door closed.


total suspended weight for a ceiling height of 2.70 m: 193 kg

recommended log size: 25-35 cm, positioned at a slant

This model must be installed by a professional.

optional extras (model reference n°: 92)

slate grey paint, flue extension in black steel



slimfocus stufa-camino con porta vetrata


versione poggiante a terra



versione sospesa



- la sublimazione del fuoco -



focus®

atelier dominique imbert
34380 Viols le Fort - France
tel : 00 33 (0)4 67 55 01 93
fax : 00 33 (0)4 67 55 77 77
www.focus-creation.com