

MULTIFORME®

CRYSTAL



MULTIFORME

THE COMPANY

Situata nel cuore del Distretto Veneto dell'Illuminazione, tra Padova e Venezia, MULTIFORME® risponde alle molteplici e particolari esigenze di illuminazione decorativa, calibrandole per ogni professionista del settore su scala internazionale.

L'azienda opera autonomamente grazie alle proprie aree di progettazione e produzione interne. E' in grado di seguire nel dettaglio progetti articolati fornendo soluzioni di alto profilo, sia a livello tecnico che estetico.

Ogni fase delle lavorazioni viene controllata perseguendo la Mission aziendale: la bellezza e l'eccellenza dell'opera, nella soddisfazione del cliente finale.

Ogni nostro prodotto deve essere Buono, oltre che Bello.

I nostri target sono commesse per ville, hotel, edifici pubblici e religiosi. Oltre alla produzione di serie siamo in grado di elaborare progetti custom.

Con serietà e passione, il nostro intento quotidiano è quello di contribuire a diffondere nel mondo i valori tipici del Made in Italy per continuare a creare i grandi classici di ieri, di oggi e di domani.

MULTIFORME® is an Italian company specialized in decorative high-end lighting.

Each light-work is calibrated for professionals around the globe. The company operates autonomously through its own team of interior designers and artisans.

Each stage of processing pursues our mission: the beauty and excellence of the work, for customer's satisfaction.

Our products must be good, as well as beautiful.


In addition to standard production, we are able to develop custom projects. Our aim is to light up mansions, hotels, public and religious buildings.

Our intent is to spread the Made in Italy traditional values with our passion and professionalism to make the world appreciate these timeless light-works.

INDEX

8	Genesis
12	Orion
16	Emphasis
18	Crystal Dream
26	Crystal Dream R
32	Crystal Dream O
38	Stratus
44	Stratus R
48	Spyral
52	Circus
64	Queen
66	Quark
70	Impero
78	Matrix
82	Donuts
84	Maria Theresa


COLLECTIONS



Genesis p. 8




Orion p. 12




Emphasis p. 16



Crystal Dream p. 18



Spyral p. 48



Circus p. 52



Queen p. 64




Quark p. 66



Crystal Dream R p. 26



Crystal Dream O p. 32



Stratus p. 38



Stratus R p. 44



Impero p. 70



Matrix p. 78



Donuts p. 82



Maria Theresa p. 84

Genesis

P4200-40x155-C
Ø 40 cm - H 155 cm
1 x LED COB 11W




SS4200-45x65-C
Ø 45 cm - H 65 cm
1 x LED COB 11W





Genesis

Technical data



R	Ceiling cup
C	Chain
H	Height
Ø	Diameter
D	Depth
W	Width
	Bulb
	Weight
	Insulation class
	Frame Finishes



Colors

chrome

General Specifications

CE IP20



AP4200-40x60-C
W 40 cm - H 60 cm - D 20 cm
 3 X MAX 25W - G9 4 KG



SS4200-45x65-C
Ø 45 cm - H 65 cm
 1 x LED COB 11W 7 KG



P4200-40x155-C
Ø 40 cm - H 155 cm
 1 x LED COB 11W 30 KG


Orion

SS3002-50x40-C
Ø 50 cm - H 40 cm
5 x MAX 40W - E14



CUSTOM WORK
Ø 90 cm - H 30 cm
1 x LED COB 11W






ORION

Orion

Technical data



R	Ceiling cup
C	Chain
H	Height
Ø	Diameter
D	Depth
W	Width
	Bulb
	Weight
	Insulation class
	Frame Finishes



Colors

chrome

General Specifications

CE IP20



LM3002-35x45-C
Ø 35 cm - H 45 cm
3 x MAX 40W - E14 8 KG



AP3003-30x30-C
W 30 cm - H 30 cm - D 15 cm
1 x MAX 60W - E14 2 KG



AP3002-30x30-K
W 30 cm - H 30 cm - D 15 cm
3 x MAX 40W - E14 3 KG



SS3002-30x20-C
Ø 30 cm - H 20 cm
1 x MAX 60W - E27 5 KG



SS3002-50x40-C
Ø 50 cm - H 40 cm
5 x MAX 40W - E14 9 KG



SS3002-60x40-C
Ø 60 cm - H 40 cm
5 x MAX 40W - E14 12 KG


Emphasis

SS4130-100x12x40-CW
W 100 cm - H 40 cm - D 12 cm
6 x MAX 25W - G9



Emphasis

Technical data



R	Ceiling cup
C	Chain
H	Height
Ø	Diameter
D	Depth
W	Width
Bulb	
Weight	
Insulation class	
Frame Finishes	



Colors

W white

General Specifications


CE IP20



LM4130-18x30-CW
W 18 cm - H 30 cm - D 18 cm
2 x MAX 25W - G9 3 KG



AP4130-24x100-CW
W 24 cm - H 100 cm - D 10 cm
6 x MAX 25W - G9 6 KG



AP4130-100x30-CW
W 100 cm - H 30 cm - D 10 cm
6 x MAX 25W - G9 6 KG



SS4130-100x12x40-CW
W 100 cm - H 40 cm - D 12 cm
6 x MAX 25W - G9 9 KG

Crystal Dream

SS4071-90x110-N
Ø 90 cm - H 110 cm
9 x MAX 25W - G9




PL4071-60x40-W3-P
Ø 60 cm - H 40 cm
10 x MAX 25W - G9



AP4090-20x45-W3
W 20 cm - H 45 cm - D 10 cm
3 x MAX 60W - E14



PL4090-70x260-V3-P
Ø 70 cm - H 260 cm
25 x MAX 25W - G9





PL4090-70x450-V3-P
 Ø 70 cm - H 450 cm
 30 x MAX 25W - G9
 55 KG

AP4090-20x145-W3-P
 W 20 cm - H 145 cm - D 10 cm
 5 x MAX 25W - G9
 6 KG

Crystal Dream

Technical data



R	Ceiling cup
C	Chain
H	Height
Ø	Diameter
D	Depth
W	Width
	Bulb
	Weight
	Insulation class
	Frame Finishes



Colors



Polychrome / Policromo



Amethyst / Ametista



nickel



white



brushed nickel



ivory



chrome

General Specifications

CE IP20



AP4090-20x45-W3
W 20 cm - H 45 cm - D 10 cm
3 x MAX 60W - E14 2 KG



AP4090-20x60-W3
W 20 cm - H 60 cm - D 10 cm
3 x MAX 60W - E14 3 KG



AP4090-20x75-W3
W 20 cm - H 75 cm - D 10 cm
3 x MAX 40W - E14 3 KG



AP4090-20x125-W3
W 20 cm - H 125 cm - D 10 cm
4 x MAX 60W - E14 5 KG



PL4071-60x60-C3-P
Ø 60 cm - H 60 cm
6 x MAX 40W - E14 8 KG




PL4071-60x40-W3-P
Ø 60 cm - H 40 cm
10 x MAX 25W - G9 6 KG



PL4071-80x75-W
Ø 80 cm - H 75 cm
12 x MAX 25W - G9 15 KG



SS4071-90x110-N
Ø 90 cm - H 110 cm
9 x MAX 25W - G9 23 KG



AP4090-20x70-N
W 20 cm - H 70 cm - D 10 cm
3 x MAX 40W - E14 3 KG



PL4072-30x50-C-M
Ø 30 cm - H 50 cm
1 x MAX 40W - E27 3 KG



PL4071-35x60-N1
Ø 35 cm - H 60 cm
3 x MAX 40W - E14 6 KG



PL4071-40x50-C3
Ø 40 cm - H 50 cm
3 x MAX 40W - E14 4 KG



PL4095-30x90-C
Ø 30 cm - H 90 cm
6 x MAX 40W - E14 8 KG



PL4090-40x155-N1
Ø 40 cm - H 155 cm
7 x MAX 25W - G9 16 KG



PL4090-30x150-C-P
Ø 30 cm - H 150 cm
10 x MAX 25W - G9 15 KG




PL4090-70x260-V3-P
Ø 70 cm - H 260 cm
25 x MAX 25W - G9 33 KG

Crystal Dream R

PL4085R-150x30x90-N1
W 150 cm - H 90 cm - D 30 cm
16 x MAX 25W - G9



SS4085R-180x30x110-C
W 180 cm - H 110 cm - D 30 cm
18 x MAX 25W - G9



SS4085R-110x30x55-K1
W 110 cm - H 55 cm - D 30 cm
6 x MAX 25W - G9




SS4085R-110x30x55-N1
W 110 cm - H 55 cm - D 30 cm
6 x MAX 40W - G9

Crystal Dream R



Technical data



R	Ceiling cup
C	Chain
H	Height
Ø	Diameter
D	Depth
W	Width
	Bulb
	Weight
	Insulation class
	Frame Finishes

Colors

N1 brushed nickel **K** gold

General Specifications

CE IP20



AP4085R-20x50-N1
W 20 cm - H 50 cm - D 10 cm
3 x MAX 25W - G9 2 KG



PL4085R-100x30x70-N1
W 100 cm - H 70 cm - D 30 cm
8 x MAX 25W - G9 18 KG



PL4085R-150x30x90-N1
W 150 cm - H 90 cm - D 30 cm
16 x MAX 25W - G9 40 KG



PL4085R-125x30x60-K1
W 125 cm - H 60 cm - D 30 cm
16 x MAX 25W - G9 25 KG



SS4085R-180x30x110-C
W 180 cm - H 110 cm - D 30 cm
18 x MAX 25W - G9 45 KG



SS4085R-100x25x55-N1
W 100 cm - H 55 cm - D 25 cm
6 x MAX 25W - G9 12 KG



SS4085R-110x30x55-N1
W 110 cm - H 55 cm - D 30 cm
6 x MAX 25W - G9 18 KG



SS4085R-110x30x55-K1
W 110 cm - H 55 cm - D 30 cm
6 x MAX 25W - G9 18 KG

Crystal Dream O

SS4080E-90x70x110-C3
W 90 cm - H 110 cm - D 70 cm
8 x MAX 40W - E14




PL4081-100x40x70-CC
W 10 cm - H 70 cm - D 40 cm
14 x MAX 25W - G9





PL4081-195x75x55-N1
W 195 cm - H 75 cm - D 55 cm
18 x MAX 25W - G9



PL4082E-150x50x70-N
W 150 cm - H 70 cm - D 50 cm
19 x MAX 25W - G9



CRYSTAL DREAM O

Crystal Dream O

Technical data



R	Ceiling cup
C	Chain
H	Height
Ø	Diameter
D	Depth
W	Width
	Bulb
	Weight
	Insulation class
	Frame Finishes

Colors

N

nickel

C3

chrome powder

N1

brushed nickel

CE IP20



AP4081-20x70-CC
W 20 cm - H 70 cm - D 8 cm
3 x MAX 40W - G9 3 KG




SS4080E-60x40x50-C3
W 60 cm - H 50 cm - D 40 cm
6 x MAX 40W - E14 8 KG



SS4080E-80x60x70-C3
W 80 cm - H 70 cm - D 60 cm
8 x MAX 40W - E14 15 KG



SS4080E-90x70x110-C3
W 90 cm - H 110 cm - D 70 cm
8 x MAX 40W - E14 20 KG



PL4081-100x40x70-CC
W 100 cm - H 70 cm - D 40 cm
14 x MAX 25W - G9 25 KG



PL4082E-150x50x70-N
W 150 cm - H 70 cm - D 50 cm
19 x MAX 25W - G9 36 KG



PL4081-195x75x55-N1
W 195 cm - H 75 cm - D 55 cm
18 x MAX 25W - G9 50 KG


Stratus

PL4100-40x85-K
Ø 40 cm - H 85 cm
9 x MAX 40W - E14



CUSTOM WORK






PL4113-70x300-C3
 $\varnothing$ 70 cm - H 300 cm
 10 x MAX 60W - E14

Stratus

Technical data



R	Ceiling cup
C	Chain
H	Height
Ø	Diameter
D	Depth
W	Width
	Bulb
	Weight
	Insulation class
	Frame Finishes



Colors



Red



Black



gold




chrome powder



chrome

General Specifications

CE IP20



LM4100-25x40-K
Ø 25 cm - H 40 cm
1 x MAX 60W - E27 4 KG



PL4100-40x85-K
Ø 40 cm - H 85 cm
9 x MAX 40W - E14 8 KG



PL4110-30x75-C
Ø 30 cm - H 75 cm
1 x MAX 60W - E14 6 KG



PL4110-50x80-C
Ø 50 cm - H 80 cm
4 x MAX 60W - E14 8 KG




PL4110-40x75-C-J
Ø 40 cm - H 75 cm
3 x MAX 60W - E14 7 KG



PL4110-50x75-C-X
Ø 50 cm - H 75 cm
4 x MAX 60W - E14 8 KG



PL4112-40x55-C
Ø 40 cm - H 55 cm
5 x MAX 60W - E14 6 KG



PL4113-30x160-C
Ø 30 cm - H 160 cm
9 x MAX 40W - E14 18 KG



PL4113-30x170-C
Ø 30 cm - H 170 cm
9 x MAX 40W - E14 18 KG



PL4115-30x160-C
Ø 30 cm - H 160 cm
9 x MAX 40W - E14 18 KG




PL4113-70x300-C3
Ø 70 cm - H 300 cm
10 x MAX 60W - E14 40 KG

Stratus R

SS4110R-120x35x70-N1
W 120 cm - H 70 cm - D 35 cm
8 x MAX 25W - G9



PL4110Q-50x70-C3
W 50 cm - H 70 cm - D 50 cm
8 x MAX 40W - E14



Stratus R

Technical data




Colors


- N1 brushed nickel
- C3 powder chrome

General Specifications


CE IP20



R	Ceiling cup
C	Chain
H	Height
Ø	Diameter
D	Depth
W	Width
	Bulb
	Weight
	Insulation class
	Frame Finishes



PL4110Q-50x70-C3
W 50 cm - H 70 cm - D 50 cm
8 x MAX 40W - E14 14 KG




SS4110R-120x35x70-N1
W 120 cm - H 70 cm - D 35 cm
8 x MAX 25W - G9 18 KG

Spyral

PL4150E-50x110x265-B3
W 50 cm - H 265 cm - D 110 cm
30 x MAX 25W - G9



CUSTOM WORK
Ø 110 cm - H 200 cm
5 x LED




PL4150-120x500-K
Ø 120 cm - H 500 cm
27 x MAX 40W - G9



Spyral

Technical data



R	Ceiling cup
C	Chain
H	Height
Ø	Diameter
D	Depth
W	Width
	Bulb
	Weight
	Insulation class
	Frame Finishes

Colors



Ivory



gold



brushed nickel



bronzed

General Specifications

CE IP20



PL4150-30x130-N1
Ø 30 cm - H 130 cm
7 x MAX 40W - E14 12 KG



PL4150-30x200-N1
Ø 30 cm - H 200 cm
7 x MAX 40W - E14 16 KG



PL4150-60x335-K-V
Ø 60 cm - H 335 cm
15 x MAX 60W - E14 45 KG



PL4150E-50x110x265-B3
W 50 cm - H 265 cm - D 110 cm
30 x MAX 25W - G9 65 KG



PL4150-120x500-K
Ø 120 cm - H 500 cm
27 x MAX 40W - G9 190 KG



PL4151-30x180-N
Ø 30 cm - H 180 cm
7 x MAX 40W - G9 14 KG

Circus

SS4170E-120x80x55-N1-P
W 120 cm - H 55 cm - D 80 cm
27 x MAX 25W - G9



SS4063R-30x160x40-C
W 160 cm - H 40 cm - D 30 cm
8 x MAX 25W - G9



SS4063-50x35-C
Ø 50 cm - H 40 cm
1 x MAX 40W - E14



PL4064-60x45-K1
Ø 60 cm - H 45 cm
7 x MAX 40W - G9



SS4065-75x90-N-G
Ø 75 cm - H 90 cm
9 x MAX 40W - E14



SS4065-80x135-N1
Ø 80 cm - H 135 cm
12 x MAX 60W - E14






PL4064-120x50-CP
 Ø 120 cm - H 50 cm
 31 x MAX 40W - G9



Circus

Technical data



R	Ceiling cup
C	Chain
H	Height
Ø	Diameter
D	Depth
W	Width
	Bulb
	Weight
	Insulation class
	Frame Finishes



Colors



Polychrome



Amber



Green



nickel



chrome



brushed nickel



chrome powder



gold

General Specifications

CE IP20



PL4065-60x90-N-G
Ø 60 cm - H 90 cm
7 x MAX 40W - E14 10 KG



SS4065-75x90-N-G
Ø 75 cm - H 90 cm
9 x MAX 40W - E14 22 KG



SS4065-80x135-N1
Ø 80 cm - H 135 cm
12 x MAX 60W - E14 25 KG



PL4065-50x80-N
Ø 50 cm - H 80 cm
6 x MAX 40W - E14 15 KG



PL4066-30x50-C-P
Ø 30 cm - H 40 cm
1 x MAX 60W - E27 8 KG



PL4065-30x95-N-P
Ø 30 cm - H 95 cm
10 x MAX 40W - E14 15 KG



PL4065-40x40-C3-A
Ø 40 cm - H 40 cm
3 x MAX 25W - G9 4 KG



PL4066-30x50-C-P
Ø 30 cm - H 50 cm
1 x MAX 60W - E27 3 KG



SS4170E-120x80x55-N1-P
W 120 cm - H 55 cm - D 80 cm
27 x MAX 25W - G9 80 KG




PL4064-110x50-C3
Ø 110 cm - H 50 cm
33 x MAX 25W - G9 65 KG



PL4064-120x50-CP
Ø 120 cm - H 50 cm
31 x MAX 25W - G9 85 KG



PL4064-60x45-K1
Ø 60 cm - H 45 cm
7 x MAX 40W - G9 8 KG



SS4063R-30x160x40-C
W 160 cm - H 40 cm - D 30 cm
8 x MAX 25W - G9 22 KG



PL4065-50x65-N-P
Ø 50 cm - H 65 cm
6 x MAX 40W - E14 12 KG



PL4065-50x90-N-P
Ø 50 cm - H 90 cm
6 x MAX 40W - E14 15 KG



PL4065-40x50-N-P
Ø 40 cm - H 50 cm
3 x MAX 40W - E14v 6 KG

Queen

PL5515-60x45-K
Ø 60 cm - H 45 cm
8 x MAX 40W - E14



Queen

Technical data




Colors

K gold

General Specifications

CE IP20



R	Ceiling cup
C	Chain
H	Height
Ø	Diameter
D	Depth
W	Width
	Bulb
	Weight
	Insulation class
	Frame Finishes



AP5515-18x30-K
W 18 cm - H 30 cm - D 11 cm
 1 x MAX 40W - E14 2 KG



PL5515-30x30-K
W 30 cm - H 30 cm - D 30 cm
 3 x MAX 40W - E14 4 KG



PL5515-40x35-K
Ø 40 cm - H 35 cm
 5 x MAX 40W - E14 6 KG



PL5515-50x40-K
Ø 50 cm - H 40 cm
 8 x MAX 40W - E14 9 KG



PL5515-60x45-K
Ø 60 cm - H 45 cm
 8 x MAX 40W - E14 12 KG



PL5520-60x35-N
Ø 60 cm - H 35 cm
 6 x MAX 40W - E14 12 KG



SS5520-70x50-N
Ø 70 cm - H 50 cm
 6 x MAX 40W - E14 20 KG

Quark

PL4024-60x60-K3
Ø 60 cm - H 60 cm
6 x MAX 40W - E14



CUSTOM WORK
Ø 80 cm - H 60 cm
10 x MAX 40W - E14




PL4021-40x30-K3
Ø 40 cm - H 30 cm
3 x MAX 40W - E14



Quark

Technical data



R	Ceiling cup
C	Chain
H	Height
Ø	Diameter
D	Depth
W	Width
	Bulb
	Weight
	Insulation class
	Frame Finishes

Colors

	Polychrome
	gold powder
	brushed nickel
	brushed gold

General Specifications

CE IP20



PL4021-40x30-K3
Ø 40 cm - H 30 cm
3 x MAX 40W - E14 5 KG



PL4021-50x30-N1
Ø 50 cm - H 30 cm
6 x MAX 40W - E14 5 KG



PL4024-50x40-N
Ø 50 cm - H 40 cm
5 x MAX 40W - E14 8 KG



PL4020-55x25-K1
Ø 55 cm - H 25 cm
6 x MAX 40W - E14 5 KG



PL4020-55x25-N1
Ø 55 cm - H 25 cm
6 x MAX 40W - E14 5 KG



PL4023-60x30-N1
Ø 60 cm - H 30 cm
6 x MAX 40W - E14 6 KG



PL4023-65x45-N1-P-S
Ø 65 cm - H 45 cm
? x MAX 60W - E14 12 KG



PL4024-60x60-K3
Ø 60 cm - H 60 cm
6 x MAX 40W - E14 26 KG

Impero

SS5750-60x80-K
Ø 60 cm - H 80cm
8 x MAX 40W - E14



CUSTOM WORK
Ø 80 cm - H 225 cm
20 x MAX 40W - E14



PL5750-45x35-K
Ø 45 cm - H 35 cm
3 x MAX 40W - E14



AP5750-25x35-K2
W 25 cm - H 35 cm - D 15 cm
2 x MAX 40W - E14
2 kg



PL5801E-120x45
W 120 cm - H 25 cm - D 45 cm
7 x MAX 40W - E14



PL5801E-160x60
W 160 cm - H 25 cm - D 60 cm
10 x MAX 40W - E14
40 KG




SS5750-80x115-N1
Ø 80 cm - H 115 cm
16 x MAX 40W - E14



Impero

Technical data



R	Ceiling cup
C	Chain
H	Height
Ø	Diameter
D	Depth
W	Width
	Bulb
	Weight
	Insulation class
	Frame Finishes



Colors

- gold
- chrome
- matt gold
- brushed nickel

General Specifications

CE IP20



AP5750-18x20-K
W 18 cm - H 20 cm - D 10 cm
1 x MAX 40W - E14 1 KG



AP5750-25x30-C
W 25 cm - H 30 cm - D 14 cm
2 x MAX 40W - E14 2 KG



PL5801E-120x45
W 120 cm - H 25 cm - D 45 cm
7 x MAX 40W - E14 35 KG



PL5750-45x35-K
Ø 45 cm - H 35 cm
3 x MAX 40W - E14 5 KG




SS5750-45x70-K2
Ø 45 cm - H 70 cm
9 x MAX 40W - E14 7 KG



SS5750-45x70-N1
Ø 45 cm - H 70 cm
9 x MAX 40W - E14 9 KG



SS5750-60x80-K
Ø 60 cm - H 80 cm
8 x MAX 40W - E14 11 KG




SS5750-80x115-N1
Ø 80 cm - H 115 cm
16 x MAX 40W - E14 18 KG

Matrix

SS4000R-80x14x25-N1
W 80 cm - H 25 cm - D 14 cm
5 x MAX 25W - G9



PL4001R-90x10x35-N1
W 90 cm - H 35 cm - D 10 cm
5 x MAX 25W - G9



Matrix

Technical data




Colors

N1 brushed nickel

C chrome

General Specifications

CE IP20



R	Ceiling cup
C	Chain
H	Height
Ø	Diameter
D	Depth
W	Width
	Bulb
	Weight
	Insulation class
	Frame Finishes



AP4000R-40x15-N1
W 40 cm - H 15 cm - D 10 cm
3 x MAX 25W - G9 2 KG



SS4000-20x25-N1
Ø 20 cm - H 25 cm
1 x MAX 25W - G9 3 KG




SS4000R-80x14x25-N1
W 80 cm - H 25 cm - D 14 cm
5 x MAX 25W - G9 5 KG



PL4001R-80x18x70-N1
W 80 cm - H 70 cm - D 18 cm
5 x MAX 25W - G9 13 KG



PL4001R-90x10x35-N1
W 90 cm - H 35 cm - D 10 cm
5 x MAX 25W - G9 7 KG



PL4000R-90x15x40-N1
W 90 cm - H 40 cm - D 15 cm
5 x MAX 25W - G9 13 KG

Donuts

PL4325-55x13-C
Ø 55 cm - H 13 cm
6 x MAX 40W - E14



Donuts

Technical data




Colors

C chrome

General Specifications

CE IP20



R	Ceiling cup
C	Chain
H	Height
Ø	Diameter
D	Depth
W	Width
	Bulb
	Weight
	Insulation class
	Frame Finishes



PL4325-35x9-C
Ø 35 cm - H 9 cm
 3 x MAX 60W - E14 3 KG



PL4325-45x10-C
Ø 45 cm - H 10 cm
 3 x MAX 40W - E14 5 KG



PL4325-55x13-C
Ø 55 cm - H 13 cm
 6 x MAX 40W - E14 8 KG

Maria Theresa

L5050-8+4+1-C-C
Ø 70 cm - H 85 cm
13 x MAX 40W - E14



LA5035-2-C-C
W 40 cm - H 25 cm - D 12 cm
2 x MAX 40W - E14





L5040-12+6-C-C-1
 Ø 90 cm - H 85 cm
 18 x MAX 40W - E14



AP5035-2-W-C
W 30 cm - H 30 cm - D 20 cm
2 x MAX 40W - E14



L5110-12+6-C-C
Ø 85 cm - H 75 cm
18 x MAX 40W - E14

L5035-6-C-C
Ø 45 cm - H 60 cm
6 x MAX 40W - E14

L5050-12+6+1-C-C
Ø 110 cm - H 140 cm
19 x MAX 40W - E14



SS5035-5-C-C
Ø 40 cm - H 85 cm
5 x MAX 40W - E14



LT5036-12-CW-C
Ø 75 cm - H 90 cm
12 x MAX 40W - E14



L5045-10-F-C
Ø 60 cm - H 80 cm
10 x MAX 40W - E14



L5050-8+4+1-F-C
Ø 70 cm - H 85 cm
13 x MAX 40W - E14



L5042-12+6-W-C
Ø 80 cm - H 70 cm
18 x MAX 40W - E14



L5035-10-C-C
Ø 65 cm - H 70 cm
10 x MAX 40W - E14



L5041-12+6-C-C
Ø 80 cm - H 85 cm
18 x MAX 40W - E14



L5041-18+9-C-C
Ø 120 cm - H 100 cm
27 x MAX 40W - E14



LT5107-35-WW-K
Ø 105 cm - H 125 cm
35 x MAX 40W - E14



CUSTOM WORK
Ø 65 cm - H 70 cm
10 x MAX 40W - E14



L5040-12+6-W-C
Ø 80 cm - H 100 cm
18 x MAX 40W - E14




L5106-24-C-K-1
Ø 140 cm - H 130 cm
24 x MAX 40W - E14



Maria Theresa

Technical data



R	Ceiling cup
C	Chain
H	Height
Ø	Diameter
D	Depth
W	Width
	Bulb
	Weight
	Insulation class
	Frame Finishes



Colors

F	Fumé	CD1	Clear Light Gray	W	White
WW	White White	CW	Clear White	V	Ivory
C	chrome	K	gold		

General Specifications

CE IP20



LA5035-1-F-C
W 18 cm - H 20 cm - D 8 cm
1 x MAX 40W - E14 2 KG



LA5035-2-C-C
W 40 cm - H 25 cm - D 12 cm
2 x MAX 40W - E14 2 KG



AP5035-1-V-K
W 10 cm - H 35 cm - D 20 cm
1 x MAX 40W - E14 KG



APT5035-1-CW-C
W 10 cm - H 35 cm - D 20 cm
1 x MAX 40W - E14 2 KG



AP5036-5-C-C
W 45 cm - H 55 cm - D 25 cm
5 x MAX 40W - E14 4 KG



L5035-5-V-C
Ø 45 cm - H 60 cm
5 x MAX 40W - E14 4,5 KG



L5035-8-W-C
Ø 60 cm - H 70 cm
8 x MAX 40W - E14 8 KG



L5035-6-C-C
Ø 45 cm - H 60 cm
6 x MAX 60W - E14 5 KG



AP5035-2-F-C
W 30 cm - H 30 cm - D 20 cm
2 x MAX 40W - E14 2 KG



APT5035-2-CW-C
W 35 cm - H 30 cm - D 20 cm
2 x MAX 40W - E14 2 KG



AP5035-2-W-C
W 30 cm - H 30 cm - D 20 cm
2 x MAX 40W - E14 2 KG



AP5036-3-W-C
W 40 cm - H 50 cm - D 25 cm
3 x MAX 40W - E14 3 KG



L5102-10-V-K
Ø 80 cm - H 65 cm
10 x MAX 40W - E14 8 KG



L5050-8+4+1-F-C
Ø 70 cm - H 85 cm
13 x MAX 40W - E14 13 KG



L5040-12+6-C-C-1
Ø 90 cm - H 85 cm
18 x MAX 40W - E14 14 KG



L5040-12+6-W-C
Ø 80 cm - H 100 cm
18 x MAX 40W - E14 14 KG



L5110-12+6-C-C
Ø 85 cm - H 75 cm
⌀ 18 x MAX 40W - E14 14 KG



L5042-12+6-W-C
Ø 80 cm - H 80 cm
⌀ 18 x MAX 40W - E14 13 KG



L5041-12+6-C-C
Ø 80 cm - H 85 cm
⌀ 18 x MAX 60W - E14 15 KG



L5035-10-C-C
Ø 65 cm - H 70 cm
⌀ 10 x MAX 60W - E14 12 KG



LT5041-18+9-CD1-C
Ø 120 cm - H 100 cm
⌀ 27 x MAX 40W - E14 24 KG



L5106-24-C-K-1
Ø 140 cm - H 130 cm
⌀ 24 x MAX 60W - E14 50 KG



L5045-10-F-C
Ø 60 cm - H 80 cm
⌀ 10 x MAX 40W - E14 10 KG



LT5107-35-WW-K
Ø 105 cm - H 125 cm
⌀ 35 x MAX 60W - E14 40 KG



LT5036-12-CW-C
Ø 75 cm - H 90 cm
⌀ 12 x MAX 40W - E14 15 KG



L5050-12+6+1-C-C
Ø 110 cm - H 140 cm
⌀ 19 x MAX 40W - E14 25 KG



L5040-18+9-C-C
Ø 120 cm - H 110 cm
⌀ 27 x MAX 60W - E14 23 KG



L5041-18+9-C-C
Ø 120 cm - H 100 cm
⌀ 27 x MAX 60W - E14 22 KG



SS5035-5-C-C
Ø 40 cm - H 85 cm
⌀ 5 x MAX 60W - E14 8 KG



F5030-5+1-C-C
Ø 45 cm - H 60 cm
⌀ 6 x MAX 60W - E14 4 KG



P5035-6+1-C-C
W 50 cm - H 180 cm - D 60 cm
⌀ 7 x MAX 60W - E14 35 KG

CE The “CE” mark required by the European Community with the 93/98/CEE directive states that the luminaire complies with the European technical requirements.
La marcatura “CE” voluta dalla Comunità Europea con direttiva 93/98/CEE attesta la conformità dell’apparecchio ai requisiti richiesti delle norme tecniche.

IP Degree of protection provided against intrusion (body parts such as hands and fingers), dust, accidental contact, and water by mechanical casings and electrical enclosures.
The enclosure of this luminaire IP20 is protected against solid objects up to than 12 mm, no special protection provided against penetration of water.
Livello di protezione dal contatto con il corpo umano o con oggetti (prima cifra del codice), e la protezione dal contatto con l’acqua.
Apparecchi IP20 sono dotati di involucro protetto dalla penetrazione di corpi solidi superiori a 12 mm e non protetto dalla penetrazione di liquidi.

 Luminaire in which protection against electric shock does not rely on basic insulation only, but which are provided for the connection of accessible conductive parts to protective conductor in the fixed wiring of the installation.
Apparecchio nel quale la protezione contro la scossa elettrica si basa oltre che dall’isolamento principale anche dalla connessione delle parti conduttrici accessibili ad un conduttore di protezione dell’impianto elettrico fisso.

 The protection against electrical shocks of this luminaire is achieved by simple insulation and some other devices such as double insulation or reinforced insulation. There is no earth cable provided.
Apparecchio dotato di protezione contro la scossa elettrica basata sull’isolamento fondamentale e su misure supplementari quali il doppio isolamento rinforzato.



R	Ceiling cup / Rosone
C	Chain / Catena
H	Height / Altezza
Ø	Diameter / Diametro
D	Depth / Profondità
W	Width / Larghezza
	Bulb / Lampadina
	Weight / Peso
	Insulation class / Classe isolamento
	Frame Finishes / Finitura metallica
	Glass color / Colore vetro
	Shade color / Colore paralume
MB	BABY extra extra small
MC	MICRO extra small
MG	MIGNON small
ML	LARGE large
MN	MAGNUM extra large

While maintaining the basic characteristic of the product, MULTIFORME® reserves the right to make modification at any time with the sole aim of improvement.
Fermo restando le caratteristiche basilari del prodotto, MULTIFORME® si riserva di apportare modifiche in ogni momento al solo scopo migliorativo.



Cromo
Chrome



Nickel Lucido
Polished Nickel



Cromo Spazzolato
Brushed Chrome



Nickel Spazzolato
Brushed Nickel



Oro Lucido
Polished Gold



Brunito
Burnished



Oro Liquido
Liquid Gold



Oro Spazzolato
Brushed Gold




Vetro Veneziano
Venetian Glass



Cristallo Molato
Cut Crystal



Cristallo Asfour®
Asfour® Crystal



Cristallo Swarovski®
Swarovsk® Crystal



Via A.Vespucci, 16
35010 Trebaseleghe (PD)
VAT IT04349890287
Ph +39 049 9387669
Mob +39 333 7570441
Fax +39 041 3965706
sales@multiforme.eu
www.multiforme.eu

Via Ghebba, 67/o
30030 Oriago di Mira (VE)

Industrial and Intellectual Property rights
All the designs, brands, trademarks, domain names, the pictures and contents of this catalogue are exclusively owned by MULTIFORME® and are protected by the relevant provisions of Industrial and Intellectual Property Law. Their unauthorized reproduction even partial, modification, publication and any other use are strictly prohibited.

Diritti di proprietà industriale e intellettuale
I modelli, i nomi commerciali, i marchi, nomi a dominio, le fotografie ed i testi presenti in questo catalogo sono di esclusiva proprietà di MULTIFORME® e protetti secondo le norme a tutela dei diritti di Proprietà Industriale ed intellettuale. Qualsiasi loro riproduzione anche parziale, modifica, pubblicazione o altra forma di utilizzo, se non espressamente autorizzata da MULTIFORME® è vietata.

