Clear forms. Versatile functions.

BASIC.4



A workstation system as it should be:

focussing on the essentials. Extremely functional; yet an attractive, high-quality look. At the same time, BASIC.4 is able to fulfil a variety of requirements – and is therefore the perfect basis for efficient working.



sign of the existing models.

Through its finish, for instance. That's why we've used mitring and a shadow gap as design elements, and we've added another desk with its own particular character to complement the functional de-



















An eye for detail.

It's often especially the little things that make working more pleasant and efficient.










- **11 High quality:** mitring and shadow gap (square tube) as a visual feature with a top thickness of 13 mm, optionally available with 25 mm thickness.
- **21 Standard:** square tube or round tube are both available with the 13 or 25 mm top thickness.
- 31 Simple: the top is fitted with clips and can be removed without any tools at all.

Flexibility is always in demand.

That's why a BASIC.4 desk is completely orientated towards your requirements – without a fuss.











⁶¹ Adaptable: spring-assisted height adjustment in increments for comfortable adjustment within a range from 680 to 850 mm.

⁷¹ Sturdy: leg frame without height adjustment with a fixed height of 720 mm.

⁸¹ Infinitely variable: adjustable from 680 to 760 mm by means of an integral screw thread for round tube and 680 to 820 mm for square tube.

⁴¹ Intelligent: a system solution that can be extended in a variety of ways. Linking is only possible with the standard leg frame.

⁵¹ Practical: the bolted leg frame is extremely stable, making assembly, reconfiguration and logistics simple.


















⁹ I Flexible: adapters for cable connections are located on the edge of the desktop.

¹⁰ I Mobile: TFT monitor swivel arm for adapters.

¹¹ I Saves space: desk railing with rails organisable on both sides to take up organisation elements or flat screen retainers.

¹² I Organiser accessories: desktop screen with fabric cover or in the form of an aluminium organiser board.

¹³ I Clever: Table railing alternatively with composite filling or acrylic glass panels.

So many possibilities.


BASIC.4 is a workstation system that can be used for a variety of functions.








- 14 I Intelligent: the visitor table is also ideal for use as a sitting/standing solution at your workstation.
- **15 I Fills the space:** BASIC.4 is linkable, and there is also a visitor extension available for the standard leg frame.
- 16 I Communication-orientated: perfect for meeting situations, seminars, trainings and also as a reception counter.



Product overview





Leg frame	
Bolted four-legged frame, round or square tube, optionally on castors	•
Bolted four-legged frame with square tube, mitred, with floating top	•
Dimensions	
Widths 2,200 mm (freeform only), 2,000 mm, 1,800 mm, 1,600 mm, 1,200 mm, 1,000 mm, 800 mm	•
Depths 1,000 mm, 900 mm, 800 mm	•
Height adjustment	•
Fixed 720 mm	•
Incremental Can be adjusted in 20 mm increments between 680 and 850 mm with the Allen key supplied	0
Infinitely variable From 680 to 760 mm by means of an integral screw thread for round tube and 680 to 820 mm for square tube	0
Тор	
Chipboard 13 or 25 mm thick melamine-faced board, can be removed without tools	0
Solid core 13 mm thick melamine-faced board, can be removed without tools	0
Veneer 25 mm thick melamine-faced board, can be removed without tools	0
Electrification	0
Horizontal Optionally available with matching cable tray or clamps	0
Vertical Can be added at any time with an optional cable chain	0
Cut-outs Available as an option; the cut-outs can also be fitted with adapters to fit 3 rd level accessories	0
Sliding top Standard	•
Extensions/accessories	
3 rd level Adapters	0
Side CPU holder, printer shelf	0
Down Modesty panel	0
Linking As an option with a selection of different linking elements such as briefcase ledges and lecterns (not available with mitred frame)	0
Rail Desk rail to hold storage accessories or flat screen arms. Infill panels either in fabric or acrylic glass.	0

● Basis ○ Option

Deutschland

König + Neurath AG Büromöbel-Systeme Industriestraße 1–3 61184 Karben

Tel.: +49 (0)6039 483-0 Fax: +49 (0)6039 483-214 e-mail: info@koenig-neurath.de www.koenig-neurath.de

Great Britain

K + N International (Office Systems) Ltd 52 Britton Street London EC1M 5UQ

Tel.: +44 (0)20 74909340 Fax: +44 (0)20 74909349

e-mail: sales@kn-international.co.uk

www.kn-city.co.uk

Nederland

König + Neurath Nederland Office Furniture Airport Business Park Lijnden Frankfurtstraat 18–22 1175 RH Lijnden

Tel.: +31 (0)20 4109410 Fax: +31 (0)20 4109419 e-mail: info@konig-neurath.nl www.konig-neurath.nl

France

König + Neurath AG Showroom Paris 66, rue de la Victoire 75009 Paris

Tel.: +33 (0)1 44 63 23 93 Fax: +33 (0)1 44 63 23 97 www.koenig-neurath.de/fr