



n_table

Mobile tables for flexible communication.

The many different varieties of face-to-face communication in enterprises require mobile table systems, quickly responding to each new situation. *n_table* accomplishes this end optimally, featuring very easy handling, a quick change of configurations with little effort, extremely space-saving storage, ample leg room, an intelligent integration of technology and sophisticated accessories.

Conclusion: *n_table* offers a maximum of comfort and mobility combined with contemporary design for modern office architecture.

Park and Go.



Creating the perfectly suitable table configuration in just a few minutes: *n_table* is movable through (lockable) castors, thus permitting the quick and easy rearrangement of configurations. Various applications such as conferences, seminars, meetings, workshops, presentations, or training courses can thus be rearranged in no time at all.



On request, quick linking devices are available, ensuring a flush and safe linking of the tables to compensate any floor unevenness, for example. Tables not needed for the moment can be "parked" and stored with tops folded up to save space.

Rich in detail.

Optional.



C-leg table



T-leg table



Overview

600	1200	1400	1600	1800	2000
700					
800					

Rectangular table C-leg

Trapezoidal table C-leg

Half round table C-leg

700	1200	1400	1600	1800	2000
800					
900					
1000					


Rectangular table T-leg

Quarter-round table T-leg

Ellipse table T-leg

Table height | **Parking position C-leg tables** | **Parking position T-leg tables**

Example of possible arrangements



Features:

Table tops
choice of laminate (MFC) or HPL top with seamless, moisture resistant laser edge (ABS edge), veneered with laminated wood edge, or compact top. Stained wood surfaces. Folding table top. Folding mechanism with gas spring, released by a star handle underneath the top. Vertically tilted tops allow space saving storage.

Frame
Depending on the shape of the top available with C-leg or T-leg. Frame powder-coated aluminium, cantilever foot of polished aluminium. Silver coloured twin wheel castors Ø 75 mm. 2 castors lockable at user's side (at side of handle), 2 castors opposite, not lockable.

Optional
Modesty panel, height 320 mm: perforated sheet steel, pivoting mounted, powder-coated. Quick-linking device: plastic, 2 linking devices per table side needed for lateral or cross linking. Cross linking is not possible for C-leg table width 600 and 700 mm combined with modesty panel.

Electric cabling
Horizontal and vertical cable channel powder-coated metal. Invisible cable guides from table to table through lateral plastic cable release. Colour of cable release: silver with eloxal-silver frame, otherwise black. Rectangular cable grommet: metal, powder-coated, with flap.

Important note
We recommend the use of linking devices for table configurations, otherwise the table tops may not be level if the floor is uneven.

Perfect Partners.



sign_2



ayo



update

A-4950 Altheim
Linzer Strasse 22
T +43 (7723) 460-0
altheim@wiesner-hager.com

D-97080 Würzburg
Schürerstrasse 3
T +49 (931) 3 55 85-0
F +49 (931) 3 55 85 85
wuerzburg@wiesner-hager.com


NL-6102 BJ Echt
Houtstraat 32 H
T +31 (475) 41 02 22
F +31 (475) 41 00 90
benelux@wiesner-hager.com

F-67201 Eckbolsheim
13, rue Ettore Bugatti
T +33 (3) 88 59 90 90
F +33 (3) 88 59 90 89
france@wiesner-hager.com

UK: Wiesner-Hager Ltd.
Fourth Floor
104-110 Goswell Road
London
EC1V 7DH
T +44 (20) 7490 3627
london@wiesner-hager.com

CZ-150 00 Praha 5
Drtinova 557/10
T +420 271 730 444
praha@wiesner-hager.com

Certified acc. to:
ISO 9001, ISO 14001
and ISO 14025



LASERKANTE
LASER EDGE

Directly to your mobile phone!
The hardest quality check
of all time: Try Hard 2.0



03 - 2016 EN