

THE

Next Big Thing

IN MINIATURIZATION



***INTRODUCING PISTA: THINNER SLIMMER
MAGNETIC TRACK RAILS, EVER SMALLER LIGHT
FIXTURES AND ULTRA-THIN CABLES.***

The ultimate in modern aesthetics. And Pista isn't just about miniaturization, it's also about creating unique lighting configurations. The designer can play with different modules on single or multiple track rails in different lengths and colours. The geometrical possibilities really are endless. Even after installation, the magnetic track rails mean you can change the lighting configuration. Whenever and however you want.

Pista

MAGNETIC TRACK RAIL WITH A THIN AND SLIM DESIGN.

Installation options: recessed, surface mounted (for both wall and ceiling) or suspended. Available in 1, 2 or 3m; in white or black structure.



Marbulito

Mini round track spot with great flexibility (h360° v50°). Equipped with a lens which creates a sharp circular light beam. Available in white or black structure.

Marbulito suspension

Our smallest and most elegant suspended track spot so far. Supplied with a 2-metre cable for high ceiling installations. Available in white or black structure.

Linear LED

Streamlined LED modules for general light. Powerful lumen packages (1000lm/m) in warm white (2700K-3000K). Newly introduced Night Light module with a black diffuser for ambience light. All available in five different lengths: 500-2500mm.

Médard 42

Miniaturized version of our award-winning Médard. For even greater flexibility (h360° v360°). Soft and subtle circular light beam. Available in white or black structure.

**GENERAL
LED**

and
INFINITE LINES

TWO TYPES OF LED LINEAR LIGHTS, TWO ENTIRELY DIFFERENT EFFECTS.

The linear LED modules are available in five different lengths, from 500 mm to an impressive 2500 mm. Thanks to the 180° connection, it's easy to connect multiple track rails together. The infinite lines you can create is what has inspired us to name our track rail Pista (= *race track in Italian*).

The first, beautifully functional with powerful lumen packages (1000 lm/m). The second, the LED linear Night Light is pure design, for more ambient and intimate lighting. Both modules have a perfect seamless look and they don't stick out of the profile. Beauty is in the detail after all.



NIGHT


INVISIBLE LIGHT

*THE NIGHT LIGHT INTRODUCED BY MODULAR
CHANGES THE WAY YOU LOOK AT LIGHTING.*

By day, when it's off, it blends in with the interior design.
A black accent that enhances the architecture of the space.
Like a carefully chosen piece of furniture. Totally invisible as a
light source. By night, an amazing transformation. A soft and
cosy light creating an intimate atmosphere.



LIGHT



ACCENT LIGHTING

MARBULITO AND
MÉDARD IN THE
SPOTLIGHT.



G



***WE MINIATURIZED TWO OF OUR
WELL-KNOWN SPOT DESIGNS:
MARBUL AND MÉDARD.***


Our mini-Marbul, Marbulito has a lens which gives a nice sharp round light contour on the wall or floor, while Médard has a reflector, which means the circle of light is softer and subtler. Marbulito suspension is available with a 2-metre long cable, for creative executions on high ceilings.

**Marbulito
Suspension**



SCALE 1:1





COVERS

SEAMLESS DESIGN

OUR COVERS ARE CAREFULLY CRAFTED
TO HIDE THE TECHNICAL INNER SIDE OF
THE TRACK RAIL.

They are ultra-thin and ultra-slim, leaving a clean and smooth finish. They are available in matching black or white structure and lengths of 1 and 2 metres but can be cut to perfectly fit in the track rail.

PURE PERFE



EYE FOR DETAIL

The colour and finish of the track rail and its fixtures are one and the same. Which means that when you add rails and lights it feels like one complete and finished design.

CTION



SUSPENDED CABLES



NSION

S

WORTH TALKING ABOUT



*PISTA TRACK RAILS CAN BE RECESSED,
MOUNTED DIRECTLY ON WALLS AND
CEILINGS OR SUSPENDED.*

Suspended means suspension cables, which aren't usually a topic of discussion. Except now. Modular is the first to introduce black steel cables. That's not the only first: also, the first to introduce the ultra-thin 0.8mm thick cable. Our suspension cables come with a connection box that has been designed with the same high standards - perfectly in line with the overall design. Matching the structure and colour of the rails and fixtures.




*TWIN BRACKETS,
NOT JUST ANOTHER LIGHTING
FIXTURE.*

Now you can create layers of light, by placing one or more rails next to each other. Parallel modules of linear lights and spotlights. Think of it as a palette of general and accent lighting to create your own symmetrical or asymmetrical lighting composition.

Your very own masterpiece of lighting design.

TWIN BRACKETS

CREATING ART
WITH LIGHT
















PISTA LINEAR LED

LED GI

Pista track 48V LED linear (555mm) GI



1X LED-STRIP INCL. 8.5W



NOT DIMMABLE	2700K / CRI90+	3000K / CRI90+
black struc	13412032	13412532
white struc	13412009	13412509
1-10V*	2700K / CRI90+	3000K / CRI90+
black struc	13413032	13413532
white struc	13413009	13413509
DALI	2700K / CRI90+	3000K / CRI90+
black struc	13414032	13414532
white struc	13414009	13414509


LUMINAIRE OUTPUT & POWER CONSUMPTION (white struc)	
2700K	493lm 8.5W
3000K	517lm 8.5W

TRACK SEE PAGE 32

CONNECTED *ONLY WITH 1-10V / SEE PAGE 29

LED GI

Pista track 48V LED linear (1055mm) GI



1X LED-STRIP INCL. 17W



NOT DIMMABLE	2700K / CRI90+	3000K / CRI90+
black struc	13412132	13412632
white struc	13412109	13412609
1-10V*	2700K / CRI90+	3000K / CRI90+
black struc	13413132	13413632
white struc	13413109	13413609
DALI	2700K / CRI90+	3000K / CRI90+
black struc	13414132	13414632
white struc	13414109	13414609


LUMINAIRE OUTPUT & POWER CONSUMPTION (white struc)	
2700K	985lm 17W
3000K	1033lm 17W

TRACK SEE PAGE 32

CONNECTED *ONLY WITH 1-10V / SEE PAGE 29

LED GI

Pista track 48V LED linear (1555mm) GI



1X LED-STRIP INCL. 25.5W



NOT DIMMABLE	2700K / CRI90+	3000K / CRI90+
black struc	13412232	13412732
white struc	13412209	13412709
1-10V*	2700K / CRI90+	3000K / CRI90+
black struc	13413232	13413732
white struc	13413209	13413709
DALI	2700K / CRI90+	3000K / CRI90+
black struc	13414232	13414732
white struc	13414209	13414709


LUMINAIRE OUTPUT & POWER CONSUMPTION (white struc)	
2700K	1478lm 25.5W
3000K	1550lm 25.5W

TRACK SEE PAGE 32

CONNECTED *ONLY WITH 1-10V / SEE PAGE 29

LED GI

Pista track 48V LED linear (2055mm) GI



1X LED-STRIP INCL. 34W



NOT DIMMABLE	2700K / CRI90+	3000K / CRI90+
black struc	13412332	13412832
white struc	13412309	13412809
1-10V*	2700K / CRI90+	3000K / CRI90+
black struc	13413332	13413832
white struc	13413309	13413809
DALI	2700K / CRI90+	3000K / CRI90+
black struc	13414332	13414832
white struc	13414309	13414809


LUMINAIRE OUTPUT & POWER CONSUMPTION (white struc)	
2700K	1970lm 34W
3000K	2067lm 34W

TRACK SEE PAGE 32

CONNECTED *ONLY WITH 1-10V / SEE PAGE 29

LED GI

Pista track 48V LED linear (2555mm) GI



1X LED-STRIP INCL. 42.5W



NOT DIMMABLE	2700K / CRI90+	3000K / CRI90+
black struc	13412432	13412932
white struc	13412409	13412909
1-10V*	2700K / CRI90+	3000K / CRI90+
black struc	13413432	13413932
white struc	13413409	13413909
DALI	2700K / CRI90+	3000K / CRI90+
black struc	13414432	13414932
white struc	13414409	13414909

LUMINAIRE OUTPUT & POWER CONSUMPTION (white struc)	
2700K	2463lm 42.5W
3000K	2583lm 42.5W


TRACK SEE PAGE 32

CONNECTED *ONLY WITH 1-10V / SEE PAGE 29

PISTA LINEAR LED

LED GI

Pista track 48V LED linear night light
(555mm) GI



1X LED-STRIP INCL. 8.5W




NOT DIMMABLE	2700K / CRI90+	3000K / CRI90+
black struc	13415032	13415532
1-10V*	2700K / CRI90+	3000K / CRI90+
black struc	13416032	13416532
DALI	2700K / CRI90+	3000K / CRI90+
black struc	13417032	13417532

LUMINAIRE OUTPUT & POWER CONSUMPTION (black struc)	
2700K	81lm 8.5W
3000K	84lm 8.5W

TRACK	SEE PAGE 32
CONNECTED	*ONLY WITH 1-10V / SEE BELOW

LED GI

Pista track 48V LED linear night light
(1055mm) GI



1X LED-STRIP INCL. 17W




NOT DIMMABLE	2700K / CRI90+	3000K / CRI90+
black struc	13415132	13415632
1-10V*	2700K / CRI90+	3000K / CRI90+
black struc	13416132	13416632
DALI	2700K / CRI90+	3000K / CRI90+
black struc	13417132	13417632

LUMINAIRE OUTPUT & POWER CONSUMPTION (black struc)	
2700K	161lm 17W
3000K	169lm 17W

TRACK	SEE PAGE 32
CONNECTED	*ONLY WITH 1-10V / SEE BELOW

LED GI

Pista track 48V LED linear night light
(1555mm) GI



1X LED-STRIP INCL. 25.5W




NOT DIMMABLE	2700K / CRI90+	3000K / CRI90+
black struc	13415232	13415732
1-10V*	2700K / CRI90+	3000K / CRI90+
black struc	13416232	13416732
DALI	2700K / CRI90+	3000K / CRI90+
black struc	13417232	13417732

LUMINAIRE OUTPUT & POWER CONSUMPTION (black struc)	
2700K	242lm 25.5W
3000K	253lm 25.5W

TRACK	SEE PAGE 32
CONNECTED	*ONLY WITH 1-10V / SEE BELOW

LED GI

Pista track 48V LED linear night light
(2055mm) GI



1X LED-STRIP INCL. 34W




NOT DIMMABLE	2700K / CRI90+	3000K / CRI90+
black struc	13415332	13415832
1-10V*	2700K / CRI90+	3000K / CRI90+
black struc	13416332	13416832
DALI	2700K / CRI90+	3000K / CRI90+
black struc	13417332	13417832

LUMINAIRE OUTPUT & POWER CONSUMPTION (black struc)	
2700K	322lm 34W
3000K	338lm 34W

TRACK	SEE PAGE 32
CONNECTED	*ONLY WITH 1-10V / SEE BELOW

LED GI

Pista track 48V LED linear night light
(2555mm) GI



1X LED-STRIP INCL. 42.5W



NOT DIMMABLE	2700K / CRI90+	3000K / CRI90+
black struc	13415432	13415932
1-10V*	2700K / CRI90+	3000K / CRI90+
black struc	13416432	13416932
DALI	2700K / CRI90+	3000K / CRI90+
black struc	13417432	13417932

LUMINAIRE OUTPUT & POWER CONSUMPTION (black struc)	
2700K	403lm 42.5W
3000K	422lm 42.5W


TRACK	SEE PAGE 32
CONNECTED	*ONLY WITH 1-10V
13190030	CONNECTED 1-10V WHITE COMPONENT
70000152	HUE DIMMER SWITCH
70000615	HUE TAP SWITCH
70008054	HUE SENSOR
70000616	HUE BRIDGE EU
70000617	HUE BRIDGE UK

1-10V AND DALI LINEAR LED MODULES AVAILABLE IN NOVEMBER 2018

MARBULITO

LED GI

Marbulito track 48V 1x LED GI



1X LED ARRAY INCL. 4.4W

Friends of hue

III

48V

IP20

GWT 960°

0.20KG

1-10V*	2700K / CRI90+	3000K / CRI90+
black struc	13420032	13420432
white struc	13420009	13420409


DALI	2700K / CRI90+	3000K / CRI90+
black struc	13420132	13420532
white struc	13420109	13420509

LUMINAIRE OUTPUT & POWER CONSUMPTION	
(28° white struc)	
2700K / 28°	332lm 6.5W
3000K / 28°	332lm 6.5W

TRACK		SEE PAGE 32
CONNECTED		*ONLY WITH 1-10V
13190030	CONNECTED 1-10V WHITE COMPONENT	
70000152	HUE DIMMER SWITCH	
70000615	HUE TAP SWITCH	
70008054	HUE SENSOR	
70000616	HUE BRIDGE EU	
70000617	HUE BRIDGE UK	

LED GI

Marbulito suspension track 48V 1xLED GI



1X LED ARRAY INCL. 4.4W

Friends of hue

III

48V

IP20

GWT 960°

0.35KG

1-10V*	2700K / CRI90+	3000K / CRI90+
black struc	13422032	13422432
white struc	13422009	13422409

DALI	2700K / CRI90+	3000K / CRI90+
black struc	13422132	13422532
white struc	13422109	13422509


LUMINAIRE OUTPUT & POWER CONSUMPTION	
(28° white struc)	
2700K / 28°	332lm 6.5W
3000K / 28°	332lm 6.5W

TRACK		SEE PAGE 32
CONNECTED		*ONLY WITH 1-10V
13190030	CONNECTED 1-10V WHITE COMPONENT	
70000152	HUE DIMMER SWITCH	
70000615	HUE TAP SWITCH	
70008054	HUE SENSOR	
70000616	HUE BRIDGE EU	
70000617	HUE BRIDGE UK	

MÉDARD

LED GI

Médard 42 track 48V 1x LED GI



1X LED ARRAY INCL. 8.1W



1-10V*	2700K / CRI90+		3000K / CRI90+	
	25°	40°	25°	40°
black struc	13430032	13430232	13430432	13430632
white struc	13430009	13430209	13430409	13430609


DALI	2700K / CRI90+		3000K / CRI90+	
	25°	40°	25°	40°
black struc	13430132	13430332	13430532	13430732
white struc	13430109	13430309	13430509	13430709

LUMINAIRE OUTPUT & POWER CONSUMPTION (25° white struc)	
2700K / 25°	702lm 10.5W
3000K / 25°	702lm 10.5W

TRACK	SEE PAGE 32
CONNECTED	*ONLY WITH 1-10V
13190030	CONNECTED 1-10V WHITE COMPONENT
70000152	HUE DIMMER SWITCH
70000615	HUE TAP SWITCH
70008054	HUE SENSOR
70000616	HUE BRIDGE EU
70000617	HUE BRIDGE UK

LED GI

Médard 42 track 48V 1x LED warm dim GI



1X LED ARRAY INCL. 6W



1-10V*	2000K - 3000K / CRI90+	
	35°	45°
black struc	13433032	13433132
white struc	13433009	13433109














DALI	2000K - 3000K / CRI90+	
	35°	45°
black struc	13433432	13433532
white struc	13433409	13433509

LUMINAIRE OUTPUT & POWER CONSUMPTION (35° white struc)	
3000K / 35°	367lm 8W



TRACK	SEE PAGE 32
CONNECTED	*ONLY WITH 1-10V
13190030	CONNECTED 1-10V WHITE COMPONENT
70000152	HUE DIMMER SWITCH
70000615	HUE TAP SWITCH
70008054	HUE SENSOR
70000616	HUE BRIDGE EU
70000617	HUE BRIDGE UK


PISTA TRACK

PISTA TRACK	
13410009	PISTA TRACK 48V SURFACE PROFILE 1M WHITE STRUC (1)
13410032	PISTA TRACK 48V SURFACE PROFILE 1M BLACK STRUC (1)
13410109	PISTA TRACK 48V SURFACE PROFILE 2M WHITE STRUC (1)
13410132	PISTA TRACK 48V SURFACE PROFILE 2M BLACK STRUC (1)
13410209	PISTA TRACK 48V SURFACE PROFILE 3M WHITE STRUC (1)
13410232	PISTA TRACK 48V SURFACE PROFILE 3M BLACK STRUC (1)
13410302	PISTA TRACK 48V RECESSED PROFILE 1M BLACK (2)
13410402	PISTA TRACK 48V RECESSED PROFILE 2M BLACK (2)
13410502	PISTA TRACK 48V RECESSED PROFILE 3M BLACK (2)
13410609	PISTA TRACK 48V COVER 1M WHITE STRUC (3)
13410632	PISTA TRACK 48V COVER 1M BLACK STRUC (3)
13410709	PISTA TRACK 48V COVER 2M WHITE STRUC (3)
13410732	PISTA TRACK 48V COVER 2M BLACK STRUC (3)
13410809	PISTA TRACK 48V POWER FEED LEFT WHITE STRUC (4)
13410832	PISTA TRACK 48V POWER FEED LEFT BLACK STRUC (4)
13410909	PISTA TRACK 48V POWER FEED RIGHT WHITE STRUC (5)
13410932	PISTA TRACK 48V POWER FEED RIGHT BLACK STRUC (5)
13411009	PISTA TRACK 48V SURFACE ENDPLATE WHITE STRUC (6)
13411032	PISTA TRACK 48V SURFACE ENDPLATE BLACK STRUC (6)
13411132	PISTA TRACK 48V RECESSED ENDPLATE BLACK STRUC (7)
13411232	PISTA TRACK 48V MECHANICAL (RECESSED) CONNECTION 180° BLACK STRUC (8)
13411309	PISTA TRACK 48V ELECTRICAL (RECESSED/SURFACE) CONNECTION 180° WHITE STRUC (9)
13411332	PISTA TRACK 48V ELECTRICAL (RECESSED/SURFACE) CONNECTION 180° BLACK STRUC (9)
13411409	PISTA TRACK 48V SUSPENSION CABLE 4M WHITE STRUC (10)
13411432	PISTA TRACK 48V SUSPENSION CABLE 4M BLACK STRUC (10)
13411509	PISTA TRACK 48V POWER FEED CABLE 2M 4X1.5MM² + CONNECTION BOX WHITE STRUC (13)
13411532	PISTA TRACK 48V POWER FEED CABLE 2M 4X1.5MM² + CONNECTION BOX BLACK STRUC (13)
13411709	PISTA TRACK 48V TWIN SUSPENSION CABLE 4M WHITE STRUC (11)
13411732	PISTA TRACK 48V TWIN SUSPENSION CABLE 4M BLACK STRUC (11)
13411809	PISTA TRACK 48V TWIN BRACKET WHITE STRUC (12)
13411832	PISTA TRACK 48V TWIN BRACKET BLACK STRUC (12)



DRIVER SPECIFICATIONS

		
Reference	12407330	12407430
Dimensions (LxWxH)	235x100x31	235x100x31
Input	220-240V 50/60Hz	220-240V 50/60Hz
Ambient temperature	-25°C to +55°C	-25°C to +55°C
Power factor (max)	0.99C	0.99C
Dim	NOT DIMMABLE	NOT DIMMABLE
Max drivers on MCB 16A type B*	8	14
Output voltage / Power range	48V / 0-150W	48V / 0-75W

	
Reference	12407530
Dimensions (LxWxH)	125x63.5x123.6
Input	90-264V 50/60Hz
Ambient temperature	-40°C to +70°C
Power factor (max)	0.7C
Dim	NOT DIMMABLE
Max drivers on MCB 16A type B*	8
Output voltage / Power range	48V / 0-120W

MODULAR LIGHTING INSTRUMENTS — HEADQUARTERS

(For general information and sales network addresses in other countries)

Armoedestraat 71 - 8800 Roeselare - Belgium

Tel: +32 (0)51 26 56 56 - Fax: +32 (0) 51 22 80 04

welcome@supermodular.com - www.supermodular.com

Australia & New Zealand

JSB Lighting

22-38 Yurong Street

Darlinghurst NSW 2010

Tel: +61 2 9571 8800

welcome@modularlighting.com.au

Modular Lighting & Partners

75 Hutchinson Street

St Peters NSW 2044

Tel: +61 1300 101 433

hq@modular.partners

Belgium

Armoedestraat 71 - 8800 Roeselare

Tel: +32 (0)51 26 56 56

welcome@supermodular.com

China

Tel: +32 479 42 91 91 / +32 (0)51 26 56 56

welcome@supermodular.com

Denmark

Tel: +45 5353 9040

welcome.denmark@supermodular.com

France

31, Rue du Mail - 75002 Paris

Tel: +33 1 45 42 24 25

bonjour@supermodular.com

Germany

Röntgenstrasse 22 - 22335 Hamburg

Tel: +49 170 760 76 07 / +49 173 920 66 62

welcome.germany@supermodular.com

Iberia & Latin - South America

Tel: +34 610 260 420 / +32 (0)51 26 56 56

welcome.iberia@supermodular.com

India

Tel: +32 479 42 91 91 / +32 (0)51 26 56 56

welcome@supermodular.com

Italy

Via G. Casati 23 - 20900 Monza (MB)

Tel: +39 039 203 6242

welcome.italy@supermodular.com

Japan

1F, 5-9-3 Minami-azabu, Minato-ku - Tokyo

106-0047

Tel: +81-3-6826-4511

welcome@modularjp.com

Luxembourg

5, Rue de l'église - 1458 Luxembourg/Hollerich

Tel: +352 621 438 899 / +32 (0) 51 26 56 56

welcome@supermodular.com

Norway

Eidsvågbakken 1 - 5105 Eidsvåg (Bergen)

Tel: +47 92 21 92 20

Nedregt 7 - 00551 Oslo

Tel: +47 928 14 481

welcome.norway@supermodular.com

Russia

Tel: +7 919 991 30 73 / +32 (0)51 26 56 56

welcome.russia@supermodular.com

Sweden

Tavastgatan 8 - 118 24 Stockholm

Tel: +46 8 523 29 900

welcome.sweden@supermodular.com

Switzerland

Aargauerstrasse 250 - 8048 Zürich

Tel: + 41 44 456 44 00

welcome.switzerland@supermodular.com

The Netherlands

Bouwerij 54 - 1185 XX Amstelveen

Tel: +31 (0)20 347 30 47

info.nl@supermodular.com

United Kingdom

Tel: +32 479 42 91 91 / +32 (0)51 26 56 56

welcome@supermodular.com

USA & Canada

PO Box 54190

Pittsburgh, PA 15244

Tel: 1-800-674-9691

welcome.us@supermodular.com

www.supermodular.com/na

© 2018 Modular Lighting Instruments - all rights reserved

Modular reserves the right to alter material, dimensions and characteristics without prior notice.

Read installation instructions carefully. Technical information on the installation instruction has precedence over the information in the catalogue and the legend.

Our general terms and conditions shall apply notwithstanding any stipulation to the contrary to all the orders and agreements with Modular.

You can obtain a copy of these conditions on demand.

For latest information and specifications of the full Modular range visit **www.supermodular.com**

All products are CE

ART. NR. 7000343



