

F A B R I C S

2020 / 21

In this catalogue we have a wide range of fabrics and we separate them in categories from 1 to 5 - lowest to highest price.

HIMID

GENUINE LEATHER

CATEGORY 5

thickness	0.9/1.1 mm
raw material	european raw hides
leather types	pigmented – corrected grain
tannage	chromium salt

color fastness property	dry rub fastness, 500 cycles wet rub fastness, 200 cycles alkaline solution rub fastness, 80 Cycles fastness to light
--------------------------------	--

test method	UNI EN ISO 11640 UNI EN ISO 11640 UNI EN ISO 11640 UNI EN ISO 105 -B02
--------------------	---

performance	≥ 4 grey scale ≥ 4 grey scale ≥ 4 grey scale ≥ 4 blue scale
--------------------	--

physical characteristics property	adhesion of finish tear Strength flex Resistance, 20 000 cycles
--	---

test method	UNI EN ISO 11644 UNI EN ISO 3377-1 UNI EN ISO 5402
--------------------	--

performance	≥ 2 N/10mm ≥ 20 N no damage
--------------------	-----------------------------------

genuine leather



577



648



660



770

Colours and textures represented may vary, and are subjected to chromatic changes due to printing, and to the fact that every screen has different displays and colour settings.

HMD

ALBL

CATEGORY 4

composition 51% VI
25% LI
24% PL

cleaning advise
(loose covers)




width 140 cm

martindale 40.000 CC

lightfastness 4

rapport Rapport Vert.: 7 cm
Rapport Horiz.: 4,5 cm

ALBL



02
shadow pink nude



03
cherry blossom




04
amazon green



05
aquarelle



07
wavy blue



08
natural shades

Colours and textures represented may vary, and are subjected to chromatic changes due to printing, and to the fact that every screen has different displays and colour settings.

HMD

FR

ALBO

CATEGORY 3

composition 84% PES
16% AC

cleaning advise
(loose covers)




width 140 cm

fire resistance BS 5852 (2006):
the cigarette test
(source 0)

martindale > 45.000 CC

ALBO



03
linen



04
light gray



05
warm gray



06
stone



10
golden ocre



11
burnt orange



12
bordeaux



16
deep blue

Colours and textures represented may vary, and are subjected to chromatic changes due to printing, and to the fact that every screen has different displays and colour settings.

HMD

FR

ALBU

CATEGORY 3

composition 60% PL
34% PAC
6%VI

cleaning advise
(loose covers)



width 138 cm

fire resistance BS 5852 (2006):
the cigarette test
(source 0)

martindale 35.000 CC

ALBU



01
cloud gray



02
plaza taupe



03
dust cream



06
deep green sea



07
stone



08
dark taupe



09
antracite

Colours and textures represented may vary, and are subjected to chromatic changes due to printing, and to the fact that every screen has different displays and colour settings.

HMD

ALFL

CATEGORY 2

composition 100% PL

cleaning advise
(loose covers)     

width 140 cm

martindale 45.000 CC

ALFL



01
bone



03
greige



04
ice blue



08
moon rock



09
dijon

Colours and textures represented may vary, and are subjected to chromatic changes due to printing, and to the fact that every screen has different displays and colour settings.

HMD

FR

ALHA CATEGORY 4

composition 34%CO
30%VI
21%PL
15% LI

martindale 50.000

cleaning advise
(loose covers)



width 140 cm

lightfastness 4-5

rapport
Rapport Vert.: 5 cm
Rapport Horiz.: 9 cm

fire resistance BS 5852 (2006):
the cigarette test
(source 0)

ALHA



02
shadow pink nude



03
cherry blossom



04
natural green



07
natural blue

Colours and textures represented may vary, and are subjected to chromatic changes due to printing, and to the fact that every screen has different displays and colour settings.

HMD

FR

ALMA

CATEGORY 4

composition 49% VI
31% JU
17% PC
3% PA

martindale 40.000

cleaning advise
(loose covers)



width 140 cm


lightfastness 4

fire resistance BS 5852 (2006):
the cigarette test
(source 0)

ALMA



01
white linen



02
sun flower



03
natural musk



04
linen blue



05
linen nomad

Colours and textures represented may vary, and are subjected to chromatic changes due to printing, and to the fact that every screen has different displays and colour settings.

HMD

ALMI

CATEGORY 3

composition 70% VI
30% LI

cleaning advise
(loose covers)




width 140

martindale > 20.000

ALMI



02



23



25



39



43

Colours and textures represented may vary, and are subjected to chromatic changes due to printing, and to the fact that every screen has different displays and colour settings.

HMD

FR

ALPI

CATEGORY 4

composition 46% VI
28% CO
15% LI
11% PL

cleaning advise
(loose covers)



width 140 cm

martindale 40.000 CC

lightfastness 4

rapport Rapport Vert.: 2,5 cm
Rapport Horiz.: 7,2 cm

fire resistance BS 5852 (2006):
the cigarette test
(source 0)


ALPI



02
aquarelle



03
mojito green



04
natural shades

Colours and textures represented may vary, and are subjected to chromatic changes due to printing, and to the fact that every screen has different displays and colour settings.

HMD

ALRA

CATEGORY 4

composition 42% VI
27% PL
19% LI
10% CO
2% PA

cleaning advise
(loose covers)



width 140 cm

martindale 40.000 CC

lightfastness 4

rapport Rapport Horiz.: 7 cm

ALRA



01
pearl grey

Colours and textures represented may vary, and are subjected to chromatic changes due to printing, and to the fact that every screen has different displays and colour settings.

HMD

ALSI

CATEGORY 3

composition 100% CO

martindale 40.000

cleaning advise
(loose covers)



width 140 cm

lightfastness 4

ALSI



0043
dove




0056
camel



0157
bronze mist green



7033
safari green



0339
ruby wine




0348
deep bordeaux



0452
bronze brown



0597
deep mauve



0668
deep blue




0785
black forest



0790
eden green



0886
steal



0968
deep black

Colours and textures represented may vary, and are subjected to chromatic changes due to printing, and to the fact that every screen has different displays and colour settings.

HMD

AMES

CATEGORY 3

composition 58% CO
32% PO
10% AC

cleaning advise
(loose covers)



width 140 cm

martindale 25.000

AMES



01



05

Colours and textures represented may vary, and are subjected to chromatic changes due to printing, and to the fact that every screen has different displays and colour settings.

HMD

AMHI

CATEGORY 2

composition 58% CO
32% PO
10% AC

cleaning advise
(loose covers)



width 140 cm

martindale 25.000

AMHI



03



08

Colours and textures represented may vary, and are subjected to chromatic changes due to printing, and to the fact that every screen has different displays and colour settings.

HMD

FR

DEFE

CATEGORY 4

composition 100% Polyolefinic FR

martindale 40.000

cleaning advise
(loose covers)



width 140 cm

lightfastness 6

fire resistance DIN EN 1021 Teil 1,
DIN EN 1021 Teil 2,
IMO Res. A652 (16)

DEFE



8002

Colours and textures
represented may vary,
and are subjected to
chromatic changes due
to printing, and to the fact
that every screen has
different displays
and colour settings.

HMD

*note - for orders below 30 meters the price will increase to category 5

FR

DEGE CATEGORY 3

composition 100% Polyester Trevira CS

martindale 80.000

cleaning advise
(loose covers)



width 140 cm

lightfastness 5-6

fire resistance DIN 4102/B1, DIN EN 1021 Teil 1,
DIN EN 1021 Teil 2, M1, IMO Res.
A471 (XII), IMO Res. A652 (16), BS
5867 TYP C, BS 5852 Crib 5, EN
13773 , IMO Res. A471 (XII)

*note - for orders below 30 meters the price will increase to category 5

DEGE




1550




3550



3551



4551




5551



5552




6550



6551




6552



7550



8551



8552

Colours and textures
represented may vary,
and are subjected to
chromatic changes due
to printing, and to the fact
that every screen has
different displays
and colour settings.

HMD

FR

DEGO CATEGORY 3

composition 100 % Polyester Trevira CS

martindale 100000

cleaning advise
(loose covers)




width 140 cm

lightfastness 5-6

fire resistance DIN 4102/B1, DIN EN 1021 Teil 1,
DIN EN 1021 Teil 2, M1, BS 7176,
BS 5852 Crib 5, IMO Res. A652 (16)


DEGO




1550



2550



2551



5550



6552

Colours and textures
represented may vary,
and are subjected to
chromatic changes due
to printing, and to the fact
that every screen has
different displays
and colour settings.

HMPD

*note - for orders below 30 meters the price will increase to category 5

FR

DEMI CATEGORY 3

composition 100 % Polyester Trevira CS

martindale 100000

cleaning advise
(loose covers)




width 140 cm

lightfastness 5-6


fire resistance DIN 4102/B1, DIN EN 1021 Teil 1, DIN EN 1021 Teil 2, M1, BS 5867 TYP C, BS 5852 Crib 5, IMO Res. A471 (XII), IMO Res. A652 (16), EN 13773 C1

*note - for orders below 30 meters the price will increase to category 5


DEMI




1701



1702




2701




3700




3701



3704




4703




6700



6701



7700



7702

Colours and textures represented may vary, and are subjected to chromatic changes due to printing, and to the fact that every screen has different displays and colour settings.

HMD

DEMO

CATEGORY 4

composition Effective coat 100% Polyester

martindale 50000

cleaning advise
(loose covers)



width 140 cm

lightfastness 5-6

fire resistance DIN EN 1021 Teil 1, DIN EN 1021
Teil 2, BS 5852 Crib 5, IMO Res.
A652 (16)

*note - for orders below 30 meters the price will increase to category 5

DEMO



1001



3002



5001



8001



8004

Colours and textures represented may vary, and are subjected to chromatic changes due to printing, and to the fact that every screen has different displays and colour settings.

HMD

IMBO

CATEGORY 4

composition 35% VI
26% WO
17% PA
15% SE
7% LI

cleaning advise
(loose covers)



width 140 cm

IMBO



LGG60




LGG64




LNE8



LNE1



LNE11



LNE19



LTA24



LTA31

Colours and textures represented may vary, and are subjected to chromatic changes due to printing, and to the fact that every screen has different displays and colour settings.

HMD

IMCA

CATEGORY 3

composition 63% CO
20% VI
10% PL
6% LI
1% SE

cleaning advise
(loose covers)



width 138 cm

IMCA



1



2

7




8




9



11



14



17

Colours and textures represented may vary, and are subjected to chromatic changes due to printing, and to the fact that every screen has different displays and colour settings.

HMD

IMMA

CATEGORY 2

composition 62% PL
28% PC
10% CO

cleaning advise
(loose covers)




width 140 cm

IMMA




AA1



GPC21



LL11



AA10



UU34



MM61

Colours and textures represented may vary, and are subjected to chromatic changes due to printing, and to the fact that every screen has different displays and colour settings.

HMD

IMNO

CATEGORY 3


composition 47% VI
35% CC
10% LI
7% CO
1%SE

cleaning advise
(loose covers)



width 140 cm

IMNO




GH60



B147



NA18



B141



FU7



NA7



BRU54

Colours and textures represented may vary, and are subjected to chromatic changes due to printing, and to the fact that every screen has different displays and colour settings.

HMD

IMPA

CATEGORY 3


composition 54% VI
42% CO
3% PL
1% PA

cleaning advise
(loose covers)




width 140 cm


IMPA



101



102




103



203



300



401



800



900

Colours and textures represented may vary, and are subjected to chromatic changes due to printing, and to the fact that every screen has different displays and colour settings.

HMD

FR

PZAS CATEGORY 3

composition Coating: PVC/PU,
Basecloth: Polyester/Cotton

martindale 750.000

width 140 cm

technology Stain Resistant Finish
Waterproof
Anti-Microbial
Colour Fastness to Chlorinated Water -
Grade 4-5
Colour Fastness to Sea Water - Grade 4-5
Colour Fastness to Light - Grade 6+

fire resistance BS5852: 2006 Ignition Source 5
BS7176: Medium Hazard
EN1021-1/2
IMO - FTP 2010 PART 8 (previously A.652
(16))
NFPA 260 (USA)
CAL TB 116 and 117
M2 (France)

PZAS



116
navy



228
bottle
green




801
tan



814
espresso



817
chestnut



900
black



905
dove

Colours and textures
represented may vary,
and are subjected to
chromatic changes due
to printing, and to the fact
that every screen has
different displays
and colour settings.

HMD

FR

PTBO CATEGORY 2

composition 60% Polyester
40% Polypropylene

martindale 100.000

cleaning advise
(loose covers)




width 140 cm

fire resistance BS5852 source 0 Yes B S5852
source 1 comment Yes, with FR
coating C AL 117 (Complies) Yes F
MVSS 302 (Pass) Yes N FPA 260 Yes

PTBO



04
marble



20
aluminium



30
emerald

Colours and textures represented may vary, and are subjected to chromatic changes due to printing, and to the fact that every screen has different displays and colour settings.

HMD

FR

PTBR CATEGORY 2

composition 100% Polyester

martindale 100.000

cleaning advise
(loose covers)



width 145 cm

fire resistance BS5852 source 0 Yes B S5852
source 1 comment Yes, with FR
coating C AL 117 (Complies) Yes F
MVSS 302 (Pass) Yes N FPA 260 Yes


PTBR



11
charcoal



13
rock



26
cardinal

Colours and textures
represented may vary,
and are subjected to
chromatic changes due
to printing, and to the fact
that every screen has
different displays
and colour settings.

HMD

FR

+50

minimum order
quantity
50 metres

SYHI CATEGORY 1

composition 100% PES

martindale > 45.000

cleaning advise
(loose covers)



width 142 cm


fire resistance Standard inherent
BS5852 Souce 0,1 (cigarette & match):
treatment option
EN1021 Part 1,2 (cigarette & match):
treatment option

+50 mts


SYHI



500



603



804

Colours and textures
represented may vary,
and are subjected to
chromatic changes due
to printing, and to the fact
that every screen has
different displays
and colour settings.

HMD

FR

+50

minimum order
quantity
50 metres

SYKA

CATEGORY 1

composition 43% PES
40% VI
17% LI

martindale 45.000

cleaning advise
(loose covers)



width 142 cm

fire resistance Standard inherent
BS5852 Souce 0,1 (cigarette & match):
treatment option
EN1021 Part 1,2 (cigarette & match):
treatment option

+50 mts

SYKA



101



103



200



400



500

Colours and textures
represented may vary,
and are subjected to
chromatic changes due
to printing, and to the fact
that every screen has
different displays
and colour settings.

HMD

FR

+50

minimum order
quantity
50 metres

SYSR CATEGORY 1

composition 100% PES

martindale >100.000

cleaning advise
(loose covers)




width 143 cm


fire resistance Standard inherent
BS5852 Souce 0,1 (cigarette & match):
treatment option
EN1021 Part 1,2 (cigarette & match):
treatment option

+50 mts

SYSR



103



202



401



605



606



904

Colours and textures
represented may vary,
and are subjected to
chromatic changes due
to printing, and to the fact
that every screen has
different displays
and colour settings.

HMD

THANK YOU

HMD