



*Quinze & milan*TM

AUTHENTIC FOAMCOATING, 1999
PREMIUM QUALITY SINCE



**OUR DESIGNS ARE NEVER THE END OF A THOUGHT PROCESS,
BUT THE BEGINNING OF A DISCUSSION, AN EXCHANGE OF IDEAS**

Quinze & milan™

QM COLOR SWATCHES & UV STABILITY



28
CREAM

+-



02
SAND

+



03
TAUPE

++



05
DARK
PURPLE

+



06
PURPLE

+



07
MAGENTA

++



08
RASPBERRY

++



24
ORANGE

++



34
FIESTA

++



16
RED

++



26
FIRE

+-



33
MOUTARDE

++



25
YELLOW

+-



32
JAUNE
PASTEL

+-



12
OCHRE

++

COLOR SWATCHES

Based on our technology we will match the indicated colors as precise as possible.
We may match practically any clearly defined color, specified according to an international color system like NCS and RAL.

Minimal color differences for every production batch are unavoidable.



23
CHARTREUSE

++



10
LIME GREEN

+



38
PASTEL
GREEN

+ -



37
TURQUOISE

+



36
EVENING

++



35
BLUE CLAIR

++



09
SKY BLUE

+ -



14
BLACK

++



17
ANTHRACITE

++



18
WHITE

--



39
SILVER

+ -

UV STABILITY INDICATION

++
Highly Stable

--
Less Stable

PRICES

All prices are recommended retail prices: per piece and in euro VAT not included.

The prices are valid from 01/03/2015.

These prices replace all previous prices.

TRANSPORT DAMAGES

Please note that in case you receive visual damaged goods you have to mark this clearly on the delivery sheet of the forwarder. It's imperative that you fax a copy of this immediately to QUINZE AND MILAN - fax 0032 56 24 05 99 or email to info@quinzeandmilan.tv If you fail to provide the delivery note with your remarks, we reject all transport claims.

CANCELLATIONS

For all orders which are cancelled, 30% of the total amount will be charged.

CHANGING ORDERS

Please note that changes of size and quality are only possible after approval of our internal sales office. These changes might lead to extra costs.

TOLERANCES

We want to inform that all our qualities are subject to tolerances (weight, height, structure, color,...)

CLAIMS

Claims of faulty goods must be made within 7 days after delivery. Please send your claim well specified, together with photos to your contacts at the office of Quinze & Milan. If you have a problem with a product, we kindly ask you to prepare this immediately for return. This will improve the speed of handling claims. Don't use the faulty products without an approval of our office.

TECHNICAL DETAILS

All technical details are in this product catalogue or on our website.

PAYMENT

All orders with a value higher than 10.000 euro, require special payment conditions. If not clearly marked, the following conditions will be used:

50% with order confirmation (production will not be initialized before this payment is received.)

40% before shipment (goods will not be released before this payment)

PLEASE CONTACT YOUR AGENT FOR MORE INFORMATION AND HELP





Quinze & milan™

QM MATERIALS QM FOAM, QM TEX, QM PLUS

In 1999, the iconic PRIMARY collection kicked off the succes of QM FOAM™, a proprietary material originally developed and produced by Quinze & Milan. QM FOAM™ refers to the result of a chemical reaction between the polyurethane foam shape and different layers, with different compositions, sprayed on to it.

It is a flame-, water- and weather resistant compound that can be cleaned with soap and water—making these pieces suited for pool terraces, child-oriented areas, and health-care interiors. Offered in countless colors, the coating also contains a UV filter to prevent fading from the sun. **QM FOAM™** ensures easy cleaning, superior comfort and durability.

A STANDARD, QM PLUS™ COATING FOR ARCHITECTS & DESIGNERS

Next to the original QM FOAM™ we all appreciate, its new, extra-strong variant QM PLUS™ existing out of multiple layers of our QM Coating which results in a stronger resistance, especially for public spaces, schools, shopping malls, theatres, ... and other intensively used public interiors.

QM TEX™, COATED REINFORCED TEXTILE

To respond to the specific needs of our clients, we have developed and improved our coating so it can be applied (sprayed) on specific tissues. QM TEX™ is our QM Coating applied to textiles. The result is a stiff and stronger material, very resistant to attacks, virtually tear-proof.

The interest of this innovation is to meet the growing need of invulnerability associated with furniture solutions, walls, reception desks, while maintaining a soft touch. The soft and smooth surface appearance of our known QM Coating techniques are preserved, as well as antibacterial properties, easy to clean, sealing,...


OPTIONAL FINISHINGS

As an option we can provide your beloved Q&M furniture with feet suited for a specific flooring. We offer plastic feet, felt feet and even sticky feet. Therefore, we integrate a wooden plate into the furniture.





CUSTOMIZATION AND OPTIONS:

These products are customizable in color, dimensions, finish, etc. They are available with ipad integration. Contact us for more information!



Kazuka Okamoto creates designs combining fun and function. Fun? A perfect cut out: Ottoman right out of the Dai Sofa. Function? Extending the sofa with a table piece attached to it. Put your laptop on your sofa and put up your feet on the Ottoman! Recreation all in one piece of foam.

DAI SOFA 01



COMPOSITION

Polyurethane foam

DENSITY FOAM

40kg / m³

CALORIFIC VALUE

QM Foam

599 Mj / kg

QM Tex - QM Upholstery - COM

692 Mj / kg

This is a simulated calorific value and can only be used as a general reference.

FIRE CERTIFICATION

QM Coating - QM Tex M4

QM Tex Fireproof AM18

COLOR STABILITY

Depending on the color.
Check the color overview.

WEIGHT AND DIMENSIONS

26 kg

139 cm x 70.5 cm x 70 cm

PACKAGING

Box: 145 cm x 77 cm x 76 cm

INTRASTAT

QM Foam - QM Tex 9401 9080

QM Upholstery - COM 9401 8000

DELIVERY

Between 5 days and 6 weeks, depending on availability and production process.

AIR VENT TECHNOLOGY

Our products feature the airvent technology.

CLEANING

www.quinzeandmilan.tv/cleaning-guide

AVAILABLE FINISHINGS

QM Foam

QM Tex


Upholstered

PRICING

€ 1988

This is a starting price for QM Foam. Prices for other finishes are available on request.

DAI SOFA 01 ANGULAR BACK



COMPOSITION

Polyurethane foam

DENSITY FOAM

40kg / m³

CALORIFIC VALUE

QM Foam 605 Mj / kg
QM Tex - QM Upholstery - COM 698 Mj / kg

This is a simulated calorific value and can only be used as a general reference.

FIRE CERTIFICATION

QM Coating - QM Tex M4
QM Tex Fireproof AM18

COLOR STABILITY

Depending on the color.
Check the color overview.

WEIGHT AND DIMENSIONS

26 kg
139 cm x 70.5 cm x 70 cm

PACKAGING

Box: 145 cm x 77 cm x 76 cm

INTRASTAT

QM Foam - QM Tex 9401 9080
QM Upholstery - COM 9401 8000

DELIVERY

Between 5 days and 6 weeks, depending on availability and production process.

AIR VENT TECHNOLOGY

Our products feature the airvent technology.

CLEANING

www.quinzeandmilan.tv/cleaning-guide

AVAILABLE FINISHINGS




QM Foam
QM Tex
Upholstered

PRICING

€ 2019

This is a starting price for QM Foam. Prices for other finishes are available on request.

DAI SOFA 02



COMPOSITION

Polyurethane foam

DENSITY FOAM

40kg / m³

CALORIFIC VALUE

QM Foam

842 MJ / kg

QM Tex - QM Upholstery - COM

982 MJ / kg

This is a simulated calorific value and can only be used as a general reference.

FIRE CERTIFICATION

QM Coating - QM Tex M4

QM Tex Fireproof AM18

COLOR STABILITY

Depending on the color.
Check the color overview.

WEIGHT AND DIMENSIONS

37 kg

199 cm x 70.5 cm x 70 cm

PACKAGING

Box: 205 cm x 77 cm x 76 cm

INTRASTAT

QM Foam - QM Tex 9401 9080

QM Upholstery - COM 9401 8000

DELIVERY

Between 5 days and 6 weeks, depending on availability and production process.

AIR VENT TECHNOLOGY

Our products feature the airvent technology.

CLEANING

www.quinzeandmilan.tv/cleaning-guide

AVAILABLE FINISHINGS

QM Foam

QM Tex


Upholstered

PRICING

€ 2694

This is a starting price for QM Foam. Prices for other finishes are available on request.

DAI SOFA 03



COMPOSITION

Polyurethane foam

DENSITY FOAM

40kg / m³

CALORIFIC VALUE

QM Foam 1083 Mj / kg
QM Tex - QM Upholstery - COM 1316 Mj / kg

This is a simulated calorific value and can only be used as a general reference.

FIRE CERTIFICATION

QM Coating - QM Tex M4
QM Tex Fireproof AM18

COLOR STABILITY

Depending on the color.
Check the color overview.

WEIGHT AND DIMENSIONS

48 kg
259 cm x 70.5 cm x 70 cm

PACKAGING

Box: 265 cm x 77 cm x 76 cm

INTRASTAT

QM Foam - QM Tex 9401 9080
QM Upholstery - COM 9401 8000

DELIVERY

Between 5 days and 6 weeks, depending on availability and production process.

AIR VENT TECHNOLOGY

Our products feature the airvent technology.

CLEANING

www.quinzeandmilan.tv/cleaning-guide

AVAILABLE FINISHINGS


QM Foam
QM Tex
Upholstered

PRICING

€ 3422

This is a starting price for QM Foam. Prices for other finishes are available on request.

DAI LATERAL



COMPOSITION

Polyurethane foam

DENSITY FOAM

40kg / m³

CALORIFIC VALUE

QM Foam

680 MJ / kg

QM Tex - QM Upholstery - COM

795 MJ / kg

This is a simulated calorific value and can only be used as a general reference.

FIRE CERTIFICATION

QM Coating - QM Tex M4

QM Tex Fireproof AM18

COLOR STABILITY

Depending on the color.
Check the color overview.

WEIGHT AND DIMENSIONS

23 kg

166 cm x 70.5 cm x 70 cm

PACKAGING

Box: 172 cm x 77 cm x 76 cm

INTRASTAT

QM Foam - QM Tex 9401 9080

QM Upholstery - COM 9401 8000

DELIVERY

Between 5 days and 6 weeks, depending on availability and production process.

AIR VENT TECHNOLOGY

Our products feature the airvent technology.

CLEANING

www.quinzeandmilan.tv/cleaning-guide

AVAILABLE FINISHINGS

QM Foam


QM Tex

Upholstered

PRICING

€ 2232

This is a starting price for QM Foam. Prices for other finishes are available on request.



DAI MIRROR

COMPOSITION

Polyurethane foam

DENSITY FOAM

40kg / m³

CALORIFIC VALUE

QM Foam	1056 Mj / kg
QM Tex - QM Upholstery - COM	1225 Mj / kg

This is a simulated calorific value and can only be used as a general reference.

FIRE CERTIFICATION

QM Coating - QM Tex	M4
QM Tex Fireproof	AM18

COLOR STABILITY

Depending on the color.
Check the color overview.

WEIGHT AND DIMENSIONS

47 kg
240 cm x 73.8 cm x 70 cm

PACKAGING

Box: 246 cm x 80 cm x 76 cm

INTRASTAT

QM Foam - QM Tex	9401 9080
QM Upholstery - COM	9401 8000

DELIVERY

Between 5 days and 6 weeks, depending on availability and production process.

AIR VENT TECHNOLOGY

Our products feature the airvent technology.

CLEANING

www.quinzeandmilan.tv/cleaning-guide

AVAILABLE FINISHINGS


QM Foam
QM Tex
Upholstered

PRICING

€ 3165

This is a starting price for QM Foam. Prices for other finishes are available on request.

DAI OTTOMAN



COMPOSITION

Polyurethane foam

DENSITY FOAM

40kg / m³

CALORIFIC VALUE

QM Foam	128 MJ / kg
QM Tex - QM Upholstery - COM	166 MJ / kg

This is a simulated calorific value and can only be used as a general reference.

FIRE CERTIFICATION

QM Coating - QM Tex	M4
QM Tex Fireproof	AM18

COLOR STABILITY

Depending on the color.
Check the color overview.

WEIGHT AND DIMENSIONS

5 kg
79.5 cm x 56.6 cm x 29 cm

PACKAGING

Box: 86 cm x 63 cm x 35 cm

INTRASTAT

QM Foam - QM Tex	9401 9080
QM Upholstery - COM	9401 8000

DELIVERY

Between 5 days and 6 weeks, depending on availability and production process.

AIR VENT TECHNOLOGY

Our products feature the airvent technology.

CLEANING

www.quinzeandmilan.tv/cleaning-guide

AVAILABLE FINISHINGS

QM Foam
QM Tex
Upholstered

PRICING

€ 510

This is a starting price for QM Foam. Prices for other finishes are available on request.





QUINZE & MILAN BASECAMP

VLIEGVELD 13 | 8560 WEVELGEM | BELGIUM
WWW.QUINZEANDMILAN.TV | INFO@QUINZEANDMILAN.TV

FACEBOOK.COM/QUINZEANDMILAN
TWITTER.COM/QUINZEANDMILAN
INSTAGRAM.COM/QUINZEANDMILAN

