


PAVIMENTI GALLEGGIANTI PER ESTERNI

Outdoor raised floors
Dalles techniques pour terrasses
Terrassenelemente



CASALGRANDE
PADANA
Pave your way

3D

DIVISIONE ENGINEERING



CASALGRANDE
PADANA
Divisione Engineering


PAVIMENTI SOPRAELEVATI PER ESTERNI ~ DALLES TECHNIQUES POUR SOLS EXTÉRIEURS
OUTDOOR RAISED FLOORS ~ DOPPELBÖDEN FÜR AUSSENBEREICHE

OPEN SYSTEM 1.4

LINEA GRANITOGRES

GRES FINE PORCELLANATO ~ UNGLAZED FULLY VITRIFIED PORCELAIN TILES ~ CARREAUX DE GRÈS CÉRAME FIN VITRIFIÉ ~ UNGLASIERTE FEINSTEINZEUGFLIESEN

Fornato Size Format Format **40x40 cm** - Spessore Thickness Epaisseur Stärke **14 mm**



SERIE GRANITO 1



SAHARA NATURALE

ARIZONA NATURALE

SERIE GRANITO 2



GALLIPOLI NATURALE

CERVINIA NATURALE




CASALGRANDE
PADANA
Divisione Engineering

PAVIMENTI SOPRAELEVATI PER ESTERNI ~ DALLES TECHNIQUES POUR SOLS EXTÉRIEURS
OUTDOOR RAISED FLOORS ~ DOPPELBÖDEN FÜR AUSSENBEREICHE


OPEN SYSTEM 1.4

SUPPORTI FISSI

PLOTS FIXES - FIXED SUPPORT - FIXES STELZLAGER



Art. 9999 0022
Piedino H 14 mm.



Art. 9999 0023
Livellatore H 2,5 mm.



Art. IA18 025F
Supporto H 25 mm.



Art. IA18 035F
Supporto H 35 mm.

CORRETTORE DI PENDENZA

CORRECTEUR DE PENTE - SLOPING ADAPTORS - NEIGUNG ADAPTER




ICOR PE1P - 1%



ICOR PE2P - 2%



ICOR PE3P - 3%





CASALGRANDE
PADANA
Divisione Engineering


PAVIMENTI SOPRAELEVATI PER ESTERNI ~ DALLES TECHNIQUES POUR SOLS EXTÉRIEURS
OUTDOOR RAISED FLOORS ~ DOPPELBÖDEN FÜR AUSSENBEREICHE

OPEN SYSTEM 1.7

LINEA PIETRE NATIVE

GRES FINE PORCELLANATO ~ UNGLAZED FULLY VITRIFIED PORCELAIN TILES ~ CARREAUX DE GRÈS CÉRAME FIN VITRIFIÉ ~ UNGLASIERTE FEINSTEINZEUGFLIESEN


Formato Size Format Format **45x45 cm** - Spessore Thickness Epaisseur Stärke **17 mm**



Norma NF EN 1339
Standards NF EN 1339
Norme NF EN 1339
Norm NF EN 1339

Classe U7
Rate U7
Classe U7
Rate U7

500 kg



SERIE MINERAL CHROM



MINERAL
GOLD



MINERAL
WHITE




MINERAL
GREY



MINERAL
BEIGE



MINERAL
BROWN



MINERAL
BLACK




CASALGRANDE
PADANA
Divisione Engineering

PAVIMENTI SOPRAELEVATI PER ESTERNI ~ DALLES TECHNIQUES POUR SOLS EXTÉRIEURS
OUTDOOR RAISED FLOORS ~ DOPPELBÖDEN FÜR AUSSENBEREICHE


OPEN SYSTEM 1.7

SUPPORTI FISSI

PLOTS FIXES - FIXED SUPPORT - FIXES STELZLAGER



Art. 9999 0022
Piedino H 14 mm.



Art. 9999 0023
Livellatore H 2,5 mm.



Art. IA18 025F
Supporto H 25 mm.



Art. IA18 035F
Supporto H 35 mm.

SUPPORTI REGOLABILI

PLOTS REGLABLES - ADJUSTABLE SUPPORT - EINSTELLBAREN STELZLAGER




Art. I035 050M
Supporto H 35-50 mm.



Art. I050 070M
Supporto H 50-70 mm.



Art. I065 100M
Supporto H 65-100 mm.



CORRETTORE DI PENDENZA

CORRECTEUR DE PENTE - SLOPING ADAPTORS
NEIGUNG ADAPTER



ICOR PE1P - 1%



ICOR PE2P - 2%



ICOR PE3P - 3%



CASALGRANDE
PADANA
Divisione Engineering

PAVIMENTI SOPRAELEVATI PER ESTERNI ~ DALLES TECHNIQUES POUR SOLS EXTÉRIEURS
OUTDOOR RAISED FLOORS ~ DOPPELBÖDEN FÜR AUSSENBEREICHE

OPEN SYSTEM 2.0


LINEA PIETRE NATIVE

GRES FINE PORCELLANATO ~ UNGLAZED FULLY VITRIFIED PORCELAIN TILES ~ CARREAUX DE GRÈS CÉRAME FIN VITRIFIÉ ~ UNGLASIERTE FEINSTEINZEUGFLIESEN


Formato Size Format Format **60x60 cm** - Spessore Thickness Epaisseur Stärke **20 mm**



Norma NF EN 1339 Classe U11
Standards NF EN 1339 Rate U11
Norme NF EN 1339 Classe U11
Norm NF EN 1339 Rate U11



SERIE KERBLOCK



KERBLOCK AVORIO



KERBLOCK BEIGE



KERBLOCK PIOMBO




CASALGRANDE
PADANA
Divisione Engineering

PAVIMENTI SOPRAELEVATI PER ESTERNI ~ DALLES TECHNIQUES POUR SOLS EXTÉRIEURS
OUTDOOR RAISED FLOORS ~ DOPPELBÖDEN FÜR AUSSENBEREICHE


OPEN SYSTEM 2.0

SUPPORTI FISSI

PLOTS FIXES - FIXED SUPPORT - FIXES STELZLAGER



Art. 9999 0022
Piedino H 14 mm.



Art. 9999 0023
Livellatore H 2,5 mm.



Art. IA18 025F
Supporto H 25 mm.



Art. IA18 035F
Supporto H 35 mm.

SUPPORTI REGOLABILI

PLOTS REGLABLES - ADJUSTABLE SUPPORT - EINSTELLBAREN STELZLAGER



Art. I035 050M
Supporto H 35-50 mm.



Art. I050 070M
Supporto H 50-70 mm.



Art. I065 100M
Supporto H 65-100 mm.



CORRETTORE DI PENDENZA

CORRECTEUR DE PENTE - SLOPING ADAPTORS
NEIGUNG ADAPTER



ICOR PE1P - 1%



ICOR PE2P - 2%



ICOR PE3P - 3%



CASALGRANDE
PADANA
Divisione Engineering

PAVIMENTI SOPRAELEVATI PER ESTERNI ~ DALLES TECHNIQUES POUR SOLS EXTÉRIEURS
OUTDOOR RAISED FLOORS ~ DOPPELBÖDEN FÜR AUSSENBEREICHE

TWIN SYSTEM 2.0


LINEA GRANITOGRES - LINEA PIETRE NATIVE - LINEA GRANITOKER

GRES FINE PORCELLANATO ~ FULLY VITRIFIED PORCELAIN TILES ~ CARREAUX DE GRÈS CÉRAME FIN VITRIFIÉ ~ FEINSTEINZEUGFLIESEN

Formato Size Format Format **45x45 - 45x90 - 90x90 - 60x60 - 60x120 cm**
Spessore Thickness Epaisseur Stärke **20 mm**



650 kg



Norma NF EN 1339	Classe U11*
Standards NF EN 1339	Rate U11*
Norme NF EN 1339	Classe U11*
Norm NF EN 1339	Rate U11*

* Per formati 45x45 cm e 60x60 cm
For size 45x45 cm and 60x60 cm
Pour formats 45x45 cm et 60x60 cm
Fuer Formate 45x45 cm und 60x60 cm

Twin System: Producibile su tutte le linee prodotti, tutti i colori e tutte le superfici
Twin System: Manufactured on all products lines, all colours and all surface finishes
Twin System: Fabriqué en toutes les lignes, en toutes les teintes et toutes les finitions
Twin System: Herstellbar in alle Produktlinie, alle Farben und alle Oberflächen




CASALGRANDE
PADANA
Divisione Engineering

PAVIMENTI SOPRAELEVATI PER ESTERNI ~ DALLES TECHNIQUES POUR SOLS EXTÉRIEURS
OUTDOOR RAISED FLOORS ~ DOPPELBÖDEN FÜR AUSSENBEREICHE


TWIN SYSTEM 2.0

SUPPORTI FISSI

PLOTS FIXES - FIXED SUPPORT - FIXES STELZLAGER



Art. 9999 0022
Piedino H 14 mm.



Art. 9999 0023
Livellatore H 2,5 mm.



Art. IA18 025F
Supporto H 25 mm.



Art. IA18 035F
Supporto H 35 mm.

SUPPORTI REGOLABILI

PLOTS REGLABLES - ADJUSTABLE SUPPORT - EINSTELLBAREN STELZLAGER



Art. I035 050M
Supporto H 35-50 mm.



Art. I050 070M
Supporto H 50-70 mm.



Art. I065 100M
Supporto H 65-100 mm.



CORRETTORE DI PENDENZA

CORRECTEUR DE PENTE - SLOPING ADAPTORS
NEIGUNG ADAPTER



ICOR PE1P - 1%



ICOR PE2P - 2%



ICOR PE3P - 3%



Ceramic Tiles of Italy



CASALGRANDE
PADANA
Pave your way

Via Statale 467 n° 73 - 42013 Casalgrande (RE) Italia
Tel. +39 0522 9901 - Fax +39 0522 996121 - Fax Export +39 0522 841630
www.casalgrandepadana.com - info@casalgrandepadana.it

DIVISIONE ENGINEERING

Tel. +39 0522 990801 - Fax +39 0522 771668
engineering@casalgrandepadana.it