



onok
lighting


NEW PRODUCTS 2018



CLICK	4
DOT	18
FOCUS	24
TUBE	30
RINGO BOX	36
CARDAN	42
PIXEL	46
OYSTER	50

CLICK
SYSTEM









CLICK PROFILE

CLICK SYSTEM

COLOURS



CORNER



CLICK DOT

CLICK SYSTEM



CRI
>90

LED CONTROL

No Dimmable - Dimable Dali

LED COLOUR TEMPERATURE

2700K - 3000K - 4000K

LED BEAM ANGLE

16° - 36°

LED LUMENS

1000 - 2000

COLOURS




LED COMPLEMENTS





CLICK FOCUS

CLICK SYSTEM



CRI
>90

LED CONTROL

No Dimmable - Dimable Dali

LED COLOUR TEMPERATURE

2700K - 3000K - 4000K

LED BEAM ANGLE

25° - 36°

LED LUMENS

500 - 700 - 1100


COLOURS



SPECIAL COPPER AND
POLISHED FINISH

LED COMPLEMENTS





CLICK TUBE

CLICK SYSTEM

CRI
>90

LED CONTROL

No Dimmable - Dimable Dali

LED COLOUR TEMPERATURE

2700K - 3000K - 4000K

LED BEAM ANGLE

26°

LED LUMENS

500x2

COLOURS



SPECIAL COPPER AND
POLISHED FINISH

LED COMPLEMENTS



CLICK LINEAR

CLICK SYSTEM

CRI

>85

LED CONTROL

No Dimmable - Dimable Dali

LED COLOUR TEMPERATURE

2700K - 3000K - 4000K

BEAM ANGLE

100°

LED LUMENS

5000

COLOURS




LED COMPLEMENTS




PROFILES + LUMINAIRES


▲ Profile 1 Meter / Max. 2 luminaires




▲ Profile 1.5 Meters / Max. 3 luminaires



HOW TO INSTALL?



1. Install profile and connect electronic modules



2. Connect luminaires and close profile

DOT
RECESSEDS





DOT

RECESSEDS



CRI
>90

LED CONTROL

No Dimmable - Dimable Dali / Push

LED COLOUR TEMPERATURE

2700K - 3000K - 4000K

LED BEAM ANGLE

16° - 36°

LED LUMENS

600 - 1000 - 2000

COLOURS




LED COMPLEMENTS





DOT TILT RECESSEDS



CRI
>90

LED CONTROL

No Dimmable - Dimable Dali / Push

LED COLOUR TEMPERATURE

2700K - 3000K - 4000K

LED BEAM ANGLE

16° - 36°

LED LUMENS

1000 - 2000

COLOURS





LED COMPLEMENTS



FOCUS
PROJECTORS





FOCUS PROJECTORS

◻ 90° ◻ 350°

CRI

>85 >90 >95

LED CONTROL

No Dimmable - Dimable Dali

LED COLOUR TEMPERATURE

2700K - 3000K - 4000K

LED BEAM ANGLE

26° - 36° - 60°

LED LUMENS

500 - 700 - 1100 - 2900 - 3800

COLOURS




LED COMPLEMENTS



SPECIAL COPPER AND
POLISHED FINISH




SPECIAL ANTIGLARE
COMPLEMENTS



FOCUS TRACK

PROJECTORS

90° 350°



CRI

>85 >90 >95

LED CONTROL

No Dimmable

LED COLOUR TEMPERATURE

2700K - 3000K - 4000K

LED BEAM ANGLE

26° - 36° - 60°

LED LUMENS

1100 - 2900 - 3800

COLOURS



SPECIAL COPPER AND
POLISHED FINISH



SPECIAL ANTIGLARE
COMPLEMENTS

LED COMPLEMENTS





TUBE
SURFACE &
PENDANTS



TUBE PENDANT

SURFACE &
PENDANTS

CRI

> 85 >90 >95

LED CONTROL

No Dimmable - Dimable Dali

LED COLOUR TEMPERATURE

2700K - 3000K - 4000K

LED BEAM ANGLE

26° - 36° - 60°

LED LUMENS

500 - 1100 - 2900

COLOURS




SPECIAL COPPER AND
POLISHED FINISH



SPECIAL ANTIGLARE
COMPLEMENTS

LED COMPLEMENTS





TUBE SURFACE

SURFACE &
PENDANTS

CRI

> 85 >90 >95

LED CONTROL

No Dimmable - Dimable Dali

LED COLOUR TEMPERATURE

2700K - 3000K - 4000K

LED BEAM ANGLE

26° - 36° - 60°

LED LUMENS

1100 - 2900

COLOURS



LED COMPLEMENTS



SPECIAL COPPER AND
POLISHED FINISH





SPECIAL ANTIGLARE
COMPLEMENTS



RINGO BOX


CARDANS





RINGO BOX

CARDANS



CRI

>85 >90 >95

LED CONTROL

No Dimmable - Dimable Dali

LED COLOUR TEMPERATURE

2700K - 3000K - 4000K

LED BEAM ANGLE

26° - 36° - 40° - 60°

LED LUMENS


600 - 1100 - 1800 - 2500 - 3300

COLOURS




LED COMPLEMENTS





RINGO BOX FRAMELESS

CARDANS



CRI

>85 >90 >95

LED CONTROL

No Dimmable - Dimable Dali

LED COLOUR TEMPERATURE

2700K - 3000K - 4000K

LED BEAM ANGLE

26° - 36° - 40° - 60°

LED LUMENS

600 - 1100 - 1800 - 2500 - 3300

COLOURS



LED COMPLEMENTS




CARDAN 90

CARDANS



CARDAN 90

CARDANS



CRI

>85

LED CONTROL

No Dimmable - Dimable Dali

LED COLOUR TEMPERATURE

2700K - 3000K - 4000K

LED BEAM ANGLE

16° - 36° - 60°

LED LUMENS

1800 - 2500 - 3300

COLOURS



LED COMPLEMENTS




PIXEL
INDUSTRY





PIXEL C E P

INDUSTRY



CRI
>80

LED CONTROL
No Dimmable - Dimable Dali / Push

LED COLOUR TEMPERATURE
3000K - 4000K - 5000K - 6500K

LED BEAM ANGLE
60° - 110° - Retail SYM

LED LUMENS
3000 - 7000 - 10000

COLOURS
● ○

LED COMPLEMENTS
◎ ○

OYSTER
INDUSTRY





OYSTER

INDUSTRY

IP65

CRI

>80

LED CONTROL

No Dimmable - Dimable Dali

LED COLOUR TEMPERATURE

3000K - 4000K - 5000K


LED LUMENS

2000 - 4000 - 5000


COLOURS



CLICK



DOT




FOCUS




TUBE




RINGO BOX



CARDAN



PIXEL



OYSTER



onoklighting.com