

Talenti[®]
OUTDOOR LIVING

ACCESSORIES



ACCESSORIES



INDEX

Jackie	05
Zeus	35
Athena	43
Venere	53
Marte	59
Vulcano	69
Apollo	75
Carpet	81
Casilda	95
Tribal	101
Cleo	111
Milo	125
Tofee	133
Scacco	139
Tikal	147
Wave	153
Cart	157
Ray	165
Box	171
Planter	177
Upperalu	187



Jackiecollection





Jackiecollection

small, medium & big pouf
dark grey colour











Jackiecollection

small & big lamp
dove colour










Jackiecollection

planter
white colour



Jackiecollection

Finishing

Aluminium frame



white



graphite



white



graphite

Steel frame



dove



light grey



dark grey



hunter green

Wood slats



teak


BEAN BAG / CODE: JACBAG



Width	Depth	Height
117	167	62

30,0

unit 1
1.08 mc




LIVING ARMCHAIR / CODE: JACPL



Width	Depth	Height	H. armrest	H. seat
80	78	73	57	35

14,0

unit 2
0.54 mc



POUF SMALL / CODE: JACPUFP



Width	Depth	Height
57	57	26

5,0

unit 1
0.09 mc




POUF MEDIUM / CODE: JACPUFM



Width	Depth	Height
64	64	32

7,0

unit 1
0.09 mc



POUF BIG / CODE: JACPUFG



Width	Depth	Height
83	83	38

11,0

unit 1
0.28 mc



LAMP SMALL / CODE: JACLAMPP



Width 55 | Depth 55 | Height 42

KG 7,0 | unit 1 0.15 mc | 0% | LED 5W 2700K



LAMP BIG / CODE: JACLAMPG



Width 70 | Depth 70 | Height 60

KG 11,0 | unit 1 0.33 mc | 0% | LED 5W 2700K



FLOOR LAMP / CODE: JACLAMPT



Width 55 | Depth 55 | Height 150

KG 16,0 | unit 1 0.48 mc | 0% | LED 5W 2700K



BASKET / CODE: JACBAK



Width 55 | Depth 55 | Height 30

KG 4,0 | unit 1 0.11 mc | 0%




PLANTER / CODE: JACPLAN



Width 90 | Depth 40 | Height 120

KG 17,0 | unit 1 0.48 mc | 0%






Parasolcollection
// Zeus



Parasolcollection
// Zeus



Parasolcollection

// Zeus

Finishing

Aluminium frame





anodized

Waterproof fabric canopy



white

Features



- 1-Telo 3x4 o 4x4 in tessuto da 250g in poliestere trattato in PU.
- 2-Optional: illuminazione a batteria ricaricabile.
- 3-Sistema di apertura retrattile che permette la chiusura parallela al palo. Apposite guide di scorrimento ne facilitano lo spostamento.
- 4-Sistema di apertura e chiusura del telo tramite manovella manuale removibile. Il palo girevole permette all'ombrellone di ruotare di 360°.
- 5-Optional: illuminazione con impianto audio per collegamento dispositivi bluetooth.

- 1-Canopy 3x4 or 4x4 in 250g polyester with PU coating.
- 2-Optional: umbrella lights with rechargeable battery.
- 3-Retractable opening system allows umbrella closure parallel to the pole. Sliding guides make movements easier.
- 4-Canopy opening/closure with removable hand crank.
- Turning pole allows parasol a 360° rotation. Granite base (180kg) with wheels.
- 5-Optional: umbrella bluetooth speaker with led lights.

Specifiche:
Palo in alluminio 120x76 mm
7 Stecche in alluminio 20x35 mm
Telo UV80+
Altezza ombrellone 300 cm
Basamento granito 180 kg 80x80x10 cm
Restistenza al vento massima 39-49 km/h

Technical specifications:
Aluminium Pole 120x76 mm
No.7 alu ribs 20x35 mm
UV80+ Canopy
Parasol height 300 cm
Granite base 180 Kg 80x80x10 cm
Max. wind resistance 39-49 km/h

ZEUS 3x4 / CODE: PARZES-A

KG 228,0

unit 1+1+1+1
0.53 mc



•80x80•

P1

A10

ZEUS 4x4 / CODE: PARZES2-A

KG 240,0


unit 1+1+1+1
0.53 mc



•80x80•

P1

A10



2



2



3



3



4



5



Parasolcollection
// Athena







Parasolcollection

// Athena

Finishing

Aluminium frame



Waterproof fabric canopy



Features




1-Telo 3x4 in tessuto da 250g in poliestere trattato in PU.
2-Optional: illuminazione a batteria ricaricabile.
3-Sistema di apertura retrattile che permette la chiusura parallela al palo.
Apposite guide di scorrimento ne facilitano lo spostamento.
4-Sistema di apertura e chiusura del telo tramite manovella manuale removibile.
Il palo girevole permette all'ombrellone di ruotare di 360°.
5-Optional: illuminazione con impianto audio per collegamento dispositivi Bluetooth.
6-Basamento in acciaio di colore bianco o tortora. Per una stabilità ottimale si consiglia l'utilizzo di n. 10 piastre in graniglia 50x50x3,5cm (pesi non inclusi).

1-Canopy 3x4 in 250g polyester with PU coating.
2-Optional: umbrella lights with rechargeable battery.
3-Retractable opening system allows umbrella closure parallel to the pole.
Sliding guides make movements easier.
4-Canopy opening/closure with removable hand crank.
Turning pole allows parasol a 360° rotation.
5-Optional: umbrella Bluetooth speaker with led lights.
6-Steel base in white or dove colour. For a better stability we recommend you to use 10 grit plates 50x50x3,5cm (weights not included).

Specifiche:
Palo in alluminio 120x76 mm
7 Stecche in alluminio 20x35 mm
Altezza ombrellone 310 cm
Telo UV80+
Basamento in acciaio 55x133x20 cm
(Pesi non inclusi)
Resistenza al vento massima 39-49 km/h

Technical specifications:
Aluminium Pole 120x76 mm
No.7 alu ribs 20x35 mm
Parasol height 310 cm
UV80+ Canopy
Steel base 55x133x20 cm
(weights not included)
Max. wind resistance 39-49 km/h

ATHENA 3x4 / CODE: PARATH





Parasolcollection
// Venere



Parasolcollection

//Venere

Finishing

Aluminium frame





anodized

Waterproof fabric canopy



white

Features



- 1-Telo 3x3 in tessuto da 250g in poliestere trattato in PU.
- 2-Optional: illuminazione a batteria ricaricabile.
- 3-Sistema di apertura retrattile che permette la chiusura parallela al palo.
- Sistema di apertura e chiusura del telo tramite manovella manuale removibile.
- Inclinabile fino a 50° su ambedue i lati.
- Il palo girevole permette all'ombrellone di ruotare di 360°.
- 4-Basamento in granito (125 kg) con ruote.
- 5-Optional: illuminazione con impianto audio per collegamento dispositivi Bluetooth.

- 1-Canopy 3x3 in 250g polyester with PU coating.
- 2-Optional: umbrella lights with rechargeable battery.
- 3-Retractable opening system allows umbrella closure parallel to the pole.
- Canopy opening/closure with removable hand crank. Reclining up to 50° on both sides.
- Turning pole allows parasol a 360° rotation.
- 4-Granite base (125 kg) with wheels.
- 5-Optional: umbrella Bluetooth speaker with led lights.

Specifiche:
Palo in alluminio 90x65 mm
7 Stecche in alluminio 28x14 mm
Altezza ombrellone 280 cm
Telo UV80+
Basamento granito 125 kg 80x80x7 cm
Resistenza al vento massima 29-38 km/h

Technical specifications:
Aluminium Pole 90x65 mm
No.7 aluminium ribs 28x14 mm
Parasol height 280 cm
UV80+ Canopy
Granite base 125 Kg 80x80x8 cm
Max. wind resistance 29-38 km/h

VENERE 3x3 / CODE: PARVEN



130,0



0.30 mc



P1

A10





Parasolcollection
//Marte







Parasolcollection

//Marte

Finishing

Aluminium frame



Waterproof fabric canopy



Features



- 1-Telo 3x3 in tessuto da 250g in poliestere trattato in PU.
- 2-Optional: illuminazione a batteria ricaricabile.
- 3-Sistema di apertura retrattile che permette la chiusura parallela al palo.
- Sistema di apertura e chiusura del telo tramite manovella manuale removibile.
- 4-Basamento in cemento (90 kg) con ruote, di colore bianco o mokka in tinta alla struttura.
- Il palo girevole permette all'ombrellone di ruotare di 360°.
- 5-Optional: illuminazione con impianto audio per collegamento dispositivi Bluetooth.

- 1-Canopy 3x3 in 250g polyester with PU coating.
- 2-Optional: umbrella lights with rechargeable battery.
- 3-Retractable opening system allows umbrella closure parallel to the pole.
- Canopy opening/closure with removable hand crank.
- 4-Concrete base (90kg) with wheels, available in white or mokka colour.
- Turning pole allows parasol a 360° rotation.
- 5-Optional: umbrella Bluetooth speaker with led lights.

Specifiche:
Palo in alluminio 80x65 mm
7 Stecche in alluminio 28x14 mm
Altezza ombrellone 290 cm
Telo UV80+
Basamento in cemento 90 kg 70x70x8 cm
Restistenza al vento massima 29-38 km/h

Technical specifications:
Aluminium Pole 80x65 mm
No.7 aluminium ribs 28x14 mm
Parasol height 290 cm
UV80+ Canopy
Concrete base 90 Kg70x70x8 cm
Max. wind resistance 29-38 km/h

MARTE 3x3 / CODE: PARMAR





Parasolcollection
// Vulcano




Parasolcollection

// Vulcano


Finishing

Aluminium frame





white

Waterproof fabric canopy



white

Features



1-Telo 3x3 in tessuto da 250g in poliestere trattato in PU.

2-Optional: illuminazione a batteria ricaricabile.

3-Sistema di apertura retrattile che permette la chiusura parallela al palo.
Sistema di apertura e chiusura del telo tramite manovella manuale removibile.
Inclinabile fino a 50° su ambedue i lati.

4-Basamento con crociera in acciaio colore bianco. Per una stabilità ottimale si consiglia l'utilizzo di n.4 piastre in graniglia 50x50x4cm (pesi non inclusi).

Il palo girevole permette all'ombrellone di ruotare di 360°.

5-Optional: illuminazione con impianto audio per collegamento dispositivi Bluetooth.

1-Canopy 3x3 in 250g polyester with PU coating.

2-Optional: umbrella lights with rechargeable battery.

3-Retractable opening system allows umbrella closure parallel to the pole.
Canopy opening/closure with removable hand crank. Reclining up to 50° on both sides.

4-Steel white cross base with 4 grit plates. For a better stability we recommend you to use 4 grit plates 50x50x4cm (weights not included).

Turning pole allows parasol a 360° rotation.

5-Optional: umbrella Bluetooth speaker with led lights.

Specifiche:

Palo in alluminio 80x60 mm

8 Stecche in alluminio 20x14 mm

Altezza ombrellone 280 cm

Telo UV80+

Basamento con 4 piastre in graniglia

50x50x4 cm (pesi non inclusi)

Restistenza al vento massima 29-38 km/h

Technical specifications:

Aluminium Pole 80x60 mm

No.8 aluminium ribs 20x14 mm

Parasol height 280 cm

UV80+ Canopy

Base with 4 grit plates in size

50x50x4 cm(Weights not included)

Max. wind resistance 29-38 km/h

VULCANO 3x3 / CODE: PARVUL



P1

A12





Parasolcollection
// Apollo



Parasolcollection

// Apollo

Finishing

Aluminium frame



white



graphite

Waterproof fabric canopy





white



dark grey

Features



1 - Telo 2x2 in tessuto da 220g in poliestere trattato in PU.

2 - Sistema di apertura semplice ed intuitivo, spingere il tetto dell'ombrellone verso l'alto finché il meccanismo non si arresta.

3 - Puntale in alluminio cromato.

4 - Basamento in acciaio colore bianco da 40 kg.

1 - Canopy 2x2 in 250g polyester with PU coating.

2 - Easily parasol opening: push upwards the parasol roof until it locks.

3 - Chrome-plated alu tip.

4 - Steel white base 40 Kg.

Specifiche:

Palo in alluminio ø 38 mm

4 Stecche in alluminio ø 20 mm

Altezza ombrellone 245 cm

Telo UV80+

Basamento in acciaio 40 kg 50x50x2 cm

Restistenza al vento massima 30 km/h

Technical specifications:

Aluminium pole diam. 38 mm

Parasol height 250 cm

No. 4 aluminium ribs diam. 20 mm

UV80+ Canopy

Steel base 40 Kg 50x50x2 cm

Max. wind resistance 30 km/h

APOLLO 2x2 / CODE: PARAPO






41,0



0.10 mc



0%



2



3



4



Accessoriescollection
// Fabric Carpet





// Ribs



Accessoriescollection


// Fabric Carpet

Finishing


Fabric quadro






Fabric ribs



QUADRO 400x300 / CODE: TAPQ3



Width 400 | Depth 300




KG 48,0






unit 1 0.32 mc



QUADRO 300x200 / CODE: TAPQ1



Width 300 | Depth 200




KG 30,0




unit 1 0.27 mc



QUADRO 240x160 / CODE: TAPQ2



Width 240 | Depth 160




KG 15,0




unit 1 0.18 mc



RIBS 400x300 / CODE: TAPR3



Width 400 | Depth 300




KG 48,0




unit 1 0.32 mc



RIBS 300x200 / CODE: TAPR1



Width 300 | Depth 200




KG 30,0




unit 1 0.27 mc



RIBS 240x160 / CODE: TAPR2



Width 240 | Depth 160



KG 15,0

unit 1 0.18 mc





Casildacollection
// Lamp
Design Ramon Esteve



Talenti®

Casilda

collection

Design Ramón Esteve

Finishing

Stainless steel frame

I2

mokka

I3

gold

I4

white

I5

graphite

Accoya wood table top

L8

iroko colour

L10

stonewood colour

LAMP L / CODE: CASILAMPL



Width	Depth	Height
23	20	175

KG

10,0

unit 1

0.12 mc

0%

☀

LED 28W

2800K

I2

L8

I3

L8

I4

L8

I5

L10

LAMP S / CODE: CASILAMPS



Width	Depth	Height
63	15	40

KG

5,0

unit 1

0.02 mc

0%

☀

LED 6W

2800K

I2

L8

I3

L8

I4

L8

I5

L10

LAMP XS / CODE: CASILAMPXS



Width	Depth	Height
23	20	40

KG

2,5

unit 1

0.02 mc

0%

☀

LED 2W

2800K

I2

L8

I3

L8

I4

L8

I5

L10



Tribalcollection


// Lamp


Design Ludovica + Roberto Palomba

Tribalcollection

small, medium & big lamp
dove frame
sand colour rope







Tribalcollection

// Lamp

Finishing

Aluminium frame

A5

yellow

A6

teal green

A7

red

A13

dove

A14

graphite

R10

dark grey

R19

yellow

R21

red

R22

sand

R23

teal green

TRIBAL BIG / CODE: TRIB01



Width	Depth	Height
60	60	175

KG

11,0

unit 1

0.76 mc

0%

☁

☀

LED 7W

2800K

A13

R22

A14

R10

A5

R19

A6

R23

A7

R21

TRIBAL MEDIUM / CODE: TRIB02



Width	Depth	Height
45	45	85

KG

4,0

unit 1

0.23 mc

0%

☁

☀

LED 7W

2800K

A13

R22

A14

R10

A5

R19

A6

R23

A7

R21

TRIBAL SMALL / CODE: TRIB03



Width	Depth	Height
45	45	45

KG

2,5

unit 1

0.13 mc

0%

☁

☀

LED 3,5W

2800K

A13

R22

A14

R10

A5

R19

A6

R23

A7

R21

TRIBAL CELIN / CODE: TRIB04



Width	Depth	Height
45	45	71

KG

3,0

unit 1

0.19 mc

0%

☁

☀

LED 7W

2800K

A13

R22

A14

R10

A5

R19

A6

R23

A7

R21



Cleocollection
// Lamp
Design Marco Acerbis











Cleo

collection

// Lamp

Finishing

Aluminium frame



white



graphite

Stainless steel frame



white



graphite



dove

Covering fabric



dark grey




light grey

LANTERN H66 / CODE: CLEL01



Width	Depth	Height
35	35	66



LANTERN H90 / CODE: CLEL02




Width	Depth	Height
40	40	90



LANTERN H120 / CODE: CLEL03




Width	Depth	Height
45	45	120



FLOOR LAMP / CODE: CLEALUL01





Width	Depth	Height
70	70	190



ARC LAMP / CODE: CLEALUL02



Width	Depth	Height
201	45	225





Milocollection
// Lamp
Design Marco Acerbis







Milocollection

// Lamp

Finishing

Stainless steel frame





white






graphite

FLOOR LAMP 01 / CODE: ML0L01





Width	Depth	Height
37	37	60

FLOOR LAMP 02 / CODE: ML0L02



Width	Depth	Height
33	33	100

FLOOR LAMP 03 / CODE: ML0L03



Width	Depth	Height
45	45	150



Toffeecollection
// Lamp





Toffeecollection

// Lamp

Finishing

Aluminium frame




white



graphite

TOFEE / CODE: TOF01



Width	Depth	Height
11	11	19




Scaccocollection

// Paravento

Design Ludovica + Roberto Palomba







Scaccocollection

// Paravento

Finishing

Aluminium frame



graphite



beige

Syntetic rope



beige



dark grey

PARTITION H135 / CODE: SCAPAR135



Width 100 | Depth 5 | Height 135



PARTITION H200 / CODE: SCAPAR200



Width 100 | Depth 2 | Height 200





Tikalcollection

// Scaffali

Design Nicola de Pellegrini



Tikalcollection

// Scaffale

Finishing

Metal frame



magnesit

SHELF MODULE 120X190 / CODE: TIKSCA120

KG



50,0

unit 1+1+1+1

1.28 mc

0%

MT1



SUSPENDED CABINET WITH FLAP DOOR 118X36 / CODE: TIKSCA120M

KG


20,0

unit 1

0.19 mc

0%

MT1



SHELF MODULE 80X190 / CODE: TIKSCA80

KG




40,0

unit 1+1+1+1

0.86 mc

0%

MT1



CABINET BASE / CODE: TIKSCA80M

KG



25,0

unit 1

0.26 mc

0%

MT1





Accessoriescollection
// Wave



Accessoriescollection

//Wave

Finishing

Aluminium frame



white



graphite

WAVE SHOWER / CODE: DCCWAV



Width	Depth	Height
82	82	236





Accessoriescollection
// Cart







Accessoriescollection

// Cart

Finishing

Aluminium frame



white



dove



graphite

Wood slats





teak

CART / CODE: ACCCAR



Width	Depth	Height
90	55	76





Accessoriescollection
// Ray





Accessoriescollection

// Ray

Aluminium frame



charcoal



graphite





dove

SMALL SERVING TABLE / CODE: RAYVP





Width 60 | Depth 60 | Height 45



BIG SERVING TABLE / CODE: RAYVG



Width 60 | Depth 60 | Height 73





Accessoriescollection
// Box





Accessoriescollection

// Box

Finishing

Aluminium frame



white




dove



graphite

Textilene covering



white



dove




silver black

BOX / CODE: BOXAL01



Width	Depth	Height
130	60	58





Accessoriescollection
// Planter
Design Roberto Serio







Accessoriescollection

// Planter

Finishing

Steel frame



white




graphite

PLANTER / CODE: ACCFIO



Width	Depth	Height
88	27	60

KG 16,0	unit 1 0.19 mc	
---------	----------------	--




BIOETHANOL FIREPLACE / CODE: ACCCAM



Width	Depth	Height
88	27	66

KG 20,0	unit 1 0.20 mc	
---------	----------------	--




STONE PLANTER / CODE: ACCFIOSTO



Width	Depth	Height
88	27	90

KG 22,0	unit 1 0.21 mc	
---------	----------------	--




PLANTER OLIVE DECORATE / CODE: ACCDEC1



Width	Depth	Height
88	27	170

KG 30,0	unit 1+1 0.48 mc		
---------	------------------	--	--




PLANTER AGAVE DECORATE / CODE: ACCDEC2



Width	Depth	Height
88	27	170

KG 30,0	unit 1+1 0.48 mc		
---------	------------------	--	--





Accessoriescollection
// Upperalu





Accessoriescollection

// Upperalu

Finishing

Aluminium frame



white



dove







graphite

Textilene canopy







white

SHADING 3X4 H235 / CODE: UPPA01



SHADING 3X3 H235 / CODE: UPPA02



Materials

Alluminio / Aluminium



Teal green



Charcoal



Silver



Bianco
White



Tortora
Dove colour

Alluminio / Aluminium



Grafite
Graphite



Mokka



Beige



Bianco
White



Grafite
Graphite

Acciaio / Steel

Alluminio: Grazie alla fusione di più leghe di alluminio che ne garantiscono solidità, maneggevolezza ed inattaccabilità alla ruggine, è un materiale di elavata qualità e permette di raggiungere i massimi risultati qualitativi ed estetici.
Inox: L'acciaio inossidabile è un materiale che, grazie alla sua alta resistenza alla corrosione e alle caratteristiche meccaniche di rilievo, risulta maggiormente duraturo e affidabile nel tempo.
Acciaio: Lega di ferro e carbonio con percentuale di carbonio inferiore al 2% trattata per resistere agli agenti atmosferici con il processo della cataforesi e verniciatura a polvere.

Manutenzione: Per mantenere a lungo il prodotto in buone condizioni, consigliamo una corretta pulizia periodica, particolarmente frequente in località caratterizzate da forte umidità e clima marino. Si raccomanda di pulire le superci con un panno morbido utilizzando acqua o detergenti neutri. Prolungate ed ininterrotte esposizioni a intense radiazioni UV o a temperature molto rigide possono incidere sulle caratteristiche iniziali del rivestimento estetico colorato costituito da poliestere. Consigliamo di pulire e conservare in luoghi riparati i prodotti durante periodi d'inutilizzo prolungato e invernali.

Aluminum: Thanks to the fusion of several aluminum alloys that guarantee solidity, manageability and rust resistance, it is a material of high quality and allows to reach the maximum qualitative and aesthetic results.
Inox: Stainless steel is a material that, thanks to its high resistance to corrosion and to the mechanical characteristics of relief, is more durable and reliable over time.
Steel: Iron and carbon alloy with carbon percentage less than 2% treated to resist to the atmospheric agents with the cathophoresis process and powder coating.

Maintenance: To keep the product in good condition for a long time, we recommend a regular cleaning period, particularly frequent in places characterized by high humidity and marine climate. We recommend cleaning the surfaces with a soft cloth using water or neutral detergents. Prolonged and uninterrupted exposures to intense UV radiation or at very low temperatures can affect the initial characteristics of the colored polyester coating. We recommend cleaning and storing products in sheltered areas during long periods of non-use and winter.

Materials

Corde sintetiche / Synthetic ropes



Grigio scuro
Dark grey



Tortora
Dove



Grigio chiaro
Light grey



Grigio scuro
Dark grey



Verde militare
Hunter green



Giallo
Yellow



Rosso
Red



Sabbia
Sand



Verde petrolio
Teal green

Doppia treccia costruita con anima in poliestere e copertura in propilene multi filamento. La fibra esterna di cui è composta è impermeabile e resistente ai raggi UV.

Si raccomanda di pulire con prodotto neutro e panno non abrasivo.

Double braid made with polyester core and multi-filament propylene cover. The external fiber is waterproof and resistant to UV rays.

It is recommended to clean with a neutral product and a non-abrasive cloth.

Materials

Legni / Wood



Teak

Teak: Materiale di elevata qualità ideale per la realizzazione di mobili da esterno perché estremamente resistente ai cambiamenti di temperatura, all'acqua, all'umidità e alla salsedine.

Trattandosi di un materiale naturale si potrebbero osservare variazioni di colore o anche crepe dovute al grado di umidità ed ai bruschi cambiamenti di temperatura. Qualora non ricevesse alcun trattamento di manutenzione, mediante l'applicazione periodica di comuni e specifici protettivi a base olio, la superficie potrebbe prendere una patina grigio argento che potrà essere eliminata con una leggera carteggiatura superficiale e successiva lucidatura con panno di iuta. Piccole macchie superficiali dovute ad olio o altri prodotti alimentari dovranno essere rimosse tempestivamente, prima che il legno possa assorbirle in profondità, carteggiando la superficie interessata e lucidandola successivamente con un panno di iuta.

Teak: High quality material suitable for outdoor furniture because it is extremely resistant to changes in temperature, water, humidity and saltiness.

Being a natural material, colour variations or even cracks due to the degree of humidity and sudden changes in temperature may be observed. If no maintenance treatment is received, through the periodic application of common and specific protective oil-based, the surface may take a silver-gray patina that can be easily removed with a light surface sanding down and subsequent polishing with a jute cloth. Small superficial stains due to oil or other food products must be removed promptly, before the wood can absorb them in depth, sanding down the affected surface and then polishing it with a jute cloth.

Materials

Tappeti / Carpet



Canvas



Grigio chiaro
Light grey



Grigio scuro
Dark grey



Rosso
Red



Verde scuro
Dark green



Canvas



Grigio chiaro
Light grey



Grigio scuro
Dark grey



Verde scuro
Dark green

I tappeti sono realizzati in filato di fibra sintetica, hanno un trattamento idrorepellente, antimacchia e antimuffa. Il filato in PP ha una resa ottimale in ambienti esterni, per durata e resistenza agli agenti atmosferici ed ha un elevata stabilità ai raggi UV.

Manutenzione quotidiana: aspirapolvere senza spazzole.
Manutenzione periodica: lavaggio a secco o pulizia a vapore.
Macchie: tamponare con un panno pulito; agire con detergenti specifici seguendo attentamente le istruzioni del produttore.

All the carpets are made of synthetic fabric and through a special treatment they are waterproof, stain-resistant and anti-bacterial. The PP yarn ensures an excellent performance in terms long-lasting durability, weather and UV rays resistance.

Daily cleaning: vacuum cleaner without brushes.
Deeper cleaning: professional dry cleaning or steam cleaning.
Stains: pat the area with a clean cloth; use specific detergents following the manufacturer's instructions.

Materials

Tessuto 100% pl, idrorepellente / 100% pl fabric, water repellent



Bianco
White



Grigio scuro
Dark grey



Tortora
Dove

Il poliestere è un materiale adatto all'arredo esterno perchè semplice da pulire, trattare e lavare. Ha elevate caratteristiche meccaniche: resiste alla rottura, alla luce, all'abrasione, non si deforma in modo permanente ed ha un ottimo recupero elastico. È idrorepellente, quindi perfetto se installato vicino ad un bordo piscina o se esposto a situazioni climatiche avverse.


Prima di chiudere l'ombrellone è importante assicurarsi che il telo sia perfettamente asciutto. Durante i mesi di non utilizzo l'ombrellone deve essere riposto in un ambiente asciutto e protetto dalla relativa cover. Evitare il contatto prolungato con sostanze grasse e/o coloranti che potrebbero venire assorbite dal materiale di rivestimento e dare luogo a macchie permanenti, oltre che deteriorare la struttura del filato. Non usare solventi. Utilizzare acqua e detergenti liquidi non abrasivi con PH neutro e incolori. Eventualmente lasciare agire il detergente alcuni minuti. Sciacquare abbondantemente con acqua a temperatura non superiore a 30°C.

Polyester is a material suitable for outdoor furniture because it is easy to clean, treat and wash. It has high flexural strenght characteristics: it resists breakage, light, abrasion, does not deform permanently and has an excellent elastic shape recovery. It is water repellent, therefore perfect if installed near swimming pool areas or if exposed to adverse weather conditions.

Before closing the parasol it is important to make sure that the cloth is perfectly dry. During the months of not using the umbrella must be stored in a dry place and protected by the appropriate cover. Avoid prolonged contact with greasy substances which could be absorbed by the coating material and give rise to permanent stains, as well as deteriorating the yarn structure. Do not use solvents. Use water and non-abrasive liquid detergents with neutral PH and colourless. If necessary, allow the detergent to act for a few minutes. Rinse with water at a temperature not exceeding 30 ° C.

Materials

Textilene



Bianco
White



Tortora
Dove



Silver black

Il Textilene è una fibra di poliestere protetta da un rivestimento in PVC. Le fibre vengono poi legate insieme in modo da ottenere una sostanza fibrosa particolarmente solida è permanente, resistente allo stiramento ed immune da strappi. La caratteristica più importante è la sua elasticità, offre un'eccellente resistenza alle muffe e alle macchie, e presenta un trattamento superficiale contro la degradazione UV.


Il textilene può essere pulito semplicemente con un panno di spugna con acqua saponata. Abrasivi e solventi devono essere assolutamente evitati! Si asciuga molto rapidamente a causa della loro struttura aperta.

Textilene is a polyester fiber protected by a PVC coating. The fibers are bonded together so in order to obtain a particularly solid fibrous material which is durable, resistant to stretching and wear resistant too. The most important characteristic is its elasticity, offers excellent resistance to inhibits mold and stains, and has a surface treatment against UV degradation.

Textilene can simply be cleaned with a sponge cloth with soapy water. Abrasives and solvents must absolutely be avoided! It dries very quickly due to their open structure.

Technical information

Legenda / Legend




Peso netto KG
Net weight KG




Unità per imballo
Unit for box




Resistente alle intemperie
Weather-resistant




Impilabile
Stackable



Pieghevole
Folding



Imbottitura in dry foam
Quick dry foam padding



Articolo da assemblare
To assemble



Provisto di illuminazione
With lighting system

Per ogni articolo sono indicate caratteristiche, dimensioni, peso, numero dei pezzi nell'imballo, materiali e colori.

For each item are provided features, sizes, weight, packaging, material, available colours.

CONDIZIONI GENERALI DI VENDITA

- 1. I colori, disegni e misure dei prodotti presenti nel catalogo sono indicativi. La Talenti srl ha facoltà di eliminare o modificare i modelli delle proprie collezioni senza alcun preavviso.
- 2. I prezzi dei modelli standard sono espressi nello specifico listino prezzi fornito dall'azienda. Per quanto riguarda gli articoli su misura il preventivo verrà tempestivamente fornito dalla Talenti dietro richiesta del cliente.
- 3. L'acquirente è tenuto a controllare sempre la merce e ad indicare nel DDT la data di ricevimento, la persona che la riceve ed il timbro della ditta, nonché le eventuali anomalie nel materiale.
- Talenti srl accetterà esclusivamente reclami presentati entro 5 (cinque) giorni dal ricevimento della merce.
- 4. La Talenti srl con la consegna al vettore in nessun caso risponde dei rischi a cui la merce è sottoposta durante il trasporto. Quindi eventuali ammanchi, rotture, deterioramenti o manomissioni sono a totale carico dell'acquirente.
- 5. Gli ordini dovranno essere fatti per scritto utilizzando i codici, descrizioni e prezzo come da catalogo e listini prezzi relativi.
- 6. Per ogni controversia è competente il foro di Terni (Italia).

GENERAL CONDITIONS OF SALE

- 1. The colours, drawings and sizes of the products in this catalogue are approximate. Talenti srl reserves the right to discontinue or change the models in its collections at any time without advance notice.
- 2. The prices of the standard models are expressed in the specific price list that Talenti srl will provide. Concerning customized items the offer will be immediately made and provided by Talenti srl on request of the customer.
- 3. The purchaser is always required to inspect the goods and indicate on the transport document the date of receipt, the person who received it and the company's stamp, as well as any anomalies found in the material. Talenti srl will not accept any claims presented more than 5 (five) days after receipt of the goods.
- 4. Once Talenti srl has delivered products to the carrier, it is no longer responsible for risks these are subject to during transport. The purchaser is thus totally responsible for any missing pieces, breakage, deterioration or tampering.
- 5. Orders must be in writing using the codes, descriptions and prices shown in the catalogue and price lists.
- 6. The Court of Terni (Italy) will be exclusively competent for any disagreements.

INFORMATIVA AI SENSI ART.13 D. Lgs. n. 196/03

"Codice in materia di protezione dei dati personali"

Il trattamento dei dati personali si svolge nel rispetto dei diritti e delle libertà fondamentali, con particolare riferimento alla riservatezza e al diritto alla protezione.

Il trattamento viene effettuato per adempiere ad obblighi amministrativo-contabili e fiscali e per l'esecuzione degli obblighi contrattuali.

I Vs. dati possono essere comunicati, oltre che a tutti gli incaricati del trattamento all'interno dell'azienda, a consulenti amministrativi, contabili e legali, ad Istituti Bancari.

Titolare del trattamento è TALENTI SRL avente sede legale in Strada Amerina km 4,5, 05022 - Amelia (Tr) - Italy

Al Titolare del trattamento ci si potrà rivolgere per far valere i diritti previsti dall'art. 7 del D.Lgs 196/03.

NOTICE UNDER DL 196/2003, THE PRIVACY LAW

Your personal information will be handled with respect for your rights and fundamental liberties and with particular reference to confidentiality and the right of protection.

Your information will be handled to fulfil our administrative, accounting and tax obligations and to fulfil our contractual obligations. In addition to the company's employees assigned to handle your information internally, it may also be communicated to administrative, accounting and legal consultants and to banks.

The owner of the information for handling purposes is Talenti Srl, which is located at Strada Amerina km 4,5, 05022 - Amelia (Tr) - Italy

You may contact the owner to assert your rights under article 7 of DL 196/2003.

© 2020/2021 - Talenti S.r.l. - Prima edizione
Tutti i diritti riservati - All rights reserved

GRAPHIC DESIGN CONCEPT:
Studio Palomba Serafini Associati
Talent Technical Department

GRAPHIC DESIGN EDITING:
Talent Technical Department

PHOTOS:
Giordano Mocchegiani
Giordano Mocchegiani per Rplus
Roberto Sacchini
Gruppo Bento

DECOR:
Francesca Conti
Silvia Garattoni
Talent Technical Department

POST PRODUCTION:
Area 453

SELECTION:
Studio 59

COPYWRITING:
Talent S.r.l.

PRINT:
Sincromia srl

THANKS TO:
Salvadori
Rina Menardi
Kristina Dam Studio
101 Copenhagen
Valerie Objects

Talent S.r.l.
Strada Amerina km 4,5
05022 - Amelia (Tr) - Italy
customerservice@talentisrl.com
www.talentisrl.com